

My No : CF/EXC/02/2015

Ministry of Health, Nutrition and Indigenous Medicine

"Suwasiripaya"

385, Ven Baddegama Wimalawansa Thero Mw.

Colombo 10

16/08/2016

Provincial Health Secretaries,
Deputy Director General – National Hospital of Sri Lanka,
Provincial Directors of Health Services,
All Hospital Directors under the Line Ministry,
Regional Directors of Health Services,
Heads of Institutions.

**Departmental & Efficiency Bar Examination for
Medical Laboratory Technologists Class II Seg. "B" / Grade III - 2015**

The above examination was held on 31.10.2015 and 01.11.2015 in terms of the General Circular letter No. 02-113/2015 dated 11.09.2015 and the results sheet of the same is attached herewith.

02. Please inform the results to the relevant officers and file a copy of the results sheet in the respective personal files and an entry should also be made in the history sheets by a staff officer to the effect that they have passed the relevant subjects.

03. If any discrepancy is observed, **please bring it to my notice in writing for necessary rectification, within one month of the receipt of this letter.** Any request made in this connection later will not be considered.

The Information is also available in web site - [WWW. Health gov.lk](http://WWW.Health.gov.lk)

M. B. L. Rahuman

Deputy Director General (Admin) II
Ministry of Health, Nutrition & Indigenous Medicine,
"Suwasiripaya",
385, Rev. Baddegama Wimalawansa Thero Mawatha,
Colombo 10.

M.B.L.Rahuman

Deputy Director General (Admin II)

For Secretary

Ministry of Health, Nutrition and Indigenous Medicine

**Results sheet of the Departmental Examination And Efficiency Bar Examination for Medical Laboratory Technologists
in Class II Seg; 'B' Grade III - 2015**

Sr. No	Name	Working Station	ID Number	Index No	Medium	Efficiency Bar Examination			Departmental Examination								
						Marks	Result	NA	Marks	Result	NA	Marks	Result	Marks	Result	Marks	Result
01	H H D A D Hettiarachchi	District Genaral Hospital - Negombo	771630367V	M 01	S	NA	P	NA	NA	NA	32	F	NA	NA	NA	NA	
02	N S Navalage	Teaching Hospital - Jaffna	876600960V	M 02	S	79	P	75	P	59	P	59	P	63	P	P	
03	R Threeswaran	Teaching Hospital - Jaffna	840813371V	M 03	T	58	P	43	P	50	P	52	P	66	P	P	
04	K A S C Jayawardena	Teaching Hospital - Jaffna	870880340V	M 04	S	51	P	52	P	48	P	48	P	59	P	P	
05	V Piratheepa	Teaching Hospital - Jaffna	858332249V	M 05	T	56	P	30	F	46	P	45	P	57	P	P	
06	E D S T Dissanayake	District Genaral Hospital - Monaragala	803093067V	M 06	S	NA	P	45	P	NA	NA	NA	NA	NA	NA	NA	
07	J A M N Jayasooriya	STD - Control Unit- Polonnaruwa	855763818V	M 07	S	80	P	55	P	51	P	60	P	64	P	P	
08	R M S Rathnayake	Provincial Genaral Hospital - Badulla	855421437V	M 08	E	34	F	32	F	49	P	30	F	56	P	P	
09	R M I U Rathnayake	Base Hospital - Angoda	858592402V	M 09	S	70	P	60	P	66	P	61	P	55	P	P	
10	A H M R Damayanthi	Base Hospital - Angoda	856500772V	M 10	S	76	P	77	P	56	P	AB	AB	AB	AB	AB	
11	M A N Kumara	Institute of Forensic Medicine and Toxicology- Colombo	841891244V	M 11	S	40	P	48	P	55	P	43	P	56	P	P	
12	H K Dilhani	Institute of Forensic Medicine and Toxicology- Colombo	858032784V	M 12	S	62	P	48	P	55	P	AB	AB	AB	AB	AB	
13	S K Mennwara	Genaral Hospital - Sri Jayawardhanapura	750710468V	M 13	S	47	P	73	P	58	P	45	P	61	P	P	
14	P A A G Chandrapala	Genaral Hospital - Sri Jayawardhanapura	842904749V	M 14	S	19	F	51	P	36	F	21	F	42	P	P	
15	H M R Rathnayake	Base Hospital - Chavakachcheri	873321741V	M 20	S	53	P	46	P	60	P	40	P	60	P	P	
16	R M P B Rathnayake	National Institute OF Nephrology Dialysis and Transplantation - Colombo	858352720V	M 21	S	47	P	61	P	53	P	59	P	65	P	P	

(Signature)
A L Basnayake

Director (Examinations)

16/08/2016

**Results sheet of the Departmental Examination And Efficiency Bar Examination for Medical Laboratory Technologists
in Class II Seg; 'B' Grade III - 2015**

Sec No	Name	Working Station	ID Number	Index No	Medium	Efficiency Bar Examination				Departmental Examination							
						Est. Code		Financial Regulatory		Subject Related		Practical		Viva			
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result		
17	M S Garusinghe	National Institute Of Nephrology Dialysis and Transplantation - Colombo	857430786V	M 22	S	NA	P	65	P	NA	NA	NA	NA				
18	D M T S Dissanayake	Base Hospital - Angoda	856533220V	M 23	S	67	P	76	P	59	P	61	P	64	P		
19	E H Ranga	General Hospital - Ampara	853120626V	M 24	S	44	P	46	P	44	P	40	P	40	P	55	P
20	K Batuwitige	General Hospital - Ampara	855901056V	M 25	S	57	P	62	P	54	P	40	P	40	P	61	P
21	A M S R Chathuranga	Provincial General Hospital - Badulla	860270501V	M 26	S	70	P	54	P	49	P	56	P	61	P	61	P
22	D N Waidyaratne	Base Hospital - Welimada	653524366V	M 27	S	AB	AB	AB	AB	AB	AB	34	F	51	P	51	P
23	A L Garusinghe	District Hospital - Katharagama	860852845V	M 28	S	26	F	40	P	40	P	54	P	50	P	50	P
24	T W M C J Premaratna	Divisional Hospital - Medagama	852230355V	M 29	S	NA	NA	56	P	NA	NA	NA	NA	NA	NA	NA	NA
25	D M T R Kumara	Base Hospital - Wellawaya	850611270V	M 30	S	72	P	75	P	50	P	56	P	64	P	64	P
26	M D A I S Jayathilaka	District General Hospital - Kilinochchi	841903641V	M 32	S	NA	NA	AB	AB	NA	NA	NA	NA	NA	NA	NA	NA
27	G K T Garusingha	Base Hospital - Mahiyanganaya	853091294V	M 33	S	79	P	76	P	40	P	44	P	44	P	51	P
28	J A C K Perera	Base Hospital - Mahiyanganaya	842071194V	M 34	S	AB	AB	AB	AB	40	P	44	P	44	P	52	P
29	T G D Pathmanali	Teaching Hospital - Mahamadara	828094246V	M 35	E	NA	NA	NA	NA	40	P	AB	AB	NA	NA	NA	NA
30	R G M U J Rambandara	Sri Lanka Air Force - colombo	852300165V	M 36	S	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB
31	T C Jayawardhana	National STD / AIDS Control Programme - Colombo	865034121V	M 37	S	62	P	56	P	NA	NA	NA	NA	NA	NA	NA	NA
32	M Aravinthan	District General Hospital - Kilinochchi	750071562V	M 38	T	28	F	22	F	26	F	AB	AB	AB	AB	AB	AB

(Signature)

A L Basnayake

Director (Examinations)

16/08/2016

**Results sheet of the Departmental Examination And Efficiency Bar Examination for Medical Laboratory Technologists
in Class II Seg; 'B' Grade III - 2015**

Sr. No	Name	Working Station	ID Number	Index No	Medium	Efficiency Bar Examination			Departmental Examination						
						Est. Code	Result	Financial Regulator	Subject Related	Practical	Viva	Marks		Result	
												Marks	Result	Marks	Result
33	K Chamila	District Genaral Hospital - Kamburugamuwa	826072114V	M 39	S	NA	NA	40	P	AB	AB	AB	AB	AB	AB
34	R M P G C R Rathnayaka	Medical Research Institute - Colombo	848533025V	M 40	S	41	P	69	P	40	P	27	F	59	P
35	G K J N Udara	Medical Research Institute - Colombo	853043478V	M 41	S	64	P	53	P	53	P	45	P	61	P
36	M K A De Zoysa	Medical Research Institute - Colombo	856142647V	M 42	S	59	P	68	P	63	P	49	P	63	P
37	H A Nirmal	Medical Research Institute - Colombo	862680413V	M 43	S	28	F	31	F	NA	NA	NA	NA	NA	NA
38	P M Lanahewa	Medical Research Institute - Colombo	877941060V	M 44	S	76	P	66	P	AB	AB	NA	NA	NA	NA
39	M D A Sanjewa	Medical Research Institute - Colombo	852222913V	M 45	S	NA	NA	46	P	NA	NA	NA	NA	NA	NA
40	K G D Karunaratna	Medical Research Institute - Colombo	847920696V	M 46	S	69	P	70	P	47	P	50	P	65	P
41	H P G Thusharika	Medical Research Institute - Colombo	856591409V	M 47	S	69	P	63	P	62	P	47	P	63	P
42	R A S H Rajapakshe	Medical Research Institute - Colombo	858650780V	M 48	S	57	P	64	P	63	P	57	P	59	P
43	L R D C Liyanage	Medical Research Institute - Colombo	853193976V	M 49	S	59	P	44	P	56	P	56	P	59	P
44	V K Abepala	Base Hospital - Thambuththegama	817222625V	M 50	S	49	P	40	P	NA	NA	NA	NA	NA	NA
45	R M S D Kumara	Provincial Genaral Hospital - Rathnapura	761620738V	M 51	S	21	F	40	P	44	P	AB	AB	AB	AB
46	M T D Rathnasekara	Provincial Genaral Hospital - Rathnapura	832284300V	M 52	E	NA	NA	NA	NA	35	F	NA	NA	NA	NA
47	S K Pradeepa	Medical Research Institute - Colombo	847052880V	M 53	S	56	P	65	P	53	P	54	P	59	P
48	N Basnayake	Medical Research Institute - Colombo	846121846V	M 54	S	53	P	15	F	57	P	47	P	51	P



A L Basnayake

Director (Examinations)

/6/08/2016

**Results sheet of the Departmental Examination And Efficiency Bar Examination for Medical Laboratory Technologists
in Class II Seg: 'B' Grade III - 2015**

Se No	Name	Working Station	ID Number	Index No	Medium	Efficiency Bar Examination			Departmental Examination						
						Marks	Result	Est. Code	Financial Regulator	Subject Required	Practical	Viva	Marks	Result	
															Marks
49	M R F Rihana	Central Chest Clinic - Colombo	855811065V	M 55	T	72	P	65	P	68	P	43	P	58	P
50	M I M Nasreen	National TB Reference Laboratory - Welsara	863211255V	M 56	T	AB	P	AB	P	60	P	49	P	55	P
51	M H P S Kumara	National TB Reference Laboratory - Welsara	851940820V	M 57	S	NA	P	29	F	NA	P	NA	P	NA	P
52	D G P Mahindaratna	Base Hospital - Kanthale	841493516V	M 58	S	40	P	46	P	48	P	41	P	48	P
53	S W N Manjula	Provincial General Hospital - Rathnapura	852093463V	M 59	S	47	P	35	F	44	P	NA	P	NA	P
54	H S D Fernando	National Hospital of Sri Lanka - Colombo	820424182V	M 60	S	NA	P	35	F	NA	P	NA	P	NA	P
55	R A R I Ranasingha	Base Hospital - Samanthururai	862840895V	M 61	S	AB	P	AB	P	AB	P	AB	P	AB	P
56	M D D U Kumara	National Institute of Mental Hospital - Angoda	833630091V	M 62	S	51	P	41	P	50	P	59	P	57	P
57	E A R K Nilanthi	National Institute of Mental Hospital - Angoda	846923152V	M 63	S	71	P	64	P	59	P	56	P	59	P
58	K G C K Wicramasinghe	National Institute of Mental Hospital - Angoda	858642558V	M 64	S	70	P	62	P	61	P	50	P	66	P
59	M B M Suranga	National Institute of Mental Hospital - Angoda	841573820V	M 65	S	46	P	63	P	45	P	51	P	58	P
60	P G S Rodrigo	Soyza Womens Hospital - Colombo	851350446V	M 66	S	40	P	31	F	41	P	58	P	64	P
61	B M C K Balasooriya	Food Quality Control Laboratory - Anuradhapura	843560148V	M 67	S	60	P	49	P	62	P	68	P	66	P
62	M A C S Somachandra	Medical Research Institute - Colombo	846773150V	M 68	S	44	P	53	P	31	F	60	P	61	P
63	C S Rathnayaka	Medical Research Institute - Colombo	856430030V	M 69	S	58	P	71	P	60	P	41	P	68	P
64	H C K Perera	Prison Hospital - Colombo 09	821771269V	M 70	S	87	P	62	P	37	F	51	P	63	P


 A L Basnayake
 Director (Examinations)
 16/08/2016

**Results sheet of the Departmental Examination And Efficiency Bar Examination for Medical Laboratory Technologists
in Class II Seg; 'B' Grade III - 2015**

Se. No	Name	Working Station	ID Number	Index No	Medium	Efficiency Bar Examination				Departmental Examination					
						Marks	Result	Marks	Result	Marks	Result	Marks	Result	Marks	Result
65	K A D Thilini	District Hospital - Hinguragoda	867350047V	M 71	S	43	P	55	P	40	P	49	P	61	P
66	M F Thasneem	General Hospital - Trincomalee	857190254V	M 75	T	59	P	62	P	42	P	57	P	56	P
67	W R S K Ekiriyaagala	General Hospital - Trincomalee	856970612V	M 76	S	60	P	50	P	59	P	54	P	58	P
68	R M V H C Rajapakse	Base Hospital - Mawanela	8555890399V	M 77	S	53	P	58	P	51	P	63	P	59	P
69	N Nusrath Banu	District Hospital - Kahatagasdigitiya	816561752V	M 78	T	62	P	61	P	NA	NA	NA	NA	NA	NA
70	K A R R P Kumara	District Hospital - Kahatagasdigitiya	840621871V	M 79	S	52	P	59	P	42	P	48	P	50	P
71	R M B Kumara	Base Hospital - Bibila	831283637V	M 80	S	46	P	45	P	50	P	53	P	55	P
72	H A A M Subail	General Hospital - Ampara	861841090V	M 81	S	53	P	31	F	52	P	40	P	61	P
73	K M M P Keerthisingha	General Hospital - Ampara	837895057V	M 82	S	50	P	NA	NA	NA	NA	34	F	NA	NA
74	M S Kapila	General Hospital - Ampara	852633379V	M 83	S	56	P	63	P	48	P	49	P	61	P
75	K H G K S Kariyawasam	General Hospital - Ampara	842360790V	M 84	S	54	P	60	P	52	P	44	P	63	P
76	A G M Nilupulle	Base Hospital - Deniya	857424492V	M 85	S	44	P	67	P	51	P	41	P	56	P
77	K W R M Fernando	Medical Research Institute - Colombo	876613166V	M 86	S	43	P	NA	NA	NA	NA	NA	NA	NA	NA
78	Y A P Madhusanka	Cancer Institute - Maharagama	840811050V	M 87	S	40	P	52	P	43	P	44	P	66	P
79	G P N Dharmasena	Cancer Institute - Maharagama	856250652V	M 88	S	61	P	58	P	63	P	61	P	66	P
80	K D I Mauri	Cancer Institute - Maharagama	857520394V	M 89	S	53	P	51	P	53	P	66	P	63	P



A L Basnayake

Director (Examinations)

16/08/2016

**Results sheet of the Departmental Examination And Efficiency Bar Examination for Medical Laboratory Technologists
in Class II Seg; 'B' Grade III - 2015**

Se. No	Name	Working Station	ID Number	Index No	Medium	Efficiency Bar Examination			Departmental Examination						
						Marks	Result	Marks	Result	Marks	Result	Marks	Result		
														Ext. Code	Financial Regulation
81	K C L Dharmarathna	Teaching Hospital - Anuradhapura	866080984V	M 90	S	AB	AB	AB	AB	AB	AB	AB	AB		
82	C L Kumarasingha	Teaching Hospital - Anuradhapura	832963542V	M 91	S	NA	53	P	NA	NA	NA	NA	NA		
83	M S M Sakoor	Teaching Hospital - Anuradhapura	841951450V	M 92	S	49	P	26	F	54	P	44	P	60	P
84	H A P Kumara	Base Hospital - Wellawaya	830912070V	M 93	S	40	P	42	P	54	P	45	P	49	P
85	A M S S Bandara	Divisional Hospital - Damana	820014723V	M 94	S	NA	NA	45	P	NA	NA	NA	NA	NA	NA


P = Pass

F = Fail


NA = Not Applied


AB = Absent

Computerized by:

T M D S Jayathilake (DO) - 

Frist Checking by :

01. T M D S Jayathilake (DO) 

02. M H Dilrukshika (DO) - 


Confirmed by :

A.L. Basnayake

Director (Examinations)

...../08/2016

Second Checking by :

01. K A N S Perera - AO (Examinations) - 

02. K Thayaridi (S/A) - 

M.B.L. Rahuman

Deputy Director General (Admin) II

For Secretary

Ministry Of Health, Nutrition and Indigenous Medicine

M. B. L. Rahuman

Deputy Director General (Admin) II

Ministry of Health, Nutrition & Indigenous Medicine,

"Suwasiripaya"

385, Rex Baddegama Wimalawansa Thero

Colombo 10.

A L Basnayake
Director (Examinations)
16/08/2016