

My No : CF/EXP/05/2016,
Examinations Branch,
Ministry of Health, Nutrition and Indigenous Medicine,
"Suwasiripaya",
385, Ven Baddegama Wimalawansa Thero Mw.,
Colombo 10.

07/09/2016

Provincial Secretaries of Health
Deputy Director General - NHSL
Provincial Directors of Health Services
Directors of Hospitals and Heads of Institutions
Under the Line Ministry
Deputy Provincial Directors of Health Services
Heads of D.U.U.

**Efficiency Bar Examination for The post of Grade I primary Nontechnical Service Category
PL - 01 - 2006 (A) in the Ministry of Health, Nutrition and Indigenous Medicine.**

The above examination was held on 18.06.2016 in terms of the General Circular letter No. 02-67/2016 dated 02.05.2016 and the results sheet of the same is attached herewith.

02. Please inform the results to the relevant officers and file a copy of the results sheet in the respective personal files and an entry should also be made in the history sheets by a staff officer to the effect that they have passed the relevant subjects.

03. If any discrepancy is observed, please bring it to my notice in writing for necessary rectification, within **one month** of the receipt of this letter. Any request made in this connection later will not be considered.

04. The information is also available in web site – www.health.gov.lk

M.B.L. Rahuman


Deputy Director General (Admin II)
For Secretary

Ministry of Health, Nutrition and Indigenous Medicine

M. B. L. Rahuman
Deputy Director General (Admin) II
Ministry of Health, Nutrition & Indigenous Medicine,
"Suwasiripaya",
385, Rev. Baddegama Wimalawansa Thero Mawatha,
Colombo 10.

**Results Sheet Of The Efficiency Bar Examination for The post in Grade I of primary Nontechnical Service Category
PL - 01 - 2006 (A) in the Ministry of Health - 2016**

NO	NAME	WORKING STATION	ID NUMBER	DESIGNATION	MEDIUM	INDEX NUMBER	SUBJECT KNOWLEDGE	RESULT
1	R U B Lokubandara	Medical Officer of Health Service - Ipalogama	621803492v	Spray Machine Operator	S	1	70	P
2	S A N Krunaratna	Medical Officer of Health Service Office - Padaviya	672571057v	Spray Machine Operator	S	2	75	P
3	S C D Herath	District Hospital - Kahatagasdigiliya	742480518v	Spray Machine Operator	S	3	43	P
4	H P A Shantha	Medical Officer of Health Service - Padaviya	703262945v	Spray Machine Operator	S	4	57.5	P
5	R M J Heenbanda	Divisional Hospital - Thalawa	593162010v	Spray Machine Operator	S	5	77.5	P
6	B G Punctibanda	Divisional Hospital - Katiyawa	630734583v	Spray Machine Operator	S	6	AB	AB
7	E M S U Abeyratna	Medical Officer of Health Service - Kekirawa	642291335v	Spray Machine Operator	S	7	94	P
8	S D R Jayawardane	Regional Director of Health Service - Office - Anuradhapura	620113948v	Spray Machine Operator	S	8	AB	AB
9	K B Sabaratna	Medical Officer of Health Service - Thambuththegama	630771188v	Spray Machine Operator	S	9	51.5	P
10	K M Chandradasa	Medical Officer of Health Service - Kekirawa	570392379v	Spray Machine Operator	S	10	89	P
11	D R Kumarasingha	Medical Officer of Health Service - Kahatagasdigiliya	712283327v	Spray Machine Operator	S	11	83.5	P
12	D Kumarasingha	Medical Officer of Health Service - Horowpathana	692950593v	Spray Machine Operator	S	12	88.5	P
13	A Dammaseena	District Hospital - Kahatagasdigiliya	602572870v	Spray Machine Operator	S	13	74	P
14	T M J K Tennakoorn	Regional Director of Health Service - Anuradhapura	661522275v	Spray Machine Operator	S	14	79.5	P
15	D M R Kalathitiake	Divisional Hospital - Eppawala	651393922v	Spray Machine Operator	S	15	62.5	P


 A.L. Basnayake
 Director (Examinations)
 07/09/2016

**Results Sheet Of The Efficiency Bar Examination for The post in Grade I of primary Nontechnical Service Category
PL - 01 - 2006 (A) in the Ministry of Health - 2016**

Q. NO.	NAME	WORKING STATION	ID NUMBER	DESIGNATION	MEDIUM	INDEX NUMBER	SUBJECT KNOWLEDGE	RESULT
16	W M Jayathilaka	Medical Officer of Health Service - Thalawa	630422257v	Spray Machine Operator	S	16	56.5	P
17	S Nanarathna	Medical Officer of Health Service - Nuwaragampalathia	580562221v	Spray Machine Operator	S	17	AB	AB
18	S M Dayaratna	Regional Director of Health Service - Anuradhapura	611253796v	Spray Machine Operator	S	18	AB	AB
19	B Dayananda	Primary Medical Care Unit - Konwewa	640911000v	Spray Machine Operator	S	19	42	P
20	P B Ekanayake	Primary Medical Care Unit - Konwewa	630943027v	Spray Machine Operator	S	20	47	P
21	A G A Kulathne	General Hospital - Kandy	682783907v	Lift Operator	S	21	79	P
22	E M Ekanayaka	General Hospital - Kandy	610291783v	Lift Operator	S	22	78	P
23	H M S Jayalal	General Hospital - Kandy	195932110025	Lift Operator	S	23	70	P
24	G M D Perera	General Hospital - Kandy	66532383v	Lift Operator	S	24	52.5	P
25	S M S Jayasingha	General Hospital - Kandy	602121178v	Lift Operator	S	25	88	P
26	W G Ariyawansa	General Hospital - Kandy	661060581v	Lift Operator	S	26	73	P
27	K G U Wasantha	General Hospital - Kandy	682201312v	Lift Operator	S	27	77.5	P
28	D M G K Madduma Banda	District General Hospital - Nawalapitiya	631114326v	Saukya Karya Sahayaka	S	28	AB	AB
29	H M Danapala	General Hospital - Kandy	651343062v	Lift Operator	S	29	56	P
30	S D Nandasiri	Base Hospital - Gampola	601271885v	Saukya Karya Sahayaka	S	30	42	P

A.L. Basnayake

Director (Examinations)

07./09/2016

**Results Sheet Of The Efficiency Bar Examination for The post in Grade I of primary Nontechnical Service Category
PL - 01 - 2006 (A) in the Ministry of Health - 2016**

NO	NAME	WORKING STATION	ID NUMBER	DESIGNATION	MEDIUM	INDEX NUMBER	SUBJECT KNOWLEDGE	RESULT
31	U W Wickramasingha Banda	Regional Medical Supply Division - Kandy	681020527v	Saukya Karya Sahayaka	S	31	93	P
32	R N Shantha	Teaching Hospital - Peradeniya	601263319v	Saukya Karya Sahayaka	S	32	AB	AB
33	A Nanayakkara	Base Hospital - Gampola	693092388v	Lift Operator	S	33	42.5	P
34	K G V P Ramasingha	Regional Anti Malaria Campaign - Marale	652242324v	Spray Machine Operator	S	34	81	P
35	H M A A Bandara	Regional Anti Malaria Campaign - Marale	691190480v	Spray Machine Operator	S	35	86.5	P
36	S M Chandratissa	Regional Anti Malaria Campaign - Marale	630033659v	Spray Machine Operator	S	36	71	P
37	G G Dayarathna	Regional Anti Malaria Campaign - Marale	570433393v	Spray Machine Operator	S	37	81.5	P
38	T G Ranaturga Banda	Regional Anti Malaria Campaign - Marale	670741761v	Spray Machine Operator	S	38	70	P
39	N G Indrasena	Regional Anti Malaria Campaign - Marale	572611990v	Spray Machine Operator	S	39	93.5	P
40	H P S Rupasingha	Regional Anti Malaria Campaign - Marale	632352360v	Spray Machine Operator	S	40	88.5	P
41	K D Shelton	Medical Officer of Health Service - Marale	580840019X	Spray Machine Operator	S	41	82.5	P
42	D R Ubeysekera	Medical Officer of Health Service - Dambulla	593342620v	Spray Machine Operator	S	42	86	P
43	H A Rathnayaka	Medical Officer of Health Service - Dambulla	592772167v	Spray Machine Operator	S	43	63	P
44	D Kulasekara	Medical Officer of Health Service - Dambulla	571500086v	Spray Machine Operator	S	44	AB	AB
45	K G Willym Banda	Medical Officer of Health Service - Dambulla	580814662v	Spray Machine Operator	S	45	AB	AB

(Signature)
A.L. BASNAYAKE

Director (Examinations)

07/09/2016

**Results Sheet Of The Efficiency Bar Examination for The post in Grade I of primary Nontechnical Service Category
PL - 01 - 2006 (A) in the Ministry of Health - 2016**

SR NO	NAME	WORKING STATION	ID NUMBER	DESIGNATION	MEDIUM	INDEX NUMBER	SUBJECT KNOWLEDGE	RESULT
46	M H R Hewawellarana	District Base Hospital - Matale	600972910v	Spray Machine Operator	S	46	82.5	P
47	H M Dayarathna	District Base Hospital - Matale	621792975v	Spray Machine Operator	S	47	85	P
48	K M T Appuhamy	District Base Hospital - Matale	581841914v	Spray Machine Operator	S	48	68.5	P
49	H A Gunarathna	District Base Hospital - Matale	601592932v	Spray Machine Operator	S	49	67.5	P
50	A G Chandrarathna	District Base Hospital - Matale	582631379v	Saukya Karya Sahayaka	S	50	83.5	P
51	D Chularathne	District Base Hospital - Matale	643220865v	Saukya Karya Sahayaka	S	51	84	P
52	B G Premaratne	District Base Hospital - Matale	590244074v	Saukya Karya Sahayaka	S	52	59.5	P
53	S Murgesu	District Base Hospital - Matale	601965264v	Saukya Karya Sahayaka	T	53	41	P
54	M G M Gunasekara	Divisional Director of Health Service - Matale	590313742v	Saukya Karya Sahayaka	S	54	88	P
55	W G S Kumara	Central Dispensary - Galapitamada	640930322v	Saukya Karya Sahayaka	S	55	90	P
56	S M T Kumari	Base Hospital - Mawanella	626040926v	Saukya Karya Sahayaka	S	56	89	P
57	U H V Malani	Base Hospital - Mawanella	587750090v	Saukya Karya Sahayaka	S	57	76.5	P
58	J C P Jayasekara	Central Dispensary - Galapitamada	665812332v	Saukya Karya Sahayaka	S	58	62	P
59	R W K K Aberathna	Base Hospital - Mawanella	748232605v	Saukya Karya Sahayaka	S	59	81	P
60	W M P K Wijethunga	Base Hospital - Mawanella	675890820v	Saukya Karya Sahayaka	S	60	66	P



A.L. Basunayake
Director (Examinations)
07/09/2016

**Results Sheet Of The Efficiency Bar Examination for The post in Grade I of primary Nontechnical Service Category
PL - 01 - 2006 (A) in the Ministry of Health - 2016**

SR NO	NAME	WORKING STATION	ID NUMBER	DESIGNATION	MEDIUM	INDEX NUMBER	SUBJECT KNOWLEDGE	RESULT
61	D M N Senarathna	Base Hospital - Mawanella	650610547v	Saukya Karya Sahayaka	S	61	62.5	P
62	K G S Somaratne	Medical Officer of Health Service Office - Ambagamuwa	583013440v	Saukya Karya Sahayaka	S	62	AB	AB
63	H M W G C K Herath	Regional D H S Office - Nuwara Eliya	605302246v	Saukya Karya Sahayaka	S	63	AB	AB
64	W M W P Dayabandara	Primary Medical Care Unit - Kalagamwatta	592581043v	Saukya Karya Sahayaka	S	64	86	P
65	K V Gunaseeli	Regional Director of Health Service - Nuwara Eliya	598362211v	Saukya Karya Sahayaka	S	65	AB	AB
66	O H C A Abesekera	Regional Director of Health Service - Nuwara Eliya	670403238v	Saukya Karya Sahayaka	S	66	57.5	P
67	E R G Edirisinghe	Divisional Hospital - Madulla	613331948v	Saukya Karya Sahayaka	S	67	73	P
68	P H P Kumarasiri	Divisional Hospital - Madulla	591663283v	Saukya Karya Sahayaka	S	68	AB	AB
69	V G Villiyam	Divisional Hospital - Madulla	581133740v	Saukya Karya Sahayaka	S	69	AB	AB
70	D M A Menke	Base Hospital - kahawaththa	667842417v	Saukya Karya Sahayaka	S	70	63	P
71	D H Hemawathi	Base Hospital - kahawaththa	618263088v	Saukya Karya Sahayaka	S	71	73	P
72	K W S Chandralatha	Base Hospital - kahawaththa	715780801v	Saukya Karya Sahayaka	S	72	57.5	P
73	H A Karunaththa	Primary Medical Care Unit - Udawela	646662699v	Saukya Karya Sahayaka	S	73	AB	AB
74	T P W Anulawathi	Base Hospital - Kalawana	666452526v	Saukya Karya Sahayaka	S	74	57.5	P
75	K C D De Silva	General Hospital - Kalutara	625684609v	Karyala Karya Sahayaka	S	75	87	P


A.L. Basnayake

Director (Examinations)

03/09/2016


**Results Sheet Of The Efficiency Bar Examination for The post in Grade I of Primary Nontechnical Service Category
PI - 01 - 2006 (A) in the Ministry of Health - 2016**

SE. NO	NAME	WORKING STATION	ID NUMBER	DESIGNATION	MEDIUM	INDEX NUMBER	SUBJECT KNOWLEDGE	RESULT
76	G G N Malkanthi	General Hospital - Matara	597391340V	Saukya Karya Sahayaka	S	76	62.5	P
77	M R Siripala	General Hospital - Matara	591041150V	Saukya Karya Sahayaka	S	77	88.5	P
78	D D N Ranasingha	General Hospital - Matara	590464503V	Saukya Karya Sahayaka	S	78	67.5	P
79	W M Jayarathna	General Hospital - Matara	601842416V	Saukya Karya Sahayaka	S	79	82	P
80	O K M Suresh	Central Dispensary - Hiranakanda	870751672V	Saukya Karya Sahayaka	S	80	83.5	P
81	K H Premaratna	Teaching Hospital - Kurunegala	571643561V	Saukya Karya Sahayaka	S	81	69.5	P
82	P H N Dissanayaka	Teaching Hospital - Kurunegala	571872536V	Saukya Karya Sahayaka	S	82	68.5	P
83	W L P S Kumara	Teaching Hospital - Kurunegala	650323815V	Saukya Karya Sahayaka	S	83	55.5	P
84	H M Sundara Banda	Teaching Hospital - Kurunegala	621153170V	Saukya Karya Sahayaka	S	84	40	P
85	K D R Antony	Teaching Hospital - Kurunegala	652131700V	Saukya Karya Sahayaka	S	85	80.5	P
86	A Shiril	Teaching Hospital - Kurunegala	652532943V	Saukya Karya Sahayaka	S	86	40	P
87	P N S Wijesundara	Teaching Hospital - Kurunegala	652685099V	Saukya Karya Sahayaka	S	87	AB	AB
88	M N Pathmasiri	De Zoysa Hospital - Colombo	651994101V	Saukya Karya Sahayaka	S	88	64	P
89	K S W Silva	De Zoysa Hospital - Colombo	650840694V	Saukya Karya Sahayaka	S	89	41	P
90	W G Dayawathi	Dental Institute - Colombo	608190759V	Saukya Karya Sahayaka	S	90	99	P


 A.L. Basnayake
 Director (Examinations)
 07/09/2016

**Results Sheet Of The Efficiency Bar Examination for The post in Grade I of primary Nontechnical Service Category
PL - 01 - 2006 (A) in the Ministry of Health - 2016**

SE : NO	NAME	WORKING STATION	ID NUMBER	DESIGNATION	MEDIUM	INDEX NUMBER	SUBJECT KNOWLEDGE	RESULT
91	S Kodikara Arachchi	The National Hospital Of Sri Lanka	643091240v	Saukya Karya Sahayaka	S	91	57	P
92	S Sivakumaran	Regional Anti Malaria Campaign - Jaffna	693200032v	Spray Machine Operator	T	92	73	P
93	S Kulendran	Medical Officer of Health Service Office - Kays	602032167v	Lift Operator	T	93	57	P
94	M Paramsothy	Regional Anti Malaria Campaign - Jaffna	640016434v	Spray Machine Operator	T	94	AB	AB
95	M Suthakaran	Regional Director of Health Service - Jaffna	720363488v	Lift Operator	T	95	76	P
96	K Yoganathan	Medical Officer of Health Service Office - Kopai	600021672v	Book Binder	T	96	AB	AB
97	I Thiruchandran	Divisional Hospital - Nainativu	633543356v	Saukya Karya Sahayaka	T	97	AB	AB
98	K Paramanathan	Medical Officer of Health Service Office - Tellippalai	632093020v	Saukya Karya Sahayaka	T	98	66	P
99	T Srikanan	Primary Medical Care Unit - Kokuvil	651662885v	Lift Operator	T	99	50	P
100	K Lakkunarasa	Divisional Hospital - Kopai	612443580v	Saukya Karya Sahayaka	T	100	40	P
101	G W N De Silva	Central Dispensary - Hipankanda	877193934v	Saukya Karya Sahayaka	S	101	79	P
102	W A Gunathilaka Banda	Medical Officer of Health Service Office - Kektirawa	621922890v	Spray Machine Operator	S	102	AB	AB
103	N Veeralaksee	Teaching Hospital - Jaffna	648251815v	Saukya Karya Sahayaka	T	103	AB	AB
104	A Manorama	Teaching Hospital - Jaffna	19616440098	Saukya Karya Sahayaka	T	104	AB	AB
105	K G Jayawardana	Medical Officer of Health Service Office - Pallegama	662821985v	Spray Machine Operator	S	105	AB	AB


A.L. Basnayake
 Director (Examinations)
 07/09/2016

Results Sheet Of The Efficiency Bar Examination for The post in Grade I of primary Nontechnical Service Category
PL - 01 - 2006 (A) in the Ministry of Health - 2016

SE NO	NAME	WORKING STATION	ID NUMBER	DESIGNATION	MEDIUM	INDEX NUMBER	SUBJECT KNOWLEDGE	RESULT
106	R M Kumarasiri Banda	Medical Officer of Health Service Office - Pallegama	651191939v	Spray Machine Operator	S	106	AB	AB
107	H M W G PUNCHI Banda	Medical Officer of Health Service Office - Pallegama	692770161v	Spray Machine Operator	S	107	AB	AB
108	K B Ilangasingha	Divisional Hospital - Thammamawa	702792762v	Spray Machine Operator	S	108	AB	AB
109	K. Sivgnanam	Antimalaria Campaign - Kilinochchi	591264320v	Spray Machine Operator	T	109	AB	AB
110	S. Thevaraja	Antimalaria Campaign - Kilinochchi	573604350v	Spray Machine Operator	T	110	AB	AB

P = PASS

AB = ABSENT

Computered By :-

C. Hapuarachchi (P M A)

1st Checking

01. C. Hapuarachchi (P M A) ✓

02. D. M. Ajantha Kumari (D/O) ✓

Confirmed by :- 

A L Basnayake

Director (Examinations)

2nd Checking

01. K A N S Perera (A/O - Examinations) ✓

02. K Thayani (S/A - Examinations) ✓

M. B. L. Rahuman

Deputy Director General (Admin) II

Ministry of Health, Nutrition & Indigenous Medicine,

"Suwasiripaya",

385, Rev. Baddegama Wimalawansa Thero Mawatha,

Colombo 10.

M B L Rahuman

Deputy Director General (Admin) II

For Secretary

Ministry of Health, Nutrition & Indigenous Medicine