

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
1	A Jeyakrishna	MOH Office - Murungan	T	01 P	43	P	50	P	59.5	P	AB		61	P
2	S Prinson	MOH Office - Murungan	T	02 P	29	F	12	F	47	P	53.41	P	62	P
3	A R Jawahir	MOH Office - Murungan	T	03 P	AB				AB					
4	S Sivanujan	MOH Office - Madhu	T	04 P	41	P	28	F	48	P	51.66	P	69	P
5	R Johnyprakalathan	MOH Office - Madhu	T	05 P	42	P	23	F	54	P	51.41	P	63	P
6	S Chandrasekaram	MOH Office - Nanatan	T	06 P	AB				AB					
7	W M S Senanayaka	GH - Polonnaruwa	S	07 P	60	P	42	P	49	P	60.25	P	65	P
8	K S Ranasinghe	Chest Clinic - Borella	S	08 P	NA		44	P	NA					
9	S Hajendran	MOH Office - Vellamkulam	T	09 P	44	P	51	P	70.5	P	51.25	P	69	P
10	W M D K Wanninayaka	TH - Kurunegala	S	10 P	73	P	57	P	48.5	P	56.16	P	70	P
11	R A J N Ranaweera	NHSL - Colombo	S	11 P	27	F	13	F	60.5	P	57.41	P	68	P
12	P U T Prabhath	NHSL - Colombo	S	12 P	64	P	25	F	57	P	74.41	P	72	P
13	D D Hanwella	BH - Angoda	S	13 P	AB				46.5	P	53.91	P	72	P
14	W A D K Wickramarachchi	Mattala Air Port	S	14 P	73	P	58	P	59	P	55.58	P	73	P
15	H L L P Madusanka	Mattala Air Port	S	15 P	57	P	55	P	65.5	P	55.33	P	70	P
16	W A P M Gunawardana	PHVS - Narahenpita	S	16 P	66	P	40	P	51	P	69.91	P	69	P
17	W R A I Ranasinghe	Dengu Unit - Colombo	S	17 P	71	P	63	P	55	P	77.75	P	71	P
18	D M P K Karunarathna	Dengu Unit - Colombo	S	18 P	63	P	64	P	52.5	P	63.5	P	72	P
19	W A A Kumara	Chest Clinic -Borella	S	20 P	70	P	41	P	57.5	P	73.75	P	69	P
20	W A Premathilaka	MOH Office - Walasmulla	S	21 P	NA				NA		68.66	P	66	P
21	A P Sampath	NPTC & Chest Diseases	S	22 P	52	P	69	P	51.5	P	61.75	P	71	P
22	D I K Sooriyage	MRI - Borella	S	23 P	NA		AB		NA					
23	M M W Jayasekara	MRI - Borella	S	24 P	66	P	26	F	55	P	69.58	P	71	P

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
24	W A Kumara	MOH - Kolonnawa	S	25 P	NA		41	P	NA					
25	D M N M R Bandara	MOH Office - Laggala Pallegama	S	26 P	AB				AB					
26	K G A V Jayarathna	MOH Office - Wilgamuwa	S	27 P	AB				AB					
27	D H G N Wijerathna	MOH Office - Wilgamuwa	S	28 P	AB				AB					
28	M M Rivas	MOH Office - Pothuvil	T	29 P	28	F	15	F	24.5	F	AB			
29	M I M Arsath	MOH Office - Pothuvil	T	30 P	41	P	14	F	46	P	AB			
30	M D H Perera	STD/AIDS Programme	S	31 P	60	P	40	P	41.5	P	66	P	72	P
31	R M S S Rasnayake	STD/AIDS Programme	S	32 P	48	P	27	F	41.5	P	55.5	P	68	P
32	E A P H A Ediriweera	STD/AIDS Programme	S	33 P	AB				AB					
33	P W A B M Withanage	STD/AIDS Programme	S	34 P	40	P	29	F	49	P	52.16	P	66	P
34	R M D D Rathnayaka	MOH Office - Ibbagamuwa	S	35 P	59	P	58	P	66.5	P	56.33	P	75	P
35	M A Fredrick	MOH Office - Vavuniya	T	36 P	AB				AB					
36	R Reynoj	MOH Office - Vavuniya	E	37 P	23	F	34	F	58	P	58.33	P	63	P
37	T Vakeeshan	MOH Office - Vavuniya	T	38 P	43	P	54	P	55	P	58.58	P	67	P
38	S Kajenthiran	MOH Office - Vavuniya	T	39 P	44	P	40	P	52.5	P	62.58	P	68	P
39	K Sivaranjan	MOH Office - Vavuniya	T	40 P	42	P	40	P	61	P	55.91	P	67	P
40	S Kunasanthan	MOH Office - Vavuniya	T	41 P	49	P	50	P	63	P	62.33	P	60	P
41	S Suhirthan	Chest Clinic - Mannar	T	42 P	AB				NA		AB		NA	
42	S H N Sirisena	GH - Ampara	S	43 P	63	P	27	F	53.5	P	56.5	P	71	P
43	G D C Prasad	UC - Kalutara	S	44 P	55	P	30	F	53	P	74.83	P	73	P
44	S S Ponsuge	MC - Dambulla	S	45 P	44	P	50	P	44.5	P	50.16	P	65	P
45	B R L Fernando	SLAF - Colombo	S	46 P	31	F	28	F	45	P	66.83	P	63	P
46	D Varadaraja	MOH Office - Bogawanthalawa	T	47 P	NA				NA		AB			

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
47	P K L Wasantha	MOH Office - Bogawantalawa	S	48 P	AB		NA		NA					
48	K H D Madushanka	MOH Office - Ambagamuwa	S	49 P	48	P	15	F	57	P	52.08	P	61	P
49	N D M P Mahavidanage	MOH Office - Ambagamuwa	S	50 P	65	P	29	F	55.5	P	84.5	P	65	P
50	J M N N U Bandara	MOH Office - Lindula	S	51 P	AB				NA					
51	P Srikanthan	MOH Office - Lindula	T	52 P	15	F	5	F	31.5	F	51.5	P	69	P
52	D M G S Dissanayaka	SLAF - Palaly	S	53 P	AB				AB					
53	H W Gayan	SLAF - Diyathalawa	S	54 P	AB				AB					
54	M A L L Samarasinghe	SLAF - Diyathalawa	S	55 P	AB				AB					
55	D C Wellala	MOH Office - Mathugama	S	56 P	NA		46	P	NA					
56	I L G R Dayarathna	MOH Office - Panadura	S	57 P	AB				AB					
57	M P N Dayananda	MOH Office - Pasgoda	S	58 P	40	P	6	F	48	P	69.08	P	71	P
58	R S Rathnayaka	MOH Office - Pasgoda	S	59 P	AB				AB					
59	R S W Kumara	MOH Office - Kotapola	S	60 P	60	P	43	P	48	P	62.16	P	73	P
60	H L G K K Hewawasam	MOH Office - Kotapola	S	61 P	AB				45	P	54.16	P	69	P
61	M A C Prasad	MOH Office - Morawaka	S	62 P	81	P	55	P	57	P	80.83	P	69	P
62	C M D Fernando	MOH Office - Panadura	S	63 P	49	P	33	F	48.5	P	58.91	P	73	P
63	S S Hewarathna	MOH Office - Panadura	S	64 P	37	F	25	F	45.5	P	64.25	P	72	P
64	H K S Gunasena	MOH Office - Pasgoda	S	65 P	86	P	62	P	65	P	74.91	P	70	P
65	C M Kasthuriarachchi	MOH Office - Aranayaka	S	66 P	56	P	28	F	NA					
66	M K M Yameen	Chest Clinic - Kegalle	T	67 P	26	F	17	F	NA					
67	G A C Nath	MOH Office - Meegahatenna	S	68 P	48	P	25	F	NA					
68	N S K Wickramage	MOH Office - Giradurukotte	S	69 P	46	P	51	P	48	P	69.25	P	73	P
69	W W S N Perera	MOH Office - Rideemaliyadda	S	70 P	48	P	14	F	47	P	59.5	P	80	P

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
70	L R G C L Bandara	MOH Office - Piliyandala	S	71 P	AB				AB					
71	H K N S Kumara	Chest Clinic - Nuwara Eliya	S	72 P	59	P	45	P	56	P	59.66	P	70	P
72	M V Mendis	MOH Office - Hikkaduwa	S	73 P	AB				NA					
73	T G S L Prakash	MOH Suwasiripaya	S	74 P	59	P	27	F	64	P	66.33	P	58	P
74	M S S A Nanayakkara	MOH Suwasiripaya	S	75 P	60	P	52	P	55	P	71.58	P	72	P
75	P G N P Mahindarithna	Anti Leprosy Campaign	S	76 P	26	F	30	F	45	P	55.33	P	68	P
76	H R J A De Alwis	MOH Office - Galaha	S	77 P	NA		50	P	NA					
77	K M A C W Bandara	MOH Office - Thissamaharama	S	78 P	42	P	22	F	48	P	62.08	P	70	P
78	M M A C H Kumara	MOH Office - Sooriyawewa	S	79 P	56	P	60	P	60	P	56.75	P	77	P
79	B N L Dareeju	Anti Leprosy Campaign	S	80 P	AB				AB					
80	K M S K Aravinda	MOH Office - Naththandiya	S	81 P	56	P	61	P	58.5	P	67.33	P	67	P
81	M T Jayalal	MOH Office - Dankotuwa	S	82 P	72	P	64	P	NA					
82	E A N P Edirimanna	MOH Office - Mundel	S	83 P	48	P	53	P	47	P	57.41	P	69	P
83	H S N Hettiarachchi	MOH Office - Mundel	S	84 P	61	P	55	P	53.5	P	57.58	P	69	P
84	W A R P Wickramaarachchi	MOH Office - Pallama	S	85 P	59	P	7	F	66.5	P	56.16	P	68	P
85	D M G C Gamlath	MOH Office - Arachchikattuwa	S	86 P	65	P	59	P	60.5	P	63.83	P	73	P
86	K H M N K Karunarathna	MOH Office - Anamaduwa	S	87 P	54	P	36	F	52.5	P	62.41	P	70	P
87	H M L Ashoka	MOH Office - Anamaduwa	S	88 P	69	P	42	P	46	P	76	P	80	P
88	K D A N S Senarathna	MOH Office - Arachchikattuwa	S	89 P	60	P	54	P	47	P	55.41	P	73	P
89	H M A D Herath	MOH Office - Arachchikattuwa	S	90 P	52	P	28	F	55	P	66.83	P	73	P
90	I A D Lakshan	MOH Office - Kalpitiya	S	91 P	44	P	55	P	58.5	P	62.4	P	75	P
91	W M S M Wannisekara	MOH Office - Kalpitiya	S	92 P	54	P	60	P	58.5	P	84.66	P	73	P
92	A H M C P K Abeyrathna	MOH Office - Kalpitiya	S	93 P	48	P	37	F	57.5	P	66.33	P	72	P

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
93	H M C B Herath	MOH Office - Karuwalagaswewa	S	94 P	56	P	64	P	69.5	P	61.66	P	74	P
94	A L A D N P Jayasinghe	MOH Office - Karuwalagaswewa	S	95 P	61	P	31	F	58.5	P	60.16	P	69	P
95	S M A M Senanayake	MOH Office - Anuradhapura	S	96 P	47	P	25	F	46.5	P	62	P	77	P
96	M M D P Ranasinghe	NCCP - Colombo 5	S	97 P	45	P	0	F	46	P	50.16	P	72	P
97	A N Weerasinghe	MOH Office - Neluwa	S	98 P	60	P	57	P	54.5	P	63.91	P	75	P
98	Y M Jayasinghe	MOH Office - Neluwa	S	99 P	63	P	57	P	62	P	62.33	P	71	P
99	H K M Asanka	MOH Office - Thawalama	S	100 P	66	P	46	P	62	P	68	P	72	P
100	C U N Chandrawansha	MOH Office - Kebithigollewa	S	101 P	63	P	40	P	64	P	55.5	P	71	P
101	C P Gallage	MOH Office - Kebithigollewa	S	102 P	54	P	4	F	50	P	58.83	P	74	P
102	J P P Jayasena	MOH Office - Medawachchiya	S	103 P	44	P	12	F	46.5	P	68.25	P	70	P
103	W M D S S K K Wanninayaka	MOH Office - Horowpathana	S	104 P	54	P	77	P	55	P	69.08	P	71	P
104	T Purusothman	MOH Office - Poonakary	T	105 P	41	P	53	P	51.5	P	54.75	P	63	P
105	V Umachandran	MOH Office - Kilinochchi	T	106 P	41	P	54	P	56	P	54.5	P	55	P
106	R Indrajith	MOH Office - Kilinochchi	T	107 P	16	F	40	P	30	F	AB		NA	
107	S Piratheepan	MOH Office - Kilinochchi	T	108 P	54	P	52	P	58	P	54.83	P	56	P
108	T Nishanthan	MOH Office - Kilinochchi	T	109 P	44	P	55	P	52.5	P	59.83	P	72	P
109	C B Kariyawasam	MOH Office - Hikkaduwa	S	110 P	57	P	41	P	57.5	P	61.66	P	71	P
110	T Kukan	MOH Office - Kandawali	T	111 P	47	P	53	P	60.5	P	57.66	P	60	P
111	K Palenthirakumar	MOH Office - Kilinochchi	T	112 P	49	P	55	P	55.5	P	60.75	P	70	P
112	K P Rohana	MOH Office - Divulapitiya	S	113 P	58	P	18	F	53.5	P	71.16	P	71	P
113	L A Sumudu	MOH Office - Kelaniya	S	114 P	69	P	52	P	60	P	70.41	P	73	P
114	J A K Jeewapriya	MOH Negombo	S	115 P	32	F	AB		NA					
115	R Nijan	MOH Chavakachcheri	T	116 P	54	P	56	P	69	P	61.33	P	75	P

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
116	J Jenatjohnson	MOH Velani	T	117 P	59	P	57	P	57	P	72.58	P	70	P
117	M Jeyapiratheeb	MOH Kayts	T	118 P	58	P	43	P	64	P	67.41	P	68	P
118	B Sanseevan	MOH Kayts	T	119 P	44	P	48	P	60.5	P	67.58	P	69	P
119	V Abaraj	MOH Velani	T	120 P	44	P	57	P	63.5	P	66.83	P	66	P
120	K Jegananthan	MOH Sandilipay	T	121 P	41	P	47	P	45.5	P	63	P	68	P
121	R M S W Ranasinghe	MOH Dimbulagala	S	122 P	49	P	26	F	59	P	63.58	P	77	P
122	G M S Perera	MOH Medirigiriya	S	123 P	69	P	20	F	52	P	63.08	P	79	P
123	B G C N Bandara	MOH Dimbulagala	S	124 P	70	P	47	P	53.5	P	AB			
124	G K G S K Herath	MOH Welikanda	S	125 P	46	P	42	P	52	P	64.83	P	74	P
125	K K S Priyadarshana	NH Respiratory Diseases	S	126 P	51	P	22	F	51	P	71.66	P	70	P
126	P G U M S Somarathna	MC Matale	S	127 P	AB				AB					
127	V Jeyachandiran	Chest Clinic Kilinochchi	T	128 P	31	F	40	P	39.5	F	53.58	P	71	P
128	S M N M Senanayaka	MOH PadaviSripura	S	129 P	50	P	18	F	55.5	P	50	P	79	P
129	R K P Nawarathna	MOH Serunuwara	S	130 P	53	P	42	P	57	P	76.91	P	77	P
130	W D K S Weerasinghe	MOH Kanthale	S	131 P	62	P	67	P	53	P	69.58	P	74	P
131	P G G K Wanasinghe	MOH Kanthale	S	132 P	61	P	14	F	45.5	P	54.16	P	68	P
132	U L Faleel	MOH Kuchchaveli	T	133 P	41	P	NA		NA					
133	U G P S Ariyaratna	MOH Thambalagamuwa	S	134 P	58	P	55	P	57	P	72	P	71	P
134	R M A S Wijebandara	MOH Kanthale	S	135 P	46	P	33	F	54.5	P	56.5	P	73	P
135	S Sivatharsan	MOH Kopay	T	136 P	40	P	50	P	62.5	P	61.5	P	76	P
136	K Senthilkumar	MOH Velani	T	137 P	42	P	50	P	56	P	60.91	P	76	P
137	R N B Vasutheyvaya	RDHS Vavuniya	T	138 P	40	P	43	P	52	P	NA			
138	T J Jayasinghe	MOH Vavuniya South	S	139 P	67	P	20	F	53.5	P	59.5	P	75	P

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
139	A Sureshkumar	MOH Vavuniya South	T	140 P	41	P	49	P	57.5	P	AB		62	P
140	D M C Dinesh	MOH Welikanda	S	141 P	59	P	86	P	46	P	54.83	P	70	P
141	W M T Balasuriya	TH Kurunegala	S	142 P	41	P	20	F	NA		58.91	P	72	P
142	S G D C Perera	Blood Bank Narahenpita	S	143 P	64	P	84	P	54.5	P	78.16	P	69	P
143	T D M Jayasena	Blood Bank Narahenpita	S	144 P	62	P	47	P	56.5	P	75.33	P	73	P
144	J N Jayaranga	MOH Moratuwa	S	145 P	59	P	26	F	44	P	55.08	P	50	P
145	E H R P Kumara	Prisons Department	S	146 P	AB				49	P	49.25	P	75	P
146	P R P Perera	MOH Palindanuwara	S	147 P	NA		20	F	NA					
147	K M C P De Silva	MOH Siyambalanduwa	S	148 P	AB				AB					
148	S J Dehigaspitiya	CMC Colombo	S	149 P	33	F	8	F	42.5	P	62.25	P	76	P
149	P J P De Silva	CMC Colombo	S	150 P	67	P	40	P	58.5	P	AB			
150	K M S Jayakumara	MOH Ayagama	S	151 P	58	P	42	P	49	P	61.33	P	78	P
151	R G S Kumara	MOH Ayagama	S	152 P	57	P	68	P	51.5	P	63.41	P	78	P
152	D W M R A Wijekoon	MOH Kalawana	S	153 P	52	P	34	F	57	P	76.41	P	73	P
153	U D C L Weerasinghe	MOH Kalawana	S	154 P	71	P	52	P	61.5	P	84.66	P	76	P
154	M M P Rodrigo	MOH Kalawana	S	155 P	60	P	12	F	61.5	P	79.33	P	75	P
155	D A A S Dissanayaka	MOH Ratnapura	S	156 P	51	P	28	F	55	P	74.41	P	73	P
156	N G L Karunadasa	MOH Balangoda	S	157 P	65	P	60	P	68	P	75.16	P	74	P
157	I A Gamage	MOH Kolonna	S	158 P	56	P	68	P	65	P	68.58	P	78	P
158	J A S Ravindrajith	MOH Pelmadulla	S	159 P	48	P	52	P	52	P	53.91	P	80	P
159	S W G P Manjula	MOH Godakawela	S	160 P	56	P	68	P	56.5	P	81.25	P	85	P
160	R L G A Vipula Kumara	MOH Godakawela	S	161 P	51	P	60	P	51.5	P	63.83	P	82	P
161	S H S I A Kumara	MOH Godakawela	S	162 P	49	P	46	P	52.5	P	70.58	P	78	P

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
162	K N R P Rupasiri	MOH Nivithigala	S	163 P	50	P	19	F	53	P	67.33	P	77	P
163	L D S Perera	MOH Welioya	S	164 P	51	P	8	F	47	P	63.66	P	70	P
164	U L M Jinnah	MOH Eravur	T	165 P	47	P	27	F	42.5	P	64.5	P	55	P
165	M G A P Mahanama	SLAF Iranamadu	S	166 P	45	P	26	F	49	P	50.33	P	72	P
166	R W A S Salinasiri	MOH Katharagama	S	167 P	58	P	35	F	54	P	72.25	P	78	P
167	T A L Peiris	MOH Katharagama	S	168 P	62	P	50	P	54	P	74.5	P	81	P
168	P Kobiraj	MOH Madulla	S	169 P	44	P	55	P	59	P	65.83	P	72	P
169	E A Nandasiri	MOH Madulla	S	170 P	48	P	61	P	66.5	P	58.75	P	77	P
170	M M C D Madhuranga	MOH Badalkumbura	S	171 P	50	P	64	P	56.5	P	71.08	P	76	P
171	K V C H K Karunarathna	MOH Siyambanduwa	S	172 P	AB				AB				72	P
172	W M T B K Deshapriya	MOH Bibile	S	173 P	41	P	0	F	NA					
173	D G A Piumal	MOH Bibile	S	174 P	61	P	54	P	43	P	65.58	P	75	P
174	K P W H Eranga	MOH Bibile	S	175 P	55	P	72	P	51	P	71.75	P	65	P
175	K G Nishantha	MOH Thanamalwila	S	176 P	67	P	78	P	53	P	73.83	P	69	P
176	K P Manohara	MOH Thanamalwila	S	177 P	56	P	70	P	52	P	73.83	P	72	P
177	R M S Kumara	MOH Wellawaya	T	178 P	33	F	15	F	43	P	50.33	P	78	P
178	G H P S D K De Silva	MOH Siyambanduwa	S	179 P	43	P	5	F	46.5	P	72.91	P	72	P
179	H M C S Jayathilaka	MOH Madulla	S	180 P	50	P	44	P	NA		67.41	P	NA	
180	M H A S Samarasinghe	MOH Yakkalamulla	S	181 P	45	P	16	F	44.5	P	60.41	P	76	P
181	H D M S Hemantha	MC Colombo	S	182 P	AB				AB					
182	M A C K Muthugala	PC Attanagalla	S	183 P	58	P	23	F	50	P	55.33	P	68	P
183	S M I U Sinhabahu	PC Attanagalla	S	184 P	62	P	54	P	49.5	P	56.58	P	77	P
184	L W C K Premakumara	PC Kelaniya	S	185 P	60	P	46	P	43.5	P	80.25	P	77	P

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
185	J D R Jayasekara	MC Moratuwa	S	186 P	42	P	10	F	45	P	53.16	P	62	P
186	T N Induranga	MC Colombo	S	187 P	53	P	25	F	50	P	71	P	63	P
187	K L S Kodikara	MC Colombo	S	188 P	33	F	14	F	58	P	61.58	P	70	P
188	L L C Maduranga	MC Colombo	S	189 P	42	P	20	F	48	P	60.5	P	63	P
189	M Sureshkumar	MC Colombo	T	190 P	41	P	21	F	43	P	50.66	P	67	P
190	G A P De Silva	MC Colombo	S	191 P	AB				AB					
191	N D C Harshana	MC Colombo	S	192 P	51	P	48	P	47	P	82	P	67	P
192	D A D C Sandaruwan	MC Colombo	S	193 P	66	P	29	F	63.5	P	79.75	P	63	P
193	S A A I B Suraweera	MC Colombo	S	194 P	44	P	2	F	54	P	62.41	P	73	P
194	W C J N Wijesundara	MC Colombo	S	195 P	48	P	5	F	43	P	72.5	P	66	P
195	D S S Bandarigoda	MC Colombo	S	196 P	51	P	40	P	42	P	AB			
196	P C P K Subharathna	MC Colombo	S	197 P	47	P	40	P	48	P	74.91	P	68	P
197	D W S K Weerasinghe	MC Colombo	S	198 P	AB				51	P	57.25	P	70	P
198	P M J Pitawela	MC Colombo	S	199 P	51	P	NA		NA					
199	H G W K Bandara	MC Colombo	S	200 P	45	P	15	F	41.5	P	52.08	P	64	P
200	N Ranasinghe	MC Colombo	S	201 P	44	P	40	P	62	P	53.08	P	71	P
201	M P Gayan	MC Colombo	S	202 P	61	P	34	F	41.5	P	75.16	P	70	P
202	M K P S Mirihana	MC Colombo	S	203 P	59	P	25	F	42.5	P	57.83	P	69	P
203	N A K E Pushpakumara	MC Colombo	S	204 P	63	P	31	F	45.5	P	69.83	P	69	P
204	A M A Mirinda	MOH Mannar	T	205 P	NA				NA		46.58	P	69	P
205	D Weerakoon	GH Matara	S	206 P	AB				AB					
206	N G L Sampath	MOH Athuraliya	S	207 P	72	P	61	P	NA					
207	S Amirdhaab	MOH Vakarei	T	208 P	42	P	58	P	64	P	80.16	P	72	P

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
208	N M M Sihan	MOH Koralai Pattu Central	T	209 P	40	P	65	P	57	P	71.25	P	65	P
209	V Vijeyainharan	BH Mullativu	T	210 P	43	P	54	P	53.5	P	57.25	P	73	P
210	T Ketharan	BH Mullativu	T	211 P	45	P	46	P	59	P	49.08	P	65	P
211	S Jeevithan	MOH Chenkalady	T	212 P	46	P	50	P	54.5	P	64.41	P	60	P
212	T Pakeerathan	MOH Eravur	T	213 P	43	P	56	P	44.25	P	52.08	P	55	P
213	A A I P Dharmarathna	MOH Padaviya	S	214 P	65	P	27	F	71.5	P	AB			
214	U G A S Nandasena	MOH Hasalaka	S	215 P	70	P	42	P	58	P	65.25	P	70	P
215	M W A D Dewanarayana	AIDS Programme Kandy	S	216 P	AB				NA					
216	P D D Viraj	MOH Beruwala	S	217 P	64	P	68	P	63	P	63.83	P	78	P
217	D D B S Premawardena	MOH Dimbulagala	S	218 P	AB				NA		AB			
218	T Mithunraj	MOH Kattankudy	T	219 P	48	P	55	P	51.5	P	57.83	P	60	P
219	J P C Lakmal	MOH Mahaoya	S	220 P	69	P	54	P	52.5	P	62.75	P	68	P
220	T M S Priyadarshana	MOH Damana	S	221 P	68	P	21	F	48.5	P	55.33	P	75	P
221	S P G S S Ranasinghe	MOH Ampara	S	222 P	40	P	12	F	47	P	69.33	P	74	P
222	P M Punchi Hewage	MOH Uhana	S	223 P	AB				AB					
223	H M T R Kumara	MOH Padiyathalawa	S	224 P	AB		36	F	NA					
224	S T Kaleelurrahuman	MOH Addalachenei	T	225 P	AB				AB			NA		
225	P M M Thasreen	MOH Kareithivu	T	226 P	40	P	NA		NA					
226	S Raheem	MOH Kareithivu	T	227 P	41	P	49	P	51.5	P	66.08	P	55	P
227	K L Mansoor	MOH Ninthavur	T	228 P	NA				NA			AB		
228	A Sharmilan	MOH Pudukuduiruppu	T	229 P	37	F	29	F	58.75	P	50.08	P	60	P
229	K Lathan	MOH Mallavi	T	230 P	50	P	49	P	45.5	P	53.83	P	55	P
230	M Nanthakumar	MOH Pudukuduiruppu	T	231 P	AB				AB					

.....
A. L. Basnayake
Director (Examinations)
2015.06.

Result Sheet of the Departmental Efficiency Bar Examination for Public Health Inspectors Class II Seg. "B" - 2013

Se. No	Name	Working Station	Medium	In.No	Efficiency Bar Examination				Departmental Examination					
					Establishment Code		Financial Regulation		Subject Related		Practical		Viva	
					Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
231	A Suresaanathan	MOH Mullativu	T	232 P	AB				AB					
232	T Sureshkumar	MOH Mullativu	T	233 P	33	F	15	F	42.75	P	50	P	55	P
233	T Parameshwaran	MOH Kalmunei North	T	234 P	NA				30.5	F	NA			
234	M A Fairoos	MOH Sammanthurei	T	235 P	42	P	43	P	56.5	P	61.33	P	58	P
235	S H G I Sirimanna	NIHS Kaluthara	S	236 P	61	P	40	P	67	P	89.58	P	75	P
236	S W S E Gunarathna	NIHS Kaluthara	S	237 P	64	P	73	P	59.5	P	81.83	P	78	P
237	L B P D Priyadarshana	NIHS Kaluthara	S	238 P	67	P	57	P	67	P	74.16	P	74	P
238	H W C K Silva	SLAF Hospital - Rathmalana	S	239 P	AB				AB					
239	L C Hathurusinghe	Panadura Pradeshiya Sabhwa	S	240 P	69	P	26	F	54	P	80.25	P	70	P

P=Pass

F=Fail

NA=NOT Applied

AB=Absent

Computerized by :-
(H P P Sanjeevani)

1st Checked by :-
01. H P P Sanjeevani
02. M A H L S Marasinghe

Finally Checked by :-

01. W A D S K Fernando
02. S S Weerasinghe

Conformed by :-

(A L Basnayake)
Director (Examinations)

.....
M B L Rahuman
Deputy Director General (Admin) II
For Director General Of Health Services

.....
A. L. Basnayake
Director (Examinations)
2015.06.