

My No: CF/EXE/05/2014

Examination Branch

Ministry of Health and indigenous medicine

"Suwasiripaya"

385, Ven Baddegama Wimalawansa Thero Mw.

Colombo 10

..18... June 2015

Provincial Secretaries of Health

Provincial Directors of Health Services

Deputy Provincial Directors of Health Services

Heads of D.U.U.

Directors of Hospitals and Heads of Institutions under the Line Ministry

Efficiency bar Examination and Departmental Examination for Medical Laboratory Technologists in Class II seg "A"/Grade II - 2014

The above examinations were held on 29.11.2014 and 30.11.2014 in terms of the General Circular letter No: 02-123/2014 dated 30.08.2014 and the results sheet of the same is attached herewith.

02. Please inform the results to the **relevant officers and file a copy of the results sheet** in the **respective personal files** and an entry should also be made in the history sheets by a staff officer to the effect that they have passed the relevant subjects.

03. If any discrepancy is observed, please bring it to my notice in writing for necessary rectification, within **one month** of the receipt of this letter. Any request made in this connection **later will not be considered.**

04. The information is also available in web site – www.health.gov.lk

M. B. L. Rahuman

Deputy Director General (Admin) II
Ministry of Health & Indigenous Medicine
"Suwasiripaya"
385, Rev. Baddegama Wimalawansa Thero Mawatha,
Colombo 10.

M B L Rahuman

Deputy Director General (Admin) II
for Director General of Health Services

**Results Sheet of the Departmental Examination and Efficiency bar Examination
for Medical Laboratory Technologists in Class II "A"/Grade II - 2014**

Se.No	Name	Working Station	Index No	Efficiency bar Examination				Departmental Examination					
				Est. Code		Fin. Reg.		Subject Related		Practical		Viva	
				Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
01	W M D L Wijesinghe	BH - Meerigama	M 01	NA				67	P	NA			
02	G R Udya Kumara	N T B R L - Wellisara	M 02	42	P	49	P	49.5	P	67.5	P	67	P
03	H D N T Gamarathna	M R I - Colombo	M 03	61	P	56	P	58.5	P	51	P	59	P
04	D G T S Dohangoda	BH - Kalutara	M 04	71	P	51	P	60	P	47	P	72	P
05	W N L Withanage	BH - Kalutara	M 05	63	P	47	P	61	P	50	P	62	P
06	K S D Kumara	BH - Kalutara	M 06	66	P	46	P	56	P	46.5	P	54	P
07	W P S Silva	BH - Kalutara	M 07	48	P	40	P	48	P	35	P	70	P
08	W G P Tharangani	BH - Kalutara	M 08	64	P	50	P	54	P	52	P	63	P
09	W H C Darsani	G H - Aluthgama	M 09	72	P	AB		46.5	P	46	P	60	P
10	D H P U Jayasena	G H - Aluthgama	M 10	82	P	58	P	75.5	P	37.5	F	66	P
11	M D C Tharangani	L R H - Colombo	M 11	62	P	40	P	64.5	P	40	P	73	P
12	P Ekanli	L R H - Colombo	M 12	68	P	51	P	57	P	AB			
13	H M A K Herath	L R H - Colombo	M 13	66	P	40	P	73	P	62.5	P	71	P
14	S S Niran	L R H - Colombo	M 14	56	P	63	P	63.5	P	50	P	66	P
15	R A R Dilani	L R H - Colombo	M 15	NA				63.5	P	59	P	78	P
16	R G P D Jiradasa	L R H - Colombo	M 16	70	P	53	P	47	P	AB			
17	H D H K De Alwis	L R H - Colombo	M 17	69	P	49	P	54	P	64	P	70	P
18	D S Senarathna	D H - Wathugama	M 18	72	P	60	P	52	P	41.5	P	63	P
19	G H M T T Ganille	D B H - Nawalapitiya	M 19	AB									
20	B R S Indripatha	G H - Polonnaruwa	M 20	56	P	45	P	51	P	40	P	69	P
21	M G R R Kumara	G H - Polonnaruwa	M 21	AB				43.5	P	50	P	58	P
22	M K M Damayanthi	BH - Harana	M 22	61	P	46	P	79	P	45.5	P	68	P
23	H A D B Nilmini	BH - Balapitiya	M 23	62	P	54	P	63	P	54.5	P	72	P
24	O N D Dahanayaka	S R B C - Kamburuzumma	M 24	58	P	46	P	58	P	57.5	F	61	P


A. L. Basnayake
Director (Examinations)
17-06/2015

A. L. Basnayake
Director (Examinations)
Ministry of Health,
388, "Sisumirilaya"
Colombo - 10

**Results Sheet of the Departmental Examination and Efficiency bar Examination
for Medical Laboratory Technologists in Class II "A"/Grade II - 2014**

Se.No	Name	Working Station	Index No	Efficiency bar Examination				Departmental Examination					
				Est. Code		Fin. Reg.		Subject Related		Practical		Viva	
				Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
25	C S S Dhanayake	S R B C - Kamburugama	M 25	72	P	60	P	52	P	23	F	62	P
26	U J Ramnayake	B H - Tangalle	M 26	NA				56	P	NA			
27	B M T Hettige	T H - Amarapura (Blood Bank)	M 27	52	P	40	P	AB					
28	P V D C Therasathu	B H - Awissawella	M 28	60	P	47	P	59	P	43.5	P	70	P
29	L A D S C Herathne	B H - Awissawella	M 29	65	P	57	F	31	F	27	F	61	P
30	W P C L Dharmapala	B H - Awissawella	M 30	AB									
31	A A S Abeyasinghe	B H - Awissawella	M 31	47	P	31	F	57.5	P	40	P	61	P
32	J A J C Jayasinghe	B H - Horagama	M 32	50	P	29	F	44	P	20.5	F	52	P
33	D M N Dissanayake	P G H - Badulla	M 33	61	P	44	P	49	P	46.5	P	55	P
34	R D A A Rajapaksa	P G H - Badulla	M 34	57	P	43	P	60	P	71	P	76	P
35	K M C P Kumara	P G H - Badulla	M 35	AB						36	F	60	P
36	E D Jagawera	P G H - Badulla	M 36	55	P	53	P	42.5	P	52.5	P	66	P
37	H M M Sumantha	P G H - Badulla	M 37	44	P	36	F	NA					
38	H M M Arsur	D H - Nirthawur	M 38	NA									
39	H D D R Perera	B H - Siyamburudawa	M 39	45	P	32	F	45	P	23	F	59	P
40	A M L W Kumara	B H - Oththi	M 40	AB						23	F	66	P
41	H K R Krishantha	D H - Katagama	M 41	54	P	44	P	55	P	33	F	61	P
42	M R W De Silva	D H - Haputale	M 42	AB									
43	A M L R Kumara	B H - Diyathalawa	M 43	AB									
44	S A J R Chandrasokara	B H - Diyathalawa	M 44	61	P	52	P	51	P	48.5	P	64	P
45	W M C H P Kumara	B H - Welisara	M 45	52	P	41	P	57	P	35.5	F	63	P
46	H M T Chandika	D G H - Matara	M 46	60	P	48	P	49	P	24	F	57	P
47	L D Lokubandara	T H - Ragama	M 47	57	P	37	F	68	P	44.5	P	66	P
48	W E T D Weerasekara	T H - Ragama	M 48	AB						55.5	P	69	P

A. L. Banayak
Director (Examinations)
13.06.2015

A. L. Banayak
Director (Examinations)
Ministry Of Health
305, "Buwatipaya"
Colombo - 10.

**Results Sheet of the Departmental Examination and Efficiency bar Examination
for Medical Laboratory Technologists in Class II "A"/Grade II - 2014**

Se.No	Name	Working Station	Index No	Efficiency bar Examination				Departmental Examination					
				Est. Code		Fin. Reg.		Subject Related		Practical		Viva	
				Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
49	C.K Mahathanthila	TH - Kalubowila	M 49	50	P	54	P	68	P	51	P	72	P
50	B.V.C Udyanigani	TH - Kalubowila	M 50	56	P	48	P	65	P	50	P	79	P
51	A.P.S Nirohani	TH - Kalubowila	M 51	AB				52.5	P	65	P		
52	C.J.Banaraja	TH - Kalubowila	M 52	AB				41.5	P	60	P		
53	K.L.N Prasanga	TH - Kalubowila	M 53	NA				AB					
54	S.A. Wijayasinghe	TH - Kalubowila	M 54	AB									
55	D.M.R.M.Dissanayake	TH - Kalubowila	M 55	42	P	51	P	75.5	P	55.5	P	66	P
56	K.G.M.K. Kodigoda	TH - Kalubowila	M 56	53	P	53	P	63	P	55	P	74	P
57	T.A.I.Chandrakumara	TH - Kalubowila	M 57	57	P	51	P	56	F	31.5	F	62	P
58	R.H.M.P.Rajakaruna	BH - Marawila	M 58	49	P	50	P	63	P	25	F	56	P
59	W.M.J.A. Wijayawardana	BH - Marawila	M 59	56	P	50	P	62	P	41.5	P	66	P
60	W.M.S.K. Herath	BH - Puttalam	M 60	45	P	59	P	48	P	28	F	82	P
61	G.S.S.Kumara Siri	BH - Marawila	M 61	46	P	37	F	65.5	P	37	F	48	P
62	S.Rathnaswerni	N.B.T.S - Narakorpita	M 62	NA				40	P	40	P	63	P
63	U.Mahendras	TH - Bacticalon (blood bank)	M 63	NA				57.5	P	NA			
64	E.K.P.Punthumali	N.H.S.L. - Colombo	M 64	NA		55	P	NA					
65	W.M.S.K. Wijewardana	G.H - Polonnaruwa	M 65	44	P	32	F	49	P	47.5	P	80	P
66	S.H.G.G.Samarasinghe	G.H - Polonnaruwa	M 66	41	P	69	P	58.5	P	40	P	51	P
67	I.S.L. De Silva	M.R.I - Colombo	M 67	61	P	70	P	67	P	42	P	59	P
68	Y.Sarveswaran	G.H - Trincomalee	M 68	40	P	42	P	58	P	47	P	73	P
69	R.A.N.Ranathunga	TH - Kurunegala	M 69	AB									
70	H.P.H.N Jayasekara	TH - Kurunegala	M 70	AB									
71	E.M.D.K.Ekanayake	TH - Kurunegala	M 71	49	P	70	P	66.5	P	54	P	75	P
72	L.U.A.Priyanganie	TH - Karapitiya	M 72	56	P	65	P	82.5	P	60.5	P	64	P


 A.L. Bannayake
 Director (Examinations)
 17-06/2015

A. L. Bannayake
 Director (Examinations)
 Ministry Of Health
 365, "Baweniya"
 Colombo - 10.

**Results Sheet of the Departmental Examination and Efficiency bar Examination
for Medical Laboratory Technologists in Class II "A"/Grade II - 2014**

Sr.No	Name	Working Station	Index No	Efficiency bar Examination				Departmental Examination							
				Est. Code		Fin. Reg.		Subject Related		Practical		Viva			
				Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results		
73	A H W Nilanka	T H - Karapitiya	M 73	AB				NA							
74	M R Hottarachchi	D H - Kadura	M 74	59	P	80	P	64	P	40	P	62	P		
75	B A U Jayarathna	P G H - Rathnapura	M 75	68	P	61	P	56	P	19	F	60	P		
76	A. M. M. J. Prasanna	N H S L - Colombo	M 76	AB				59	P	AB					
77	U P C J Karunasinha	N H S L - Colombo	M 77	AB				NA							
78	K A D Divanath	H D H - Angoda	M 78	38	P	62	P	NA							
79	H M B S Wijayapaksa	D B H - Harbortham	M 79	63	P	69	P	64	P	35.5	F	58	P		
80	Y Sitaranathan	T H - Batticaloa	M 80	44	P	53	P	63.5	P	45.5	P	72	P		
81	N Thowarath	T H - Batticaloa	M 81	52	P	46	P	60.5	P	57.5	P	65	P		
82	S S Ekanayake	B H - Gampola (TH)	M 82	60	P	64	P	70	P	58	P	74	P		
83	M H S Jayalath	B H - Gampola (TH)	M 83	AB				28		F	59			P	
84	M I M Ranath	B H - Gampola (TH)	M 84	AB				29.5		F	68			P	
85	D P K Wijasinghe	T H - Mahamedara	M 85	AB				30	P	24.5	F	67			P
86	M W S N De Silva Kularathna	T H - Mahamedara	M 86	63	P	61	P	70	P	28	F	60			P
87	S Satharani	B H - Talippalai	M 87	NA				20		F	67			P	
88	T S Jayarathna	N I C - Maharagama	M 88	63	P	64	P	62.5	P	58	P	66			P
89	D L K Wickramasinghe	N I C - Maharagama	M 89	AB											
90	T Rajakumar	N I C - Maharagama	M 90	29	F	AB		75	P	54	P	62			P
91	H P S Wawarath	D G H - Negerath	M 91	AB											
92	H M D Hara	N I M H - Angoda	M 92	AB											
93	V Vijayapala	G H - Anpara	M 93	42	P	50	P	59	P	55.5	P	56			P
94	W M N Gunathilaka	D G H - Chilaw	M 94	68	P	59	P	65	P	42.5	P	55			P
95	J A S P Jayalath	D G H - Chilaw	M 95	61	P	64	P	59	P	52	P	79			P
96	M G S D Induni	D B H - Darshula	M 96	63	P	73	P	51	P	43	P	67			P


A. L. Ekanayake
 Director (Examinations)
 12/06/2015

A. L. Ekanayake
 Director (Examinations)
 Ministry of Health
 265, "Sambapaya"
 Colombo - 10.

**Results Sheet of the Departmental Examination and Efficiency bar Examination
for Medical Laboratory Technologists in Class II "A"/Grade II - 2014**

Sl.No	Name	Working Station	Index No	Efficiency bar Examination				Departmental Examination							
				Est. Code		Fin. Reg.		Subject Related		Practical		Viva			
				Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results		
97	D.W.M.P Dassanayake	DGH - Mathole	M 97	43	P	67	P	66.5	P	48.5	P	63	P		
98	R.R.Priyadarshana	TH - Kegalle	M 98	AB											
99	C.P.Kodithuwakku	TH - Anuradhapura	M 99	47	P	57	P	69	P	43.5	P	48	P		
100	R.N.Hendrawibarna	TH - Anuradhapura	M 100	NA		49	P	47	P	16.5	F	NA			
101	M.P.C.Aruna Kumara	DGH - Hambantota	M 101	47	P	65	P	54	P	40	P	55	P		
102	R.V.R.R.Ranathunga	DBH - Rikilligokada	M 102	AB											
103	S.G.Premathilaka	TH - Kandy	M 103	NA		51	P	NA							
104	R.A.N.P.Priyankara	TH - Kandy	M 104	48	P	67	P	65	P	61.5	P	76	P		
105	I.N.Wickramaratne	BH - Kahawaththa	M 105	NA		38	F	NA		AB		NA			
106	C.P.Abcyrunga	DGH - Embilipitiya	M 106	AB											
107	H.L.A.Dulanjali	DGH - Embilipitiya	M 107	AB											
108	L.R.K.W.Pasupa Kumara	BH - Balangoda	M 108	56	P	57	P	66	P	59.5	P	67	P		
109	B.A.G.A.S.Banagedara	BH - Kaluwara	M 109	77	P	68	P	84	P	42.5	P	78	P		
110	W.C.G.J.Fernando	BH - Tamboluwagama	M 110	56	P	60	P	61	P	31.5	F	81	P		
111	W.C.K.Ratharavera	BH - Kuliyaipitiya	M 111	AB											
112	H.A.S.K.Ranasinghe	BH - Kuliyaipitiya	M 112	AB								34	F	58	P
113	G.A.D.P.K.De Silva	TH - Peradeniya	M 113	AB				73.5	P	58.5	P	76	P		
114	H.A.N.D.Thissera	MLTT School - Peradeniya	M 114	50	P	62	P	67	P	45	P	80	P		
115	D.B.G.M.Ekanayake	TH - Peradeniya(blood bank)	M 115	42	P	72	P	47	P	33.5	F	69	P		
116	W.M.M.P.S.K.Wickramasinghe	BH - Mahara	M 116	AB											
117	J.M.A.B.Jayasena	BH - Mahara	M 117	49	P	75	P	46.5	P	35.5	F	62	P		
118	H.A.M.C.Bandara	P.G.H - Rathapana	M 118	56	P	42	P	69	P	48	P	61	P		
119	K.K.B.Karunadeni	P.G.H - Rathapana	M 119	51	P	67	P	62	P	42.5	P	77	P		
120	K.G.L.P.Karunaratne	P.G.H - Rathapana	M 120	62	P	60	P	76.5	P	58.5	P	77	P		


 A.L. Basnayake
 Director (Examinations)
 17/06/2015

A. L. Basnayake
 Director (Examinations)
 Ministry of Health
 285, "Sumanapaya"
 Colombo - 10.

**Results Sheet of the Departmental Examination and Efficiency bar Examination
for Medical Laboratory Technologists in Class II "A"/Grade II - 2014**

Sc.No	Name	Working Station	Index No	Efficiency bar Examination				Departmental Examination					
				Est. Code		Fin. Reg.		Subject Related		Practical		Viva	
				Marks	Results	Marks	Results	Marks	Results	Marks	Results	Marks	Results
121	J H N U K Thissera	BH - Dambadeniya	M 121	53	P	68	P	67	P	45	P	57	P
122	K H A Kumarsinghe	BH - Marawila	M 122	AB				28	F	63	P		
123	K L J Hsaranga	TH - Kaluhowila	M 123	AB				57	P	66	P	79	P
124	D H Ganage	BH - Walasmulla	M 124	46	P	65	P	AB					
125	K A P M Perera	GH - Monragala	M 125	AB									
126	J L A D Madurangi	BH - Tangalle	M 126	57	P	68	P	45	P	AB			
127	D R A Rathnayake	MRI - Colombo	M 127	40	P	47	P	67	P	73.5	P	84	P
128	A D U R Gunawardena	MRI - Colombo	M 128	53	P	60	P	72	P	69	P	81	P
129	V Mangalath	TH - Jaffna	M 129	40	P	47	P	57	P	40.5	P	66	P

P=Pass

F=Fail

NA=Not Applied

AB=Absent

Computerized by :-

(K V R Bandara)

1st Checked by :-

01. T S Kumari

02. K V R Bandara

Finally Checked by :-

01. W A D S K Fernando

Administrative Officer (Examinations)

02. G Kaushalya

Confirmed by :-

(A L Basnayake)

Director (Examinations)

M B L Rahman

Deputy Director General (Admin) II

For Director General Of Health Services

A. L. Basnayake
Director (Examinations)
Ministry of Health
385, "Suwasiripaya"
Colombo - 10.

M. B. L. Rahman
Deputy Director General (Admin) II
Ministry of Health & Indigenous Medicine
"Sarasiripaya"
385, Rev. Buddhagiri Wimalawansa Thero Mawatha,
Colombo 10.

W. A. D. S. K. Fernando
Administrative Officer (Examinations)
Ministry of Health
385, "Suwasiripaya"
Colombo - 10.

