දුරකථික) 0112669192 ,0112675011 බළා කහයියන් 0112698507 , 0112694033 Telephone) 0112675449 ,0112675280 ෆැක්ස්) 0112693866 බයණ්) 0112693869 Fax) 0112692913 විදුලුත් තැපෑල ගින්නැஞ්சல் (முகவரி

e-mail

වෙබ්අඩවිය

இணையத்தளம்



සෞඛ්‍ය අමාත්‍යාංශය சுகாதார அமைச்சு Ministry of Health

Provincial Health Secretaries,

Deputy Director General - National Hospital of Sri Lanka - Colombo,

. Director National Hospital - Kandy,

All Hospital Directors under the Line Ministry,

) www.health.gov.lk

Provincial Directors of Health Services,

Regional Directors of Health Services,

Heads of Institutions.

Efficiency Bar Examination for Officers in the post of Public Health Laboratory Technicians belonging to the Paramedical Service who are in Seg. II "B"/ Grade III on the Salary Scale (MT – 04) Ministry of Health – 2024 (1st Term)

The above examination was held on 05.05.2024 in terms of the General Circular Letter No. 02 -29 / 2024 dated 22.02.2024 and the results sheet of the same is attached herewith.

- 02. Please inform the results to the relevant officers and file a copy of the results sheet in the respective personal files and an entry should also be made in the history sheets by a staff officer to the effect that they have passed the relevant subjects.
- 03. If any discrepancy is observed, please bring it to my notice in writing for necessary rectification, within one month of the receipt of this letter. Any request made in this connection later will not be considered.
- 04. This information is also available in website www. health. gov.lk

Chamika H Gamage
Deputy Director General (Admin) II
For Secretary

- Chamika S. Cornage County Director General (Administration) & Kunnelly of Health "Suvasimpaya" Colombo 10.

Results Sheet of the Efficiency Bar Examination for Officers in the post of Public Health Laboratory Technicians belonging to the Paramedical Service who are in Seg. II "B"/Grade III on the Salary Scale (MT – 04) Ministry of Health - 2024 (1st Term)

Se. No	Name	Working Station	NIC Number	Index No	Medium	Establishments Code & Procedural Rules		Financial Regulations	
						Marks	Result	Marks	Result
01	R Dhilsha Banu	Base Hospital - Kattankudy	199986110071	PHLT 01	Tamil	57	Pass	82	Pass
02	M F F Nuskiya	Base Hospital - Nintavur	200050501466	PHLT 02	Tamil	48	Pass	47	Pass
03	S I F Saneera	Anti Malaria Campaign - Trincomalee	976931050V	PHLT 03	Tamil	64	Pass	61	Pass
04	M R Shaheeka Farwin	District General Hospital - Matale	985332479V	PHLT 04	Tamil	46	Pass	74	Pass
05	M N F Nisra	Anti Malaria Campaign - Maho	978361528V	PHLT 05	Tamil	Ab	sent	t Abs	
06	R Shaampavi	Anti Malaria Campaign - Mullativu	986591567V	PHLT 06	Tamil	71	Pass	83	Pass
07	M G F Hasna	Divisional Hospital - Madipola	986221700V	PHLT 07	Tamil	57	Pass	65	Pass
08	D M K S Weerasena	Base Hospital - Siyambalanduwa	977420989V	PHLT 08	Sinhala	Absent		Absent	
09	T A M Shiranthi	Divisional Hospital - Aththnakadawala	975471624V	PHLT 09	Sinhala	56	Pass	46	Pass
10	M K L Madawaththa	District Chest Cilnic - Polonnaruwa	986362622V	PHLT 10	Sinhala	46	Pass	21	Fail
11	G V A D K Weerasingha	District Chest Cilnic - Polonnaruwa	985590281V	PHLT 11	Sinhala	57	Pass	22	Fail
12	U D K S Perera	Regional Malaria Office Anti Malaria Campaign - Mullativu	199774002441	PHLT 12	Sinhala	17	Fail	24	Fail
13	K Fathima Azka	Chest Cilnic - Polonnaruwa	985691444V	PHLT 13	Sinhala	Ab	sent	Abs	sent
14	W M N U Samarasinghe	Regional Malaria Office - Matale	982713005V	PHLT 14	Sinhala	47	Pass	71	Pass
15	H P N Piyumalee	Base Hospital - Medirigiriya	997602714V	PHLT 15	Sinhala	49	Pass	54	Pass
16	W K I Miurangi	Divisional Hospital - Aralaganwila	976982800V	PHLT 16	Sinhala	52	Pass	10	Fail
17	S W Gamage	Base Hospital - Kebithigollewa	977321921V	PHLT-17	Sinhala	43	Pass	23	Fail
18	J F Nasreen	Divisional Hospital - Horowpothana	985041652V	PHLT 18	Tamil	21	Fail	44	Pass

Sanduni G. Samarasinghe Director (Examinations) ...18../07/2024 Sanduni G. Samarasinghe

Director (Examinations)
Ministry of Health
285, "Suwasiripaya"
Colombo 10

Results Sheet of the Efficiency Bar Examination for Officers in the post of Public Health Laboratory Technicians belonging to the Paramedical Service who are in Seg. II "B"/Grade III on the Salary Scale (MT – 04) Ministry of Health - 2024 (1st Term)

Se.	Name	Working Station	NIC Number	Index No	Medium	Establishments Code & Procedural Rules		Financial Regulations	
						Marks	Result	Marks	Result
19	B R S Hansamali	Divisional Hospital - Galenbidunuwewa	199874010377	PHLT 19	Sinhala	Absent		Absent	
20	D M Ekanayake	Anti Malaria Campaign - Colombo - 05	996420698V	PHLT 20	Sinhala	60	Pass	63	Pass
21	A M M M Aththanayake	Anti Malaria Campaign - Colombo - 05	985652058V	PHLT 21	Sinhala	Ab	sent	Absent	
22	H M S N Herath	Anti Malaria Campaign - Colombo - 05	977152062V	PHLT 22	Sinhala	57	Pass	69	Pass
23	H W S Jayasanka	Anti Malaria Campaign - Colombo - 06	970670998V	PHLT 23	Sinhala	Ab	sent	Absent	
24	S D Kalubowila	Anti Malaria Campaign - Colombo - 07	977813220V	PHLT 24	Sinhala	60	Pass	74	Pass
25	K G D Lankarathna	Anti Malaria Campaign - Colombo - 08	983510434V	PHLT 25	Sinhala	Ab	sent	Absent	
26	K M B Sithumini	Anti Malaria Campaign - Colombo - 09	988640433V	PHLT 26	Sinhala	Ab	sent	Absent	
27	G V S Apeksha	National STD/AIDS Control Programme - Colombo 10	987552441V	PHLT 27	Sinhala	64	Pass	56	Pass
28	K G I Madhushika	National STD/AIDS Control Programme - Colombo 10	978202055V	PHLT 28	Sinhala	41	Pass	Absent	
29	D A S P Gimhani	Vector Borne Disease Control unit - Galle	995260514V	PHLT 29	Sinhala	Ab	sent	Absent	
30	K L A H S Ranasinghe	Anti Filariasis Campaign - Colombo 05	977270790V	PHLT 30	Sinhala	90	Pass	83	Pass
31	D S M Perera	Anti Filariasis Campaign - Colombo 05	977881420V	PHLT 31	Sinhala	58	Pass	44	Pass
32	W M S U K B Wijesinghe	District Chest Clinic - Nuwara Eliya	986860479V	PHLT 32	Sinhala	75	Pass	77	Pass
33	K D Y C Jayathilaka	Teaching Hospital - Ratnapura	990980950V	PHLT 33	Sinhala	Ab	sent	Absent	
34	E Y Madushanka	Base Hospital - Udugama	980532194V	PHLT 34	Sinhala	30	Fail	44	Pass
35	S J Hettiarachchi	Anti Filaria Unit - Werahera	977972973V	PHLT 35	Sinhala	64	Pass	62	Pass
36	R M G K Rathnayaka	Anti Filaria Unit - Werahera	985010749V	PHLT 36	Sinhala	68	Pass	64	Pass

Sanduni G. Samarasinghe Director (Examinations) ...i8.../07/2024

Sandum G. Samarasinghe
Director (Examinations)
Ministry of Health
285, "Suwasiripaya"
Colombo 10

Results Sheet of the Efficiency Bar Examination for Officers in the post of Public Health Laboratory Technicians belonging to the Paramedical Service who are in Seg. II "B"/Grade III on the Salary Scale (MT – 04) Ministry of Health - 2024 (1st Term)

Se. No	Name Working Station	Working Station	NIC Number	Index No	Medium	Establishments Code & Procedural Rules		Financial Regulations		
					Marks	Result	Marks	Result		
37	K M I Nayani	Anti Filaria Unit - Werahera	985820678V	PHLT 37	Sinhala	48	Pass	43	Pass	
38	D M G Sandunika	Regional Office Anti Malaria Campaign - Maho	998221609V	PHLT 38	Sinhala	53	Pass	. 66	Pass	
39	H L S L Udayakumara	Regional Office Anti Malaria Campaign - Maho	981260163V	PHLT 39	Sinhala	22	Fail	30	Fail	
40	S H S Madushika	Divisional Hospital - Kongahawela	987302003V	PHLT 40	Sinhala	37	Fail	18	Fail	
41	K V T M Vidanage	District General Hospital - Nawalapitiya	962280510V	PHLT 41	Sinhala	Ab	sent	Absent		
42	R D D P Nandasena	Regional Malaria Office - Ampara	977820740V	PHLT 42	Sinhala	55	Pass	42	Pass	
43	R M I Madhushani	District Chest Cilnic - Ampara	976960572V	PHLT 43	Sinhala	73	Pass	64	Pass	
44	M N V Jayasingha	Divisional Hospital (A) - Sandalankawa	985462011V	PHLT 44	Sinhala	54	Pass	49	Pass	
45	M M Anjalo	National STD/AIDS Contoral Programme - Colombo 10	976541367V	PHLT 45	Sinhala	Absent		Absent		
46	I P A M Samarathunga	National STD/AIDS Contoral Programme - Colombo 10	966242574V	PHLT 46	Sinhala	Absent		Ab	Absent	
47	W G N Madumali	Base Hospital - Elpitiya	986441034V	PHLT 47	Sinhala	74	Pass	56	Pass	
48	T C C Karunathilaka	Base Hospital - Mawanella	996004325V	PHLT 48	Sinhala	70	Pass	61	Pass	
49	W G M P K Wiyalamunna	Divisional Hospital (A) - Undugoda	977301939V	PHLT 49	Sinhala	57	Pass	__ 40	Pass	
50	L K Edirisinghe	Divisional Hospital (A) - Kithulgala	987811722V	PHLT 50	Sinhala	29	Fail	27	Fail	
51	P A C Hansamli	National Programme for Tuberculosis Control & Chest Diseases - Colombo 05	986201025V	PHLT 51	Sinhala	41	Pass	58	Pass	
52	A M T S A Menike	District Base Hospital - Teldeniya	987551755V	PHLT 52	Sinhala	Ab	sent	Absent		
53	L S R Yapa	Chest Cilnic - Ratnapura	935302676V	PHLT 53	Sinhala	Not Applied		51	Pass	

Sanduni G. Samarasinghe Director (Examinations) ...!8.../07/2024 Sanduni G. Samarasinghe
Director (Examinations)
Ministry of Health
285, "Suwasiripaya"
Colombo 10

Results Sheet of the Efficiency Bar Examination for Officers in the post of Public Health Laboratory Technicians belonging to the Paramedical Service who are in Seg. II "B"/Grade III on the Salary Scale (MT – 04) Ministry of Health - 2024 (1st Term)

Se. No	Name	Working Station	NIC Number	Index No	Medium	Establishments Code & Procedural Rules		Financial Regulations	
						Marks	Result	Marks	Result
54	W K A Saranga	Divisional Hospital (A) - Rakwana	968131702V	PHLT 54	Sinhala	53	Pass	47	Pass
55	G S Lakmali	Divisional Hospital - Kiriella	988152250V	PHLT 55	Sinhala	53	Pass	40	Pass
56	J M C Hansika	Divisional Hospital - Kandaketiya	977710820V	PHLT 56	Sinhala	58	Pass	40	Pass

Computerized by:

01. G.K. Hemanthi (D/O):

First Checking by:

01. G.K. Hemanthi (D/O):

02. D.M.A. Kumari (D/O): And

03. D L S Kalhari (D/O): 内

Confirmed By:

Sanduni G Samarasinghe Director (Examinations)/07/2024

> Sanduni G. Samarasinghe Director (Examinations) Ministry of Health 285, "Suwasiripaya" Colombo 10

Second Checking by:

S. A. Parackrama N Bandara - A.O (Examinations)

H. D. B. Chandrarathna - S.A (Examinations):

G.K. Hemanthi (D/O): Ay

Chamika H Gamage Deputy Director General (Admin) II

For Secretary

Ministry of Health

1.8.../07/2024

«Suwasiripaya Colombo 10.