

Provincial Health Secretaries

Deputy Director General – National Hospital of Sri Lanka

Provincial Directors of Health Services

All Directors of Hospitals Under the Line Ministry

Regional Directors of Health Services,

Heads of the Institutions

## Efficiency Bar Examination for Public Health Laboratory Technicians belonging to the paramedical service who are in Seg. II "B"/ Grade III and on the salary scale (MT – 04) in the Ministry of Health – 2021

The above examination was held on 19. 12. 2021 in terms of the General Circular letter No. 02-73 / 2021 dated 04. 08.2021 and the results sheet of the same is attached here with.

- 02. Please inform the results to the relevant officers and file a copy of the results sheet in the respective personal files and an entry should also be made in the history sheets by a staff officer to the effect that they have passed the relevant subjects.
- a 03. If any discrepancy is observed, please bring it to my notice in writing for necessary rectification, within one month of the receipt of this letter. Any request made in this connection later will not be considered.
  - **04.** The Information is also available in website w.w.w. health gov.lk

Chamika H. Gamage

Deputy Director General (Administration) II

Ministry of Health

"Suwasiripaya"

Colombo 10.

Deputy Director General (Admin) II

For Secretary

Ministry of Health

# Results Sheet of the Efficiency Bar Examination for Public Health Laboratory Technicians belonging to the paramedical service who are in Seg. II "B"/ Grade III and on the salary scale (MT-04) in the Ministry of Health -2021

Se. No	Name		NIC No.	Index No	Medium	Establishments Code & Procedural Rules		Financial Regulation	
01						Maks	Results	Maks	Results
01	L P Weerasingha	Central Chest Clinic - Borella	199431900356	01					Ä
02	D L Gunathilaka	Provincial General Hospital Badulla	941820670V		Sinhala	55	Pass	41	Pas
03	M H W L N M Rajarathna	District Hospital Piliyandala		02	Sinhala	71	Pass	94	Pass
04	D J G L Dissanayaka	National Hospital For Respiratory Disease -Welisara	891364741V	03	Sinhala	65	Pass	42	Pass
05	S P S Dilanga	Blood Bank Teaching Hospital Karapitiya	921571038V	04	Sinhala	66	Pass	66	Pass
06	B M D I Senarath	TB Laboratory Colombo South Teaching Hospital- Kalubowila	940711517V	05	Sinhala		NA	59	Pass
07.	K H D C Karunarathna	Base Hospital Mahaoya	946822116V	06	Sinhala	80	Pass	55	Pass
08	B M A K Basnayake	National Tuberculosis Reference Laboratory	892414238V	07	Sinhala	67	Pass	NA	
09	E P D I Prasad		930711411V	08	Sinhala	60	Pass	60	Pass
10	U G M P M Wijerathne	National Tuberculosis Reference Laboratory	912684938V	09	Sinhala	61	Pass	72	Pass
11	M Pirapu	Central Chest Clinic (Colombo East Base Hospital)	935461081V	10	Sinhala	50	Pass	40	
12	T kajitha	Anti Filariasis Unit - Werahara	952493167V	11	Tamil	58	Pass	2000	Pass
3	S Rubini	Divisional Hospital Maligawaththa	935640652V	12	Tamil	62		45	Pass
	Lie and the second control of	Anti Malariya Campaign Mullaithivu	928180573V	13	Tamil	67	Pass	25	Fail
4	W F Rasna	Blood Bank Apeksha Hospital - Maharagama	946222232V	14			Pass	84	Pass
N. Sant	R Hamsha	STD/AIDS Control Programme General Hospital -Mannar	199356504076		Tamil		IA	54 Pass	
6	W W M G P Sandaruwan	Base Hospital Mahiyanganaya	943582220V	15	Tamil	45	Pass	54	Pass
7	K M S M Premakeerthi	Base Hospital Mahiyanganaya			Sinhala	62	Pass	58	Pass
8	W M S M Weerasinghe	Chest Clinic - Badulla	912813096V		Sinhala	64	Pass	70	Pass
			913050770V	18	Sinhala	40	Pass	44	Pass

Sanduni G Samarasinghe
Director (Examinations)
22/07/2022

Sanduni G. Samarasinghe

Director (Examinations)
Ministry of Health
385, "Suwasiripaya"
Colombo 10

#### Results Sheet of the Efficiency Bar Examination for Public Health Laboratory Technicians belonging to the paramedical service who are in Seg. II "B"/ Grade III and on the salary scale (MT-04) in the Ministry of Health -2021

Se. No	Name	Working Station	NIC No.	Index No	Medium	Establishments Code & Procedural Rules		Financial Regulations	
Š						Maks	Results	Maks	Results
19	H V P R T Premarathne	STD Clinic -Badulla	940690102V	19	Sinhala	55	Pass	67	Pass
20	W C U Kularathna	District General Hospital - Hambantota	916271409V	20	Sinhala	65	Pass	44	Pass
21	K W K P W Kariyawasam	Anti Filariasis Control Unit Werahara - Boralesgamuwa	199025500330	21	Sinhala	58	Pass	53	Pass
22	R M S P Rathnayake	Base Hospital - Wellawaya	958460694V	22	Sinhala	62	Pass	72	Pass
23	A S Wickramaarachchi	Anti Filariasis Regional office -Matara	896213580V	23	Sinhala	73	Pass	64	Pass
24	R M T U Rathnayake	Base Hospital - Kebithigollewa	937091907V	24	Sinhala	80	Pass	96	Pass
25	M G D S Dayananda	Regional Malaria Office Anti Malaria Campaign- Vavuniya	946193046V	25	Sinhala	73	Pass	56	Pass
26	N S Kodithuwakku	Anti Filariasis Regional office -Matara	938311749V	26	Sinhala	73	Pass	88	Pass
27	W M M P Gunawardana	Regional Chest Clinic - Kalmune	935641187V	27	Sinhala	76	Pass	71	Pass
28	B D M Perera	Base Hospital - Puttalam	925860255V	28	Sinhala	61	Pass	56	Pass
29	M D M S Marasinghe	Divisional Hospital - Maho	942412002V	29	Sinhala		NA	84	Pass
30	A M S C Attanayake	Base Hospital - Siyabalanduwa	955060466V	30	Sinhala	51	Pass	40	Pass
31	R V B M Rajapaksha	Regional Malaria Office - Monaragala	947582283V	31	Sinhala	66	Pass	67	Pass
32	R M Priyadarshani	Divisional Hospital - Thanamalwila	926884220V	32	Sinhala	67	Pass	46	Pass
33	K G N Dilrukshi	Regional Malaria Office - Badulla	937110138V	33	Sinhala	64	Pass	1	NA
34	G M D Premadasa	Teaching Hospital -Ratnapura	947210734V	34	Sinhala	68	Pass	1	NA
35	S A J Bisma	Distric Hospital - Agunukolapalassa	926150120V	35	Sinhala	65	Pass	1	NA ·
36	S P L Randika	Distric Hospital - Beliatta	198927600713	36	Sinhala	59	Pass	49	Pass

Sanduni G Samarasinghe Director (Examinations) Sanduni G. Samarasinghe Director (Examinations) Ministry of Health 385, "Suwasiripaya", Colombo 10

#### Results Sheet of the Efficiency Bar Examination for Public Health Laboratory Technicians belonging to the paramedical service who are in Seg. II "B"/ Grade III and on the salary scale (MT-04) in the Ministry of Health -2021

No O	Name	Working Station	NIC No.	Index No	Medium	Establishments Code & Procedural Rules		Financial Regulations	
Se.						Maks	Results	Maks	Results
37	N G C S Priyankara	Base Hospital - Kekirawa	199205801200	37	Sinhala	69	Pass	57	Pass
38	M M S Kanchana	Anti Malaria Campaign - Narahenpita	925602574V	38	Sinhala	58	Pass	50	Pass
39	N W Thilakawardana	Anti Filariasis Coutrol Unit Werahara - Boralesgamuwa	907680142V	39	Sinhala	49	Pass	51	Pass
40	E K G A K T Kandegedara	STD Clinic -Polonnaruwa	901512914V	40	Sinhala	60	Pass	53	Pass
41	K G J L Ranawaka	Regionl Malaria Office -Polonnaruwa	951111031V	41	Sinhala		AB A		AB
42	D M R M Bandara	District Chest clinic -Polonnaruwa	926704150V	42	Sinhala	,	AB	I	AB
43	T M N K K Thennakoon	Distric General Hospital - Matale	948491672V	43	Sinhala	61	Pass	55	Pass
44	B M H E Balasooriya	Distric Base Hospital - Dambulla	947232177V	44	Sinhala	58	Pass	68	Pass
45	R M W C Rathnayaka	Regionl Malaria Office -Matale	955550404V	45	Sinhala	50	Pass	28	Pass
46	K W S M Jayalal	District Chest Clinic -Nuwaraeliya	920500714V	46	Sinhala	45	Pass	66	Pass
47	N E P D U Samarasinghe	Base Hospital - Karawanella	938372705V	47	Sinhala	66	Pass	53	Pass
48	C G N N Chandrasiri	Anti Malaria Campaign -Narahenpita	955040309V	48	Sinhala	65	Pass	59	Pass
49	W M P Harshanimali	Anti Malaria Campaign -Narahenpita	946702323V	49	Sinhala	64	Pass	60	Pass
50	R M I D Rrathnayake	Anti Malaria Campaign -Narahenpita	936302734V	50	Sinhala	40	Pass	29	Fail
51	D R Abhilashani	Anti Malaria Campaign - Narahenpita	937040245V	51	Sinhala	66	Pass	1	NA
52	H W R N Dayathilaka	Distric General Hospital -Polonnaruwa	937082134V	52	Sinhala		NA	40	Pass
53	R J A P Jayasundara	Regionl Malaria Office -Kagalle	917721238V	53	Sinhala	60	Pass	83	Pass
54	R A M N Rajapaksha	STD/Aids Control Clinic -Nuwaraeliya	956022258V	54	Sinhala	54	Pass	53	Pass

Sanduni G Samarasinghe Director (Examinations) Sanduni G. Samarasingho Director (Examinations) Ministry of Health 385, "Suwasiripaya" Colombo 10

### Results Sheet of the Efficiency Bar Examination for Public Health Laboratory Technicians belonging to the paramedical service who are in Seg. II "B"/ Grade III and on the salary scale (MT - 04) in the Ministry of Health - 2021

No	Name	Working Station	NIC No.	Index No	Medium	Establishments Code & Procedural Rules		Financial Regulations	
Se.						Maks	Results	Maks	Results
55	K Kunasiya	District Chest Clinic -Vavuniya	927911990V	55	Tamil	40	Pass	43	Pass
56	H F Narshana	Regional Malaria Office Anti Malaria Campaign- Vavuniya	937972121V	56	Tamil	55	Pass	43	Pass
57	M T F Shamra	District Chest Clinic -Matale	928252752V	57	Tamil	48	Pass	45	Pass
58	M S F Shahnas	Divisional Hospital - Maradankadawela	199455900440	58	Tamil	NA		40	Pass
59	S M S Umma	Distric General Hospital -Nuwaraeliya	935644070V	59	Tamil	46	Pass	40	Pass
60	T Annpraveena	RDHS/Anti Malaria Campaign -Trincomalee	947592661V	60	Tamil	48	Pass	64	Pass
61	Y Tharshika	Anti Malaria Campaign - Kilinochchi	925492981V	61	Tamil	63	Pass	66	Pass
62	V Vigitharan	Base Hospital - Point pedro	920302696V	62	Tamil	47	Pass	50	Pass
63	J Thasneemmohamed	National STD/AIDS Control Programme Office -Colombo	900273312V	63	Tamil	15	Fail	40	Pass
64	W A K A Wishwajith	Base Hospital -Dehiaththakandiya	952002880V	64	Sinhala	AB		AB	
65	N M A D Nawarathna	National STD/AIDS Control Programme Office -Colombo	948223082V	65	Sinhala	62	Pass	62	Pass
66	I W A S Madhushika	National STD/AIDS Control Programme Office - Colombo	928582205V	66	Sinhala	57	Pass	52	Pass
67	H W C N Rajasinghe	National STD/AIDS Control Programme Office - Colombo	928070182V	67	Sinhala	63	Pass	27	Fail
68	S A P Rangani	Base Hhospital - Balangoda	948623358V	68	Sinhala	į	AB	2	AB
69	P B M Maduwanthi	Antimalaria Campaign -Embilipitiya	917860327V	69	Sinhala		AB	ž.	AB
70	A P D S Sugathawardhana	Central Chest Clinic -Borella	902223908V	70	Sinhala	40	Pass	27	Fail
71	W L I Sewwandi	Base Hospital - Kamburupitiya	)18324100V	71	Sinhala	67	Pass	74	Pass
72	P G A Madusanka	Anti Filariasis Campaign	923193561V	72	Sinhala	62	Pass	59	Pass

Sanduni G Samarasinghe
Director (Examinations)
22/07/2022

Sanduni G. Samarasinghe

Director (Examinations)
Ministry of Health
385, "Suwasiripaya",
Colombo 10

#### Results Sheet of the Efficiency Bar Examination for Public Health Laboratory Technicians belonging to the paramedical service who are in Seg. II "B"/ Grade III and on the salary scale (MT - 04) in the Ministry of Health - 2021

No	Name	Working Station	NIC No.	Index No	Medium	Establishments Code & Procedural Rules		Financial Regulations	
Se.						Maks	Results	Maks	Results
73	M A C G Mallawa	Anti Filariasis Unit - Gampaha	199268200729	73	Sinhala	62	Pass	25	Fail
74	D M N H Dissanayake	Anti Filariasis Unit - Gampaha	895880809V	74	Sinhala	AB		AB	
75	W A J K Gunarathna	Base Hospital - Wathupitiwala	908323700V	75	Sinhala	58	Pass	49	Pass
76	R M M Nayanashika	Base Hospital - Udugama	947973223V	76	Sinhala	AB		AB	
77	L S R Yapa	Base Hospital - Elpitiya	935302676V	77	Sinhala		AB	AB	
78	T M B P Tennakoon	Anti Filariasis Campaign -Narahenpita	925490466V	78	Sinhala	71	Pass	75	Pass

AB - Absent

Computerized by :-

01. Y. M. S Rathna Kumari - (P. H. M.A)

Frist Checked by:

01. Y. M. S Rathna Kumari - (P. H. M.A)

01. B. L. M Harshani

- (D.O)

Confirmed by:

Sanduni G. Samarasinghe

Director (Examinations)

.22. /07/2022

Sanduni G. Samarasinghe

Director (Examinations)

Ministry of Health 385, "Suwasiripaya"

Colombo 10

NA- Not Applied

Second Checked by:

01. S. A Parackrama N. Bandara (AO -Examinations

02. H. D. B Chandrarathna (S/A -Examinations)

03. Y. M. S Rathna Kumari - (P. H. M.A)

Chamika H. Gamage

Colombo 10.

Deputy Director General (Administration) II

Ministry of Health "Suwasiripaya"

Chamika H Gamage

Deputy Director General (Admin) II

For Secretary

Ministry of Health

2.2.... /07/2022