

Sports Medicine Guideline Manual

For Issuing Pre-Participation Examination (PPE)/
Pre-Event Examination (PEE) Medical Certificates



2023

© Department of Health Services, Ministry of Health Sri Lanka (2023)

Apart from for personal, academic, research or non-commercial use, no part of this document may be reproduced without written permission of the Director General of Health Services, Department of Health Services, Ministry of Health Sri Lanka. The Department of Health Services is under no obligation to grant this permission.

Please acknowledge the Department of Health Services, Sri Lanka when reproducing or quoting material from this source.

Suggested Citation:

Department of Health Services, Sri Lanka. Guideline manual for Pre-Participation or Pre-Event sports medical fitness assessment in government hospitals in Sri Lanka: Office of the Deputy Director General of Health Services (Medical Services II), Department of Health Services, Ministry of Health Sri Lanka 2018.

Important Disclaimer:

All information and content in this material is provided good faith by the Department of Health Services, Sri Lanka and is based on sources believed to be reliable and accurate at the time of development. The Department of Health Services and their respective officers and employees do not accept legal liability or responsibility for the material, or any consequences from arising its use.

This document is to be reviewed within 02 years of its publication.

Owner:	Department of Health Services, Sri Lanka	
Version:	3	
Contact:	Deputy Director General (Medical Services) II	
Approved by:	Director General of Health Services	
Date:	12/06/2023	
Links to:	Pre-Participation & Pre-Event sports medical fitness assessment guidelines of Sri Lanka - sports medicine development committee	

Guideline for Pre-Participation & Pre-Event Medical Screening

3rd Edition

Chief Editor

Dr. Himan De Silva

Olympic Sports & Exercise Physician, Sports Physiotherapist, Sports Psychologist & WADA-DCO MBBS (Ruhuna); Dip. Sp. Med (Col); Dip Sp. Med (IOC) Dip. Sp. Physiotherapy (IOC); Dip. Sp. Psycology (IOC) MSc in Sports & Exercise Medicine (Cardiff-UK) PhD in Sports & Exercise Medicine (Read)

Co-Editors

Dr. Sanka Theekshana Thebuwanaarachchi

Olympic Sports & Exercise Physician, Sports Physiotherapist & WADA-DCO MBBS (Ruhuna); Dip. Sp. Med (Col) Dip Sp. Med (IOC); Dip. Sp. Physiotherapy (IOC) MSc in Sports & Exercise Medicine (Cardiff-UK) PhD in Sports & Exercise Medicine (Read)

Dr. Roshan Fernando

MBBS, DIPPCA (Sri Lanka) Sports Medicine Coordinator Ministry of Health

Dr.O.L. De Silva

MBBS (Sri Lanka) Doping Control Officer- WADA ETU – NHSL Colombo



Ministry of Health
Sports Medicine Development Committee
2023

Contents	Page
List of Contributors	03
Preface	
Message from the Hon. Minister of Health	06
Message from the Secretary to the Ministry of Health	07
Message from the Director General of Health Services to the Ministry of Health	ı08
Message from Deputy Director General (Medical Services) II	09
Message from Director (Medical Service)	10
Message from President Sri Lanka Sports Medicine Association	11
Article 1: Sport and Exercise Medicine specialty and its association with other s	pecialties 12
Article 2: Background of Pre- participation & Pre- Event Medical screening	14
Article 3: Prevention and Management of Heat injuries in sports	16
Article 4: Algorithm for Pre- participation & Pre- Event medical examinations	23
Article 5: The sports medicine team and venue medical coverage	25
Article 6: Principles and ethical guidelines	27
Article 7: Sudden Cardiac Death in Athletes	31
Article 8: Structural Interpretation of an ECG	34
Article 9: Long distance running guidelines	37
Article 10: Principals of sports nutrition for sports at school and side- stepping	myths 41
Article 11: Doping & Suppulements in sports	45
Article 12: Safe resumption of Sports & Exercise after SARS-CoV-2 infection	47
Appendix	
H -1246 Documents (Sinhala/English and Tamil/English)	50
Sports Medicine Circulars by the Ministry of Health	56
Medical conditions affecting sports participation	59
Sports Circulars by the Ministry of Education	78

List of Contributors

Dr. G. Wijesuriya

MBBS, MSc (Med. Admin.) MSc (Food & Nutrition), DTCD Deputy Director General (Medical Services) II Chairperson of Sports Medicine Development Committee

Dr. Ananda Gunasekara

MBBS, MD- Medical Administration Former DDG (MS)II Ministry of Health Founder President, Sports Medicine Development Committee Ministry of Health

Dr. Mangala Goonetilleke

MBBS DCH MD APCA Consultant Pediatric Interventional Cardiologist Teaching Hospital Karapitiya

Dr. Dimuthu Weerasuriya

MBBS, DCH, MD -Paediatrics, Commonwealth scholar on Fetal Cardiology Consultant Fetal and Paediatric Cardiologist John Radcliff Hospital Oxford University Hospitals NHS Foundation Trust, Oxford, United Kingdom

Dr. Ajith Susantha Paris

Senior Registrar in Sports & Exercise Medicine MBBS, Diploma in sports Medicine (Colombo) MD in Sport and Exercise medicine (Colombo) Teaching Hospital - Karapitiya

Dr. O. L De Silva

MBBS (SL)
Doping Control Officer (WADA)
ETU – NHSL Colombo

Dr. Manoji Gamage

MBBS, MD (Human Nutrition) Consultant Nutrition Physician Lady Ridgeway Hospital for Children

Dr. Indika Lanarole

MBBS, MD- Emergency Medicine First Board Certified Consultant Emergency Physician in Sri Lanka ETU-NHSL

Vidya Jyothi Senior Professor Arjuna De Silva

MBBS, MSc, MD, FRCP
Consultant Gastroenterologist.
Head of the Department of Medicine,
Faculty of Medicine University of Kelaniya
Chairman of the Sri Lanka
Anti-Doping Agency.

Dr. Himan De Silva

Olympic Sports & Exercise Physician, IOC Sports Physiotherapist, Sports Psychologist & WADA-DCO MBBS (Ruhuna); Dip. Sp. Med (Col); Dip Sp. Med (IOC); Dip. Sp. Physiotherapy (IOC); Dip. Sp. Psychology (IOC) MSc in Sports & Exercise Medicine (Cardiff-UK) PhD in Sports & Exercise Medicine (Read)

Dr. Sanka Theekshana Thebuwanaarachchi

Olympic Sports & Exercise Physician, IOC Sports Physiotherapist & WADA-DCO MBBS (Ruhuna); Dip. Sp. Med (Col); Dip Sp. Med (IOC); Dip. Sp. Physiotherapy (IOC) MSc in Sports & Exercise Medicine (Cardiff-UK); PhD in Sports & Exercise Medicine (Read)

Dr. Roshan Fernando

MBBS, DIPPCA(SL)
Sports Medicine Coordinator
Office of the Deputy Director General
(Medical Services) II
Ministry of Health

Preface

Sudden athletic/cardiac death is defined as an unexpected death from cardiac causes that occurs within one hour or within 24 hours in unwitnessed cases from the onset of an acute changes in cardiovascular status as a result of physical activity in the absence of external causal factors. It often occurs during exercise, but it can also occur at rest and sometimes during sleep. The death of



Greek Army messenger "Pheidippides" in 490 BC probably the first documented sudden cardiac death due to extreme physical activities. He ran 42.2 Km from city Marathon to Athens to deliver the victorious message to the emperor at the assembly, exclaiming 'we have won', before collapsing and dying. The distance and the name Marathon running for long distance running is in commemorate with this tragic incidence. Since ancient era up to date the medical profession in continues battle against sudden athletic deaths.

In Sri Lanka in 2014 four consecutive deaths were reported among school marathon runners within 2 months, as a result the Ministry of Health severely encountered this issue in early 2014. But even before there had been three sudden athletic deaths reported in 2012 and two deaths reported in 2013. Majory of those deaths were taken place while competing in school road race. Ministry of Health formulated an expert committee. The Sports Medicine Development Committee chaired by the Deputy Director General (Medical Services) II. The rest of the committee members include the specialists from Cardiology, Paediatric Cardiology, Orthopaedics, Gastroenterology, Nutrition, Radiology, Medical Administration, Exercise Physiology and Sports & Exercise Medicine.

Meetings were held at the Ministry of Education with the participation of officials from the Ministry of Sports to formulate standard screening tool for sports medical fitness. After many rounds of discussions committee finalized the official medical documents for athletic screening termed H-1246 Document for Pre-Participation & Pre-Event Medical Clearance Certificate. Along with consensus agreements on Sports medical screening were published as a Ministry circular MA/MS/E/06/2012(II) dated 10th of October 2014 by the Hon. Secretary to the Ministry of Health.

Training of Medical officers as an authorized Medical officer to issue H-1246 fitness certificate commenced on 8th of April 2016. The version 1 of the guideline manual published and distributed among medical officers participated. In 2018 the version 2 of the guideline manual published and island wide training program for medical officers

were conducted. Since the beginning of island wide training of medical officers to perform sports fitness medical screening, there haven't been sudden athletic deaths reported particularly among the target population, the school athletes. Thus, this effort became a success with the contribution of all stakeholders and trained authorized medical officers delivering their service to the public. Since the beginning of island wide training of medical officers to perform sports fitness medical screening, there haven't been sudden athletic deaths reported particularly among the target population, the school athletes.

Thus, this effort became a success with the contribution of all stakeholders and trained authorized medical officers delivering their service to the public.



Message from Hon. Minister of Health

Dr. Keheliya Rambukwella Minister of Health

I am pleased and encouraged to witness the evaluation of sports medicine and its application in Sri Lanka with laudable initiatives such this training program and guideline handbook.

Health risks are a danger at any point of time to human beings, but more so when they are engaging in strenuous activity such as sports. Evidence of this is visible in the numbers of injuries and fatalities as a result of sports activities prevalent today.

Addressing this as a key area of attention is paramount. Standardizing pre-sport medical screening and providing a robust, proactive response in the event of an anomaly has to be ensured.

This program executes that brief with greater precision than any initiative before.

Filtering this knowledge down to the general public should also be treated with equal importance. Public awareness will play pivotal role in preventative measures. I have every confidence that the Ministry of Health will lend all assistant in this regard, to ensure this. To all the stakeholders including the participants of this training program, resource person, the sport medicine development committee of the Ministry of Health and with special attention, our doctors who I believe are of the highest caliber, I would like to wish you very best in this endeavor.



Message from the Secretary of Health

Mr. S. Janaka Sri Chandraguptha Secretary of the Ministry of Health

Sports and exercises medicine is one of the emerging medical specialties in Sri Lanka. Ministry of Health is very keen on the development of this specialty and rendering its fullest support to the field for their development.

We, In the Ministry have a clear view and understanding on the benefits of sports and exercise medicine not only for the sporting arena but for the Non – Communicable diseases prevention. In the past few years Ministry of Health has created different opportunities for the doctors who are practicing in sports medicine field.

In 2015 ministry has sent 25 medical officers for and overseas residential training program in Malaysia at University of Malaysia. In service CME training sports medicine medical officers were conducted in 2016. There were two hands on skill development programs conducted by the Ministry of Health with the generous sponsorships from the private sector.

Taping workshop and Thera-band and Gym ball workshop were conducted under the supervision of two eminent professors in the respective fields.

There has been seventeen sport medicine units established island wide under the guidance of Ministry of Health. Further, Ministry of Health determinant to established 25 sports medicine units island wide, one per each district delivering the sports medicine care for all citizens in Sri Lanka.

The aim of this revised 3rd edition of the guideline manual in 2023 for doctors is to transfer the updated knowledge, international protocols and guidelines for their knowledge and skill development.

Ministry is happy to announce that, since introduction of this medical fitness assessment program, there had been dramatic reduction of sudden athletic deaths among over school children which were the main expected outcome of the training of doctors in this regard.

This will finally benefit the doctors themselves and the society, being the healthy fit nation.

Here, I keep my warmest regards for all stakeholders involved in this national program.



Message from the Director General of Health Services

Dr. Asela Gunawardena Director General of Health Services Ministry of Health

Sudden cardiac deaths among athletes are still a tragic and dramatic situation worldwide.

The battle against sudden cardiac/athletic deaths not a new challenge to Sri Lanka. Since 2013, we have experienced around thirteen such deaths spreading most of the years up to date.

Very recently, two deaths have been reported one being a kid around 10 years old and middle-aged person while taking part 'Awurudu Marathon" without proper medical screening and disregarding hostile hot & humid adverse weather conditions. Therefore, it seems that the battle against sudden athletic deaths is still warrants in great importance and a mandatory requirement and should not look aside.

Ministry of health is always in pursue of good health of the society and safe participation of physical activities and sports.

During my carrier as a medical administrator I have put my effort to establish the sports medicine unit in Colombo South Teaching Hospital by which I could accomplished the above-mentioned objectives to a great deal.

Having a sports medicine unit in a hospital enhance the value-added quality of care to the public.

Pre – Participation Evaluation before physical activities and the yearly periodic health assessment there after considered the most scientific way of ensuring safe participation in physical activities and competitive sports. Thus, Ministry of Health has formulated universal screening program with the collaboration of two other ministries, Ministry of Sports and Ministry of Education.

Introduction of H-1246 Fitness certificate by the expert panel of the sports medicine development committee made the screening process streamlined and island wide. The filling of the H-1246 certificate by an authorized medical officer after participation the training program conducted by the committee will ensure the uniformity of the risk evaluation.

I encourage all medical officers to take part in the training program which is an excellent CME program and acquire an additional skill of performing a comprehensive sports medical evaluation.

I wish all the best to the sports medicine development committee and the participating doctors who are voluntarily dedicated to do this duty for our nation.



Message from the Deputy Director General (Medical Services) II

Dr. G. Wijesuriya Deputy Director General (Medical Services) II Ministry of Health

As the focal point of sports medicine development committee chairperson, I would like to express my heartiest gratitude to all the stakeholders of the committee for their generous untiring effort to make this program a success for the 3rd occasion.

It was a great privilege and experience for me to conduct meetings with many different medical specialists and professionals from the ministry of education and ministry of sports and come to a fruitful scientific recommendations and conclusions to revise the pre-participation and Pre- event medical screening protocols.

Medical service department is on continuous surveillance on capacity building of sports medicine field. Specially creating new carder positions for specialists and grade medical officers in this field.

Policy making and decisions has to be taken at timely intervals with the new development and advancement in the field. The committee is an immense strength and support to the ministry of health in this regard.

This year I have included specialist participation from related other medical specialists in developing the screening guidelines. Those include Emergency medicine, Doping & prohibited substance, Sports science, Sports Physiotherapy, Sports Nutrition and medical administration.

This diversity of the committee makes all of us aware of many related conditions and the possible preventive measures and solutions.

The private sector hospitals and GP centers are all cornerstone for delivering healthcare facilities. I have noticed that last minute requirements would be difficult on a day when the government clinics are not functioning. Therefore, the committee has taken another step forward and deciding on enrolling the doctors in the private sector to take part in this training program subjected to a nominal fee.

Covid-19 pandemic made serious difficulties in organizing this training program. Fortunately, the funding by HSDP funds made this program a reality. I must thank all the officers working in funding process.

The provincial Health directors and Regional deputy directors showed a great interest on this training program and sent me numerous requests to conduct this in their respective provinces.

I invite all health administrators to make the fullest participation of their medical officers to get the maximum use of this wonderful training opportunity.



Message from the Director (Medical Services)

Dr. Ayanthi Karunarathna Director (Medical Services) Ministry of Health

Sports, Games and Play all by means are different levels of physical activities either taken part at competitive or non-competitive levels. The intensity of the physical activity would greatly vary according to the nature of the sport or the physical activity mainly depending on the dynamic and static components of the particular sport. Thus, the health risk may also vary in great details in parallel with the nature of the sport.

The biggest threat and challenge to our sport medicine field is that creating a safe environment for the athlete to engage in safe participation in physical activities. It's virtually very difficult to give a 100% guarantee that one would not encounter any adverse outcome while doing physical activities.

The reason for this many would have ongoing medical illnesses, and some are yet to be diagnosed. The congenital illnesses may still be hidden till the last suitable moment to appear. Therefore, performing a physical fitness screening prior to exercise and sports carries considerable risk and responsibility to the physician involved in. Thus, many of the doctors would not want to come across such nuisance in their carrier and it's acceptable by professional norms. But still we need to overcome this hindrance. The ministry of health took this bold decision to train doctors and give them a professional cover through the ministry of health by license them as authorized medical officer to do the sports pre- participation & pre- event screening medicals, the H-1246 document.

This time ministry of health considered enrolling the doctors employed in private sector to be trained as licensed & authorized medical officers to perform this medical screening. This will decentralize and spread the service to the mostly required rural areas where the private sector medical service highly involved.

Therefore, I invite all interested doctors to join this program every other year where the ministry of health planning to conduct provincially, which is essentially a CME program for their carries.

Warm Regards.



Message from the President Sri Lanka Sports Medicine Association

Prof. Aranjan Karunanayake

MBBS, DM, DOH&S, Dip.Tox, Dip.Coun, D. Sp Med, FSS (IN),

MBASEM (UK), MSc.SEM (UK)

President Sri Lanka Sports Medicine Association

Sports and exercise medicine (SEM) is a relatively new medical specialty that comprises of two components. That is sports medicine and exercise medicine. This specialty plays a major role in promoting health and fitness among athletes and exercising individuals and help them to achieve their optimum performance level. These specialists play a key role in combating physical inactivity and non-communicable diseases which are menacing to rise to epidemic levels.

This specialty has been recognized as a distinct medical specialty in several countries in the world including Sri Lanka. In some countries SEM specialty is a branch of Medicine and in some it is a branch of Surgery. In countries such as United Kingdom and Sri Lanka, SEM specialty is a branch of Medicine.

SEM focuses on health promotion, prevention, treatment and rehabilitation of sports injuries and diseases which include chronic lifestyle or non-communicable diseases (NCDs). SEM specialty helps to enhance human performance to optimum level by incorporating knowledge of physiology, biomechanics, sports psychology, sports nutrition and other subjects related to sports sciences.

Therefore, this specialty has the need to attend to matters related to suboptimal health, promote and maintain optimal health and deal with matters related to supra optimal health which is required for ultimate success in sports. To achieve the supra optimal health it is essential to stretch the human physiological limits without causing injuries to body structures.

Sport and Exercise Medicine specialty and its association with other specialties.

Athletes and exercising individuals are not only affected by sports injuries, but they are also be affected by all the illnesses and diseases which any human being is subjected to. Therefore, SEM doctors must have additional knowledge related to various overlapping medical disciplines such as (orthopedic, radiology, surgery, general medicine, rehabilitation, rheumatology, family medicine, emergency medicine, pediatrics, gynecology and obstetrics, cardiology, neurology, endocrinology, psychiatry, public health etc.). In addition they must have a thorough knowledge on sports science related subjects such as biomechanics, exercise physiology, sports nutrition, sports psychology, electrotherapy etc. Although they should possess knowledge on all these subject areas, SEM doctors have an ethical duty to get appropriate advise from the other relevant specialists when managing athletes and exercising individuals.

SEM Training

In most countries, SEM training varies widely in duration ranging from 2 to 6 years and can be done after basic medical graduation; or after other primary medical specialties (such as orthopedic surgery; emergency medicine, family medicine, paediatrics and medical physiology etc.). In Sri Lanka, SEM training can be commenced after medical graduation, internship training and one year post intern training. The minimum training duration at present to become a Board Certified Consultant will take a minimum of five and a half years, which includes the one year of Post graduate diploma training and the two years required for board certification. After obtaining this specialty in Sri Lanka, these physicians can progress on clinical route and also on an academic route.

Major spheres under SEM Specialty

Injury prevention, rehabilitation and sports performance

The increase in physical activity often goes together with increase sports participation, sport and exercise related injuries and illnesses. People taking part in sport and exercise ranges from weekend warriors to professional elite athletes. Therefore, it is the responsibility of the SEM physicians to provide relevant care to both these groups. High-performance Sport and Exercise Medicine is a sub-area of SEM which focuses on high-performance of elite athletes. This includes helping athletes to optimize their health, well-being and to achieve the highest sports performance even under high physiological loads and extreme stressful circumstances. The physiological, psychological, medical and social issues that need to be faced by elite athletes are much more different from those of recreational athletes and general population. Which means, providing medical, surgical, psychological and rehabilitation care to elite athletes is much more challenging than providing care to recreational athletes and general population. SEM specialists must also be well trained to handle complex ethical issues and conflicts that can arise due to interactions between athlete, team, coach, family, physician etc. These issues are

much more complex than the issues that usually arises during a conventional doctor and a patient relationship.

Contribution to prevent Doping menace

Although a wealth of information is available regarding the harmful implications of banned substances (ex anabolic and androgenic steroids, steroid hormones, stimulants, narcotics) on human body and the punishments that are there for using such substances, doping still remains a major challenge in the world. Respecting and adhering to the World Anti-Doping Agency (WADA) Code is mandatory for all athletes taking part in competitive sports. SEM doctors have a major role in spreading awareness to athletes and other athlete support personnel which includes coaches, trainers, family, relatives and friends since athletes usually seek advice from them on matters related to supplements and other nutritional advice which they may not be adequately equipped to advice athletes.

Travelling with a team and working under altered physiological conditions

In many developed countries it is mandatory that a SEM physician should accompany a sports team travelling for competition or training. In most instances the travelling involves crossing several time zones. SEM physicians have the knowledge to engage in overall medical care for individuals involved in physical activities and sports after crossing several time zones and also performing under altered and extreme physiological conditions such as exposure to extremes of temperature and baro metric pressure.

Prevention role in non-communicable diseases

SEM physicians have a significant role to play in prevention and treatment of noncommunicable diseases and to promote health. Therefore, they have to be equipped with up to date knowledge on types, intensities, frequencies and durations of physical exercises that are useful to prevent illnesses and promote health. In addition these SEM physicians must have a knowledge on available opportunities and barriers (personal, environmental and social) for regular participation in physical exercises and good counselling skills to promote health.

In summary, Sport and Exercise Medicine is a branch of medicine that deals with physical activity and physical exercise to promote health and fitness among athletes and people who are physically active with an ultimate aim of optimizing health, human performance and doping free sports performance. Therefore, SEM physicians must have a sound academic and theoretical back up, clinical experience, research and practical laboratory skills that will enable them to conduct up to date research and use research knowledge in their clinical practice to prevent injuries and illnesses and optimize sports performance.

Bibliography

Sharma HB, Kailashiya J. Sports and exercise medicine: An emerging medical specialty. Indian Journal of Physiology and Pharmacology.2022. DOI 1025259/I/PP_209_2021

Brukner P, Khan K. Clinical Sports Medicine. 4th Edition. 2014. Sydney. McGraw-Hill Australia Pty Ltd.



Background of Pre-participation & Pre- Event Medical screening

Dr Ajith Susantha Paris

Senior Registrar in Sports & Exercise Medicine
MBBS, Diploma in sports Medicine (Colombo), MD in Sport and Exercise Medicine (Colombo)
Teaching Hospital Karapitiya.

Pre participation evaluation and periodic medical examination

Sudden death of a previously healthy young athlete on a playing field has been a most tragic and devastating event. The most common causes are heart related and very few are due to other causes. The unexpected loss of a young athlete's life due to sudden death has drawn significant attention and raised concerns within the sporting community and the society at large. The latest incidents were related to few deaths during Sinhala New Year season. The exercise related to sudden deaths are uncommon but it was prevalent though all are not reported or given much publicity.

Preparticipation examination (PPE) consists of history taking, relevant examination, doing basic investigations and field tests with the focus on optimizing health, safety and performance of sportsperson. It is a mandatory administrative and legal requirement in certain sports and in certain age groups.

Objectives of preparticipation examination;

- To provide an entry point to medical care
- · To screen for potentially life threatening conditions
- To identify current illnesses, injuries or chronic conditions that may endanger the players
- To identify ongoing medical segualae like concussion
- · To identify factors that may increase risk of future injury or illness
- · To review medications
- To provide education and advice
- To provide medical clearance to participate in sport

Ultimate objective is to provide medical clearance to safely participate in sports.

The physical, psychological and social benefits of physical activity and sports participation are well recognized. As medical practitioners it is our responsibility to make a safe platform for sports participation giving appropriate clearances.

When we screen for potentially life-threatening conditions the evidence claims most are due to cardiac causes. Therefore, one of the main objectives of PPE is prevention of sudden cardiac deaths (SCD). Out of cardiac causes, most of them are inherited like hypertrophied cardiomyopathy, coronary artery defects, conduction system

abnormalities, heart valve defects, aortic disorders and iron channelopathies. There is a detailed description in cardiac chapter. During PPE we inquire about any hints in history that will lead to potential cardiac causes like unheralded syncope, family history of SCD in young.

When we go through the past incidents of SCD, a certain percentage reported who had structurally normal hearts. Out of those most were due to cardiac causes like congenital long and short QT syndromes and brugada syndrome which can be detected by going through history, examination and mandatory electrocardiogram testing (ECG). Therefore, proper history, examination, ECG and field test is of paramount importance in pre participation examination.

The acquired causes are infections which are leading to myocarditis, certain drugs like amphetamines, electrolyte imbalances, hyper and hypothermia. The traumatic causes include commotio cordis in which there is direct blow to the heart in contact sports leading to sudden death.



Prevention and management of Heat injuries in sports

Dr. Indika Lanarole

MBBS, MD- Emergency Medicine First Board Certified Consultant Emergency Physician in Sri Lanka ETU – National Hospital of Sri Lanka

Heat related illness describes a continuum of illnesses ranging from mild, self-limiting conditions to severe and potentially fatal. Entities include heat rash, heat edema, heat cramps, heat syncope, heat exhaustion, and heat stroke. While heat exhaustion is the commonest presentation, heat stroke is a medical emergency with mortality estimated to be range from 10% to 50%.

Pathophysiology

- Body heat loss is controlled mainly by hypothalamus and the peripheral receptors in the skin and organs.
- The temperature gradient created between the core of the body and skin (skin being slightly cooler than the core) promotes heat dissipation. Naturally this dissipation is reduced when the gradient is narrowed. The critical environmental temperature point is approximately 35°C (95°F). As the ambient temperature and relative humidity increase, body cooling becomes less effective.
- · Hypothalamus regulates the body's mechanisms for cooling.
 - a. When the core temperature becomes elevated, the hypothalamus signals for vasodilation and the shunting of blood to the skin through sympathetic pathways occur resulting in heat loss.
 - Further due to signals of hypothalamus, increased sweat production resulting more loss of heat occurs.
 - c. The hypothalamus activity also causes behavioral responses to hot environments, including decreased exertion, removal of clothing, and sheltering from the heat.
- · Once temperature increases in the body
 - a. A systemic inflammatory response syndrome-type response initiated. Interleukins, cytokines, and proteins are released during the acute phase. This leads to increased mucosal permeability that can cause endotoxins from the gastrointestinal tract to enter the systemic circulation and cause further endothelial and tissue injury.
 - b. It is also thought that as temperatures increase within the body, critical proteins are denatured, which leads to cell apoptosis and death as well as temperature-induced coagulopathy.

Clinical Presentation

- The diagnosis of heat-related illnesses can be challenging due to the lack of strict diagnostic criteria, other than for heat stroke.
- · Conditions mentioned are,

1. Prickly heat (miliaria rubra or lichen tropicus)

Rash is described as pruritic, maculopapular, and erythematous. Usually found under clothed areas of the body and caused by the inflammation and occlusion of sweat ducts.

2. Heat edema

Lower extremity-dependent edema following heat exposure that is benign and selflimiting. Occurs due to changes in hydrostatic pressure changes, vascular leak, and cutaneous vasodilation.

3. Heat cramps

Refers to muscular cramping occurring during exercise in heat, which is related to salt deficiency and is usually benign. Involuntary, spasmodic contractions of skeletal muscles, caused by a relative electrolyte deficiency in the muscle, most likely due to hyponatremia. These cramps are more likely to occur after the muscles have cooled. Usually occurs during or after exercise.

(Rhabdomyolysis is a rare complication from sustained muscle contraction)

4. Heat syncope

A type of orthostatic syncope related to heat exposure that occurs in response to cutaneous vasodilation and the pooling of blood. It is characterized by a brief syncopal episode with a complete and rapid return to baseline.

(Important - consider heat syncope only in otherwise healthy patients with clear orthostatic causes. Heat syncope patients who have recurrent episodes and inconsistent with exercise-associated collapse or other clear explanation should be referred to cardiology to exclude cardiac syncope).

5. Heat exhaustion

Results from exposure to high environmental heat or strenuous exertion and may progress to heat stroke unless the patient is removed from the hot environment and/or decreases exertion; thermoregulation is not impaired.

Patients may have a normal or elevated core temperature (<40°C, 104°F).

The systemic symptoms include tachycardia, weakness, syncope, nausea, and vomiting. Early intervention is key to preventing progression to heat stroke. Rarely, heat exhaustion may be complicated by rhabdomyolysis, acute renal failure, and DIC.

6. Heat stroke

Defined as core temperature of ≥ 40°C (104°F) and CNS dysfunction; this is accompanied by a systemic inflammatory response.

CNS dysfunction is the hallmark of this condition. Signs of CNS dysfunction include irritability and confusion but may progress to seizures, encephalopathy, and coma.

Circulatory collapse is present in some cases of heat stroke patients. Coagulopathy may be noted in the form of bleeding from IV sites.

Heat stroke is divided into two categories: Exertional heat stroke and classic heat stroke. Although the causes are different, the final pathways are similar.

- a. Exertional heat stroke occurs in patients participating in athletics or with an occupation that leads to heat exposure and exertion. The environment, use of gear, poor physical conditioning, and previous history of illness (can increase vulnerability) and lack of heat acclimatization can all contribute. This can occur even in temperate climates with exertion.
- b. Classic heat stroke often involves patients who have poor physiologic mechanisms for heat regulation, including groups with comorbidities, the elderly, young children, those on medications that impair physiologic responses to heat, or those with psychiatric or socioeconomic barriers.
 - ***DIC is considered to be a prognostic factor in heat stroke.

DIC in heat stroke differs from DIC in sepsis; in heat stroke, fibrinolysis occurs in the acute phase.

Investigations

- Investigations are not usually required for minor heat-related illness but should be ordered in patients presenting with heat stroke and might be indicated in some patients with heat exhaustion.
- Blood Investigations
 - RBS a must for any patient with confusion
 - FBC- Hb may be high (along with PCV) due to hemoconcentration.
 WBC cells may be elevated due to stress response or due to underlying infection. Platelets normal initially but rapidly decrease 1-3 d after onset.
 - Electrolytes (Na, K, Ca, Mg, PO4) reveal multiple abnormalities including hyperkalemia, hyponatremia, hypochloremia, hypocalcemia, and/or hyperphosphatemia.
 - RFT evidence of acute kidney injury and dehydration. (Incidence of AKI is approximately 30% and may be due to direct damage or rhabdomyolysis).
 - LFT- may show significant increases in AST, ALT and LDH in the early stages.
 Total bilirubin begins to increase after 24-72 h. (Acute liver failure is seen in as many as 5% of patients with exertional heat stroke).
 - Coagulation Profile can be normal on the first day of presentation but commonly become elevated on the second to third day, particularly in cases of

- exertional heat stroke due to liver cell damage and subsequent factor deficiency.
- Creatine Kinase normal or elevated. Severe muscle damage and rhabdomyolysis are suggested with a CK >5,000 U/L, whereas a CK >16,000 U/L correlates with an increased risk of acute renal failure.
- · UFR "tea-colored" urine or granular casts.

Imaging

- NCCT Brain to rule out intracranial pathology.
- X rays as indicated.

Other tests

- · ECG myocardial infarctions and arrhythmias are common.
- Lumber puncture if CNS infection is suspected.

Management

Minor conditions related to heat

- · Prickly heat (miliaria rubra or lichen tropicus):
- Wear loose fitting clothing and avoid sweating. Antihistamines, steroid cream, and calamine lotion for itching. Chlorhexidine washes can also be effective.
- · Heat edema:
 - Compression stockings and lower extremity elevation are the treatments of choice. Diuretics are not effective and can compound other issues from heat stress including hypovolemia and electrolyte abnormalities. Heat edema usually resolves without treatment within several days.
- · Heat cramps:
- Minimize exertion and replace fluids and salt orally.
- Heat syncope:
- Remove from heat and cease exertion; oral rehydration.

Heat exhaustion:

- Remove from heat and stop exertion.
- · Hydration, either orally or IV.
- Although rarely necessary, cooling measures can be considered.

Heat stroke:

- Remove from the hot environment as soon as possible; stop all voluntary physical activity.
- Cooling is the most important therapy in classic and exertional heat stroke.

- Cooling should be initiated as soon as possible, even in the pre-hospital setting (American College of Sports Medicine).
- · Patients' clothing should be removed prior to cooling.
- Aim to rapidly cool <390C ((to avoid overshooting and rebound hyperthermia).
- Ways of cooling
 - a. Cold water immersion is the most rapid and effective modality for rapid cooling in patients, especially in patients with exertional heat stroke. This method involves placing the patient into a bath of cold or ice water. Immersion can be impractical in the hospital setting and makes accessing the patient for monitoring and interventions difficult. Some sources have reported shivering and peripheral vasoconstriction to be a complication of cold-water immersion, but the benefits of cooling outweigh any possible risk, especially in the case of exertional heat stroke.
 - b. Evaporative cooling involves spraying the patient's skin with tepid water and then fanning the patient. This method has been studied more in classic heat stroke and is thought to be more effective in elderly patients in particular and in heat exhaustion in general.
 - c. Conductive cooling can be achieved using cooling blankets.

Ice packs are most efficacious when applied to the whole body. There is limited benefit of ice packs placed only on the axillae, neck, and groin.

Whole-body cooling by this manner can best be achieved by actively rotating ice packs and ice water-soaked towels across the body.

- d. Cold IV fluids may also supplement other methods of cooling but are not considered sufficient alone.
- e. Body cavity lavage (bladder, gastrointestinal, peritoneal) has not been well studied and there can be a significant downside to these techniques, because they are invasive.

Pharmacologic agent.

- a. Antipyretics no benefit due to physiologic mechanism involved in heat stroke. Antipyretics may prove harmful in patients who develop hepatic, hematologic, and renal complications.
- b. Dantrolene no effect
- Neuroleptics (eg, chlorpromazine), which were the mainstays of therapy in the past, are best avoided due to side effects.

Supportive care

a. Hypoglycemia Common occurrence may be a manifestation of liver failure; therefore, infusion of dextrose in water solution (D10/25/50W) should be considered in all patients with heat stroke.

- Fluids resuscitation –
 Cooling per say improve the fluid status and hypotension due to redistribution of fluids to central compartment from peripheral. Hence aggressive fluid resuscitation is not recommended unless truly dehydrated.
- Agitation and shivering benzodiazepines used in patients with agitation and shivering, to stop excessive heat production.
- Seizures associated with heat strokes
 Treatment is with benzodiazepines and barbiturates. Phenytoin is not effective.
 If fits are not controlled with the above options, patients need to be sedated and intubated.

Disposition

- Most minor heat illnesses have benign, self-limited courses, and patients are usually discharged to home. These conditions include prickly heat, heat edema, heat cramps, heat syncope, and, in most cases, heat exhaustion.
- Psychosocial factors should be considered before discharging patients.
- Heat stroke has a mortality range from 10% to 50%. Permanent CNS damage occurs in 20% of cases of heat stroke. Heat stroke patients require admission, usually to the ICU, for monitoring and to watch for and treat any end-organ damage.

Mortality in heat stroke correlates with the degree of temperature elevation, time until cooling methods are initiated, time to actual patient cooling, the number of organ systems affected, older age, and the number of comorbidities.

Prevention

- Prevention is key for all heat illnesses. Avoiding exertion or being outdoors at the height of the daily temperature and maintaining hydration are mainstays in preventing heat illness.
- The most reliably modifiable risk factor is hydration status. Dehydration has been linked to increased physiologic strain, decreased sweat rates, increased perceived exertion, and increased core temperatures. Hyperhydration has not been shown to have an effect on heat tolerance. Guidelines suggest that euhydration before activity and a "drink to thirst" mentality during exertion are preventative for heatrelated illness.
- Athletes or soldiers in training are vulnerable to heat illness regardless of environmental temperature. Trainers, supervisors, and medical staff should be educated on heat illness, especially on the recognition of early stages.
- Acclimatization to hot and humid environments is also important for the prevention of heat illness. This is generally done by 1-2 h of exercise in heat over 10-14 d.

- Substance abusers are also at increased risk for heat-related illness, especially
 when using drugs that increase metabolic rate, such as amphetamines, cocaine,
 ecstasy, and phencyclidine (PCP), because these agents may cause an increase in
 body temperature regardless of environmental temperature.
- Depending on the patient and situation, physicians prescribing drugs such as anticholinergics, neuroleptics, and sympathomimetics should consider educating patients on the increased risk of heat-related illness.
- Clothing it is advisable to wear light colored cloths and avoid dark colored ones.
- Other individual factors that impair heat loss through the skin can also increase the likelihood of heat illness. These include hypohidrosis, extensive scarring, and diminished cardiopulmonary reserve at the extremes of age.
- Overweight or obese individuals may be at increased risk for heat-related illness.

References

- 1. Heat-Related Emergencies EM RAP- Core-Pendium 2021 July
- 2. Medscape Heat Stroke: Practice Essentials, Pathophysiology, Etiology (medscape.com)
- American College of Sports Medicine ACSM Expert Consensus Statement on Exertional Heat Illness: Recognition, Management, and Return to Activity – 2021 Sep.
- Wilderness Medical Society Clinical Practice Guidelines for the Prevention and Treatment of Heat Illness: 2019 Update



Algorithm for Pre-participation & Pre-Event medical examination

Dr. Himan De Silva

Olympic Sports & Exercise Physician & WADA-DCO; MBBS (Ruhuna); Dip. Sp. Med (Col); Dip Sp. Med (IOC); Dip. Sp. Physiotherapy (IOC) Dip. Sp. Psycology (IOC); MSc in Sports & Exercise Medicine (Cardiff-UK) PhD in Sports & Exercise Medicine (Read)

Coordinate with the client, Give basic preparation instructions and Fix an appointment date/place in advance

- Properly filled & Signed questionnaire
- 12 lead ECG strip with L11 long rhythm strip.
- · Stamp size colour photograph
- · Request letter from the relevant authority
- Other investigations (Optional- FBS, Hb, HCG, Lipid Profile, FBS, CXR)
- Previous diagnosis cards, clinic books ect.)



Venue/Location for Medical screening to be selected: - (Hospital, School) with facility to do the endurance test



Register the Athletes: The same Registry number will be put on the H 1246 Document



Carefully check the Personnel detail section and then Question 1- 27 for any discrepancy or abnormality

- Name, Age, DOB, ID or Passport No, Specific event or Sport, Consent
- Signatures of Athlete /Parent or Guardian if below 16 years
- If answers are 'yes' Check for need for referrals or advice from a specialist
- If the answer to question 27 is 'No' only the PPE will be issued and athlete will be asked to train for two weeks and come back to obtain the PEE
- Before the PEE done Athlete/Parents/Guardian have to sign the declaration



Do the Physical examination and fill the Details, Referrals & Recommendations on the back of the application form: - This form to be kept with the Doctor performing the medical screening for minimum of one year from the date of issue.



Check the Mandatory ECG and Optional other investigations and Document on the back of the application



Check of any contraindications for on the spot endurance test: - Differ if found any of those given below,

(Acute febrile illness, Dirrhoeas, Dehydration, Recent severe illness like Covid-19, Coronary events, ect.)

If none found, proceed for 15 min Jogging /if found any- refer to the guidelines given in the book or specialist



Passing on all above components the PPE/PEE (H-1246 Document) will be signed and given to the Athlete

The Sports Medicine Team

Sports medicine team is a group of health professionals whose major responsibility is the health and the safety of the athlete. The size and the scope of the health care team depends upon its locale, availability of other facilities and personnel, funding and the number of athletes to be cared for.

A. Organization

Peripheral Sports Medicine Team

- > EMT
- → PT PA
- Nutritionist
- Massage Therapist
- Equipment & Ambulance facility
- Student AT
- Strength & Conditioning Coach
- Dentist-Endocrinologist
- Podiatrist Neurologist Cardiologist
- Primary Care Physician- Nurse
- Dermatologist Psychologist
- Gynecologist Chiropractor- Health care assistant

Central-Sports-Medicine Team

- ATHLETE
- · ATC
- COACH
- PARENTS
- TEAM PHYSICIAN

B. Responsibilities

A team physician must be committed to athletes, must have knowledge of sport, must be interested in dealing with athletes at all levels, should live locally, & should consistently maintain a high quality of care for all athletes.

Relationship with the Athletic Trainer.

The most important relationship in regards to the athletes' health care.

Must advise ATC while trusting their decision making; Allows ATC to function independently

Same treatment philosophy as other team members.

Compiling Medical History

Conduct PPE & Screen for serious Medical Conditions.

Compile complete medical history

Establish baseline Diagnosing Injury

Physician Responsibility- evaluating and treating illness and injuries & referrals

Aware of rehab & treatment provided by ATC

Good communication with ATC about initial evaluation

Provide written diagnosis

Deciding on Disqualification- written guidelines and information to the athlete

Physician has final say on an athlete's disqualification based on medical grounds

Return to play is determined by physician based on recommendations from ATC & PT

Attending Practices & Games-More common in college or professional setting

Must be readily available to ATC, School, Athlete

Record keeping- clear patient records, referral forms and consultation reports and daily treatment log

Legal setup-Standards of care for sports medicine must be followed, Consent for care must be clearly spelled out and informed written consent obtained for procedures; Parental consent must be obtained for care of minors (< 16 years), Confidentiality of the information and disclosure of information guidelines must be in place, Medications should only be prescribed with informed consent of possible side effects; avoid prescribing medications banned by IAAF and the world Anti-Doping Agency-WADA.

Principles and Ethical Guidelines

A. Competence

Sports medicine professionals must be knowledgeable, educated, and experienced in the prevention and care of health problems, particularly those related to the sports for which they are responsible.

B. Sports Knowledge

Sports medicine personnel should have an in-depth knowledge of the sports for which they are responsible, including rules of competition. They must also understand the training process and the physical and mental demands training places upon an athlete. An active, wellness-oriented lifestyle enhances this understanding and improves rapport with coaches and athletes.

C. Confidentiality

An athlete has the right to expect medical staff to observe confidentiality. When serving as a team physician, the physician is responsible to the athlete, the team administration and the coaches, so there must be clear guidelines concerning the disclosure of medical information. Disclosure should be made only to responsible personnel and only for determining the athlete's fitness to participate. Ideally, medical information should be considered privileged, until the athlete gives permission to release information to the team, the coach, or the media.

D. Communication

There must be mutual respect among all the members of the medical staff and open communication concerning roles and responsibilities. In addition, medical personnel must communicate openly with coaches, athletes, parents, and family physician.

E. Participation

The primary care team physician or a physician competent in sports fitness assessment is responsible for determining an athlete's fitness to participate. This may occur during the pre-participation examination or after an injury is sustained in training or competition. The team physician may decide to involve special consultants to assist in these decisions.

F. Coordination

The primary care providers are responsible for coordinating the health care process among all the persons involved in the sports program, including the coach, other health professionals and para-professionals, sports scientists, administrators, families and family physicians, and the athletes themselves. Athletes must be instructed in health and safety practices and must bear a large degree of responsibility for their own welfare.

Pre - Participation Examination

Every participant in sports should receive a thorough pre-participation medical examination (PPE) by a knowledgeable sports physician. The examination may vary depending on the local system and administrative/legal requirements, but should encompass a detailed medical history and complete physical examination. The IAAF also recommends a physical examination prior to participation in major international competitions.

A. Primary Objectives

There are several primary objectives in conducting the pre-participation examination. These include:

- Detect, Potentially Disabling or Life-threatening Conditions (both medical and musculoskeletal) Such conditions are primarily Cardiovascular, some of which may be clinically silent and not readily detected
- 2. Screen for Conditions that Predispose to Illness or Injury
 The PPE allows the physician to screen for medical and musculo-skeletal
 conditions that may predispose to illness or injury during training and
 competition. These may include acute or chronic conditions (especially those
 that have been untreated), injuries that have not been completely
 rehabilitated, and congenital-developmental abnormalities. Detection of
 these conditions allows for rehabilitation or other therapeutic interventions
 such as management of exercises-associated asthma.
- Meet Administrative Requirements
 The PPE is conducted in order to meet administrative requirements of the appropriate sports or governmental agencies.

B. Secondary Objectives

- 1. Assess General Health
 - The PPE may be the only contact that the athlete has with a health care provider, especially those athletes with limited access to health care. Many young athletes may have chronic and untreated health problems that may require on-going management.
- Entry into the Health Care System
 The PPE may establish a relationship with the health care system, and provide an opportunity to get enter in to the system
- 3. Discuss Health and Lifestyle Issues The interview offers an opportunity to discuss and counsel regarding a wide variety of topics, including nutrition and use of supplements, weight control practices, alcohol and substance abuse, proper training methods, and sexually transmitted diseases. Confidentiality must be assured by having a private interview room, either in a private office or in a private examination room as a part of group processing.

C. Personnel Qualifications

The examination should be carried out by a qualified physician, which may include a primary care sports physician, family practice physician with adequate training & qualification, an authorized medical officer paediatrician, or orthopedic surgeon. An allied health professional that may support the physician include physiotherapist, nurse, and in some cases such specialists as physiologists and nutritionists.

D. Examination Formats

1. Private Office

The primary care physician's office is best for the PPE, especially if the physician is the athlete's personal physician. This allows for the use of complete medical records, knowledge of the athlete's history, and better physician-athlete rapport.

2. Medical Team

A team approach to the PPE can be valuable if there are cost considerations, the athlete does not have a personal physician, the athlete's personal physician does not feel qualified, or if the institution or team requires an organized system for a large number of athletes.

The team physician may organize primary care physicians, pediatricians, specialists such as orthopedists, and various para-professionals (physiotherapists, nurses, etc)

Organization of the Medical Facility for PPE & PEE

Stage	Purpose	
Waiting area	Sign-in, registration, including careful instructions about filling out required forms	
Vitals station	Checking Height, Weight, blood pressure, vision	
Office examination	History review, physical examination performed by one physician for a given student-athlete	
Speciality offices/Referrals	Orthopedic assessment, cardiology evaluation, etc	
Optional stages	Educational and rehabilitation areas	
Endurance area/Gym/Ground	Perform the required endurance test	
Record room/Locker	To keep documents safe	

Steps to facilitating the examination process.

Provide athletes in advance with information about the detailed nature of the examination and the appropriate attire to wear to lessen privacy concerns and increase efficiency.

Ensure separate areas for examining male and female athletes

Have a private individual counseling room for discussion of sensitive issues to maintain confidentiality and facilitate better communication

Enhance familiarity and continuity of care by enlisting assistance of as many primary physicians as possible for the athletes being examined

Establish a clear protocol for referral to primary physicians, specialists, rehabilitation or other medical evaluations for every athlete who is not cleared for participation because of illness or injury. If there is a team physician, he or she should keep - and follow up on - a list of athletes who are disqualified or who require further evaluation before final clearance. If the athlete is not cleared for the desired sport, the evaluating physician should counsel the athlete concerning alternate permissible activities.



Sudden Cardiac Death in Athletes

Dr. Mangala Goonetilleke MBBS DCH MD APCA Consultant Pediatric Interventional Cardiologist Teaching Hospital, Karapitiya.

Introduction:

There are clear health benefits to exercise; even so, patients with cardiac conditions who

Introduction:

There are clear health benefits to exercise; even so, patients with cardiac conditions who engage in exercise and athletic competition may on rare occasion experience sudden cardiac death (SCD). While there is controversy about the potential connection between intense endurance exercise and increased risk of some cardiac conditions (i.e., atrial fibrillation, ventricular fibrosis), on balance, exercise is clearly health-promoting for the large majority of individuals. However, for a small number of individuals who harbor cardiac conditions, exercise can sometimes be associated with the risk of sudden death (i.e., the exercise paradox).

Statistics:

Sudden cardiac death (SCD) is the most frequent medical cause of sudden death in athletes, and estimates vary widely based on the population. A recent estimate of SCD incidence ranged from 1 in 40,000 to 1 in 80,000 athletes per year.

At Risk Groups:

It also has been increasingly recognized that some populations of athletes may be at substantially higher risk than others for SCD. Increased risk has been found with male gender, black race, and basketball participation.

Causes of Sports Related Sudden Cardiac Death:

In athletes under 35 years of age, inherited cardiac conditions predominate, with hypertrophic cardiomyopathy (HCM) and anomalous origin of a coronary artery being the two most common causes. In athletes older than 35, most SCD events are due to acquired atherosclerotic coronary artery disease (CAD).

Common cardiovascular conditions associated with sudden cardiac death (SCD) in athletes


Congenital/Genetic	
Structurally Abnormal Heart	Structurally Normal Heart
Hypertrophic cardiomyopathy	Congenital long QT syndrome
Arrhythmogenic right ventricular cardiomyopathy	Catecholaminergic polymorphic ventricular tachycardia
Dilated cardiomyopathy	Wolf-Parkinson-White syndrome or other accessory pathway
Other cardiomyopathy (i.e., left ventricular noncompaction)	Brugada syndrome
Congenital anomalies of coronary origin & course	Other ion channelopathies
Aortopathy (i.e., Marlan syndrome & ascending aortic aneurysm/ dissection)	
Valvular heart disease (i.e., congenital aortic stenosis, mitral valve prolapse)	
Acquired	
Structurally Abnormal Heart	Structurally Normal Heart
Atherosclerotic coronary artery disease	Commotio cordis
Kawasaki's disease	Acquired long QT (i.e., drug-induced)
Myocarditis	Other substance ingestion or environmental factors (i.e., hypo- or hyperthermia)

Symptoms that indicate a risk for Sudden Cardiac Death:

- Fainting or seizure, especially during or right after exercise or with excitement or startle.
- Racing heart, palpitations, or irregular heartbeat.
- Dizziness, lightheadedness, or extreme fatigue with exercise.
- · Chest pain or discomfort with exercise.
- Excessive shortness of breath during exercise.
- Excessive, unexpected fatigue during or after exercise.

Athlete Screening & Evaluation:

Since many of the cardiac conditions that cause SCD in athletes may not present with warning symptoms, there has been considerable discussion about the role of preparticipation screening tests to evaluate for occult cardiovascular disease. A flowchart of common tools for screening and evaluating athletes is shown below. The value of any screening test is determined by the characteristics of the population to which it is applied. As demonstrated above, the incidence and causes of SCD vary widely depending on the age, gender, race, country, and sport of the athlete group. Therefore, it is unlikely that any single screening program will be effective across all groups. Issues such as resource utilization and cost-effectiveness also must be considered.



The American Heart Association (AHA) and American College of Cardiology (ACC) recommend screening that is limited to a targeted medical history and physical exam. In contrast to the American recommendations, the European Society of Cardiology (ESC) and International Olympic Committee (IOC) advocate for screening that also includes a resting 12-lead electrocardiogram (ECG). Evaluation extending beyond a history, physical exam, and ECG is indicated if any of these preparticipation tests are abnormal and/or an athlete presents with symptoms during the course of practice or competition.

Conclusion:

Although rare, SCD in the athlete is a traumatic event that has a large impact on society. The incidence of SCD varies widely depending on the athlete population. In older athletes, SCD is primarily due to CAD and associated complications. In younger athletes, it is due to congenital or genetically mediated cardiovascular disease, such as HCM, coronary artery anomalies, other cardiomyopathies, or primary arrhythmogenic disorders. All preparticipation screening programs aimed at identifying athletes at high risk of SCD begin with a focused history and physical. The addition of the 12-lead ECG and/or additional cardiac testing is a source of considerable ongoing debate. The optimal preparticipation evaluation for a given group depends on the athlete population and the available screening resources, including clinicians with expertise in the cardiovascular care of athletes. It is highly unlikely that any screening program will be effective at appropriately identifying all athletes at risk of SCD; therefore, increased access to automated external defibrillators as well as training in cardiopulmonary resuscitation at a community level are important means of reducing SCD in athletes.



Structural Interpretation of an ECG

Dr. Dimuthu Weerasuriya

MBBS, DCH, MD -Paediatrics, Commonwealth Fellow on Fetal Cardiology
Consultant Fetal and Paediatric Cardiologist
Department of Fetal and Paediatric Cardiology, John Radcliff Hospital
Oxford University Hospitals NHS Foundation Trust, Oxfordshire, United Kingdom

Exercise-related sudden cardiac death is defined as any sudden cardiac death during or within one hour of participation in a sport event.

This guideline aims to provide a structural approach for interpretation of an ECG (please refer to presentation slides as this is a highly concise note)

Interpretation of normal ECG:

- ECG should always follow a detailed clinical history including cardiac family history and a thorough clinical examination
- · Always analyze the ECG in a systematic manner
- Interpret the ECG in the context of age, gender and clinical symptoms/signs
- Refer to age and gender appropriate nomograms in the child/adolescent (many free apps available on App store and Google play)

Some common Criteria for a "positive ECG"

1) Rhythm/Conduction abnormalities

- Sinus bradycardia with resting heart rate below the 3rd centile for age and gender with no heart rate increments in response to exercise.
- Short PR interval (less than 120msec- 3ssq) with or without apparent 'delta' waves
- Mobitz type 2 Second or third-degree heart block
- Supraventricular tachycardia (including re-entry tachycardias, ectopic atrial tachycardias)
- Premature ventricular beats with symptoms/ family history suggestive of a genetic cardiac condition/ polymorphic/ increasing with exercise/ history of cardiac surgery
- Ventricular arrhythmias

2) P wave

- · Left atrial enlargement:
 - bi-phasic/camel-back P waves on inferior leads
 - negative portion of the P wave in lead V1 more than 0.1 mV (one ssq) in depth and more than 40msec (one ssq) in duration
- · Right atrial enlargement
 - · tall P waves in inferior leads
 - P wave in lead V1 more than 0.25mV (2.5 ssq) in amplitude

3) QRS complex

Axis: Normal – 120° to -30° RAD beyond +120° LAD between - 30° to -90°

- Increase voltages:

https://www.ahajournals.org/doi/10.1161/circulationaha.108.191097
Amplitude of R plus S wave in any more than 20mm (LVH)
Amplitude of R plus S waves on any precordial lead more than 35mm (LVH)
R on lead V1 more than 6mm or QR on lead V1 (RVH)

- Abnormal Q waves Wide and deep q waves (dagger q waves) or q wave more than 25% of the height of ensuing R wave
- Complete right or left bundle branch block (LBBB is always abnormal during first two decades)

4) ST segment, T wave and QT interval

- Significant ST segment depression or elevation
- Inverted T waves in two or more adjacent leads(except V1 and V2) and/or flat T waves
- Heart rate corrected QT interval (QTc) more than 440msec in males/ 460msec in females or less than 360msec

Training-related ECG changes in the athlete (adaptive cardiac physiology)

ECG finding	Definition
Increase voltages	Often fulfills criteria for chamber hypertrophy (athlete heart)
Incomplete RBBB	RBBB pattern on lead V1 with QRS duration less than <120msec (3 ssq)
Early repolarization	J-point elevation in inferior and/or lateral chest leads

"Repolarization variant"	J-point elevation and convex("domed") ST segment elevation followed by T inversions on leads V1-V4
Juvenile T wave pattern	Isolated T wave inversions in up to lead V3 under 16yrs
Sinus bradycardia	Resting heart rate around 3 rd centile for the age
Sinus arrhythmia	Breathing related heart rate variation: increases with inspiration and decreases with expiration
Low atrial rhythm	Inverted P waves in inferior leads
First degree heart block	PR interval more than 200msec (5ssq)
Mobitz type 1 (Wenckebach) second degree AV block	Progressive lengthening of PR interval until there is a non- conducted sinus beat: first PR interval after the dropped beat is shorter than the last conducted PR interval and the cycle repeats

Last updated June 2023



Resumption of Sports, Exercise and Long distance running guidelines for children and adolescents

Dr. Sanka Theekshana Thebuwanaarachchi

Olympic Sports & Exercise Physician, IOC Sports Physiotherapist & WADA-DCO MBBS (Ruhuna); Dip. Sp. Med (Col); Dip Sp. Med (IOC); Dip. Sp. Physiotherapy (IOC) MSc in Sports & Exercise Medicine (Cardiff-UK); PhD in Sports & Exercise Medicine (Read)

This article is based on evidence-based research publications on resumption of Sports, Exercise and

Long distance running guidelines for children and adolescents

Age	Recommended Maximum Running Distance	Recommended Maximum Training Frequency per week
Under 9 Years	3 Km	3 sessions per week
9- 11 Years	5 Km	3 sessions per week
12-14 Years	10 Km	3 sessions per week
15- 16 Years	21.1 Km (Half Marathon)	3 sessions per week
17 Years	30 Km	5 sessions per week
18 Years	42.2 Km (Full Marathon)	5 sessions per week

When should you hold your race? In many parts of the world the climate dictates the best time of year to hold your race, so that conditions are most favorable for running. *Ideal conditions for fast running would probably be between 5-15C*⁰. If the temperature does not fall as low as 15C⁰ you should try to run your race at a time when the temperature is at a seasonal low, and at a time of day that will minimise heat stress. *This would normally be early morning,* which is also when traffic conditions are likely to be most favorable. There may be other factors which would influence the time of year that it is best to hold the race, including:

- The possibility of attracting visitors at a time when there is the required hotel capacity available.
- The desire to coincide the race with a particular national holiday or local festival.
- The need to avoid competing with other events in the road running calendar.
- The need to schedule the race at a time when TV coverage is possible In particular, if you are seeking to attract elite athletes to compete in your race, you should avoid holding it at the same time as major international

championships or big city races, so that you are not competing for runners against these established events.

Where should you hold your race? You may well have firm ideas about the location of your race start and finish, but you will need to consider:

- The amount of space that will be required by the start and finish facilities
- The backdrop that is presented by the race start and finish (and throughout the route) and how you can use this to best project the image of your race.

IAAF Rule 240 Drinking / Sponging and Refreshment Stations:

Number of stations and locations

available at these points.

- (a) Water and other suitable refreshments shall be available at the finish of all races.
- (b) For all events, water shall be available at suitable intervals of approximately 5km.
 For events longer than 10km, refreshments other than water shall also be made
 - Note (i) Where conditions warrant, taking into account the nature of the event, the weather, conditions and the state of fitness of the majority of the competitors, water and /or refreshments shall be placed at more regular intervals along the route.
 - Note (iii) Mist stations may also be arranged, when considered appropriate under certain organisational and/or climatic conditions.

Type of Refreshments

(c) Refreshments may include drinks, energy supplements, foodstuffs or any other item other than water. The Organising Committee shall determine what are suitable refreshments based on prevailing conditions.

Refreshments provided by:

(d) Refreshments will normally be provided by the Organising Committee. The Organisers may permit athletes to provide their own refreshments. Where this happens, the athlete may nominate at which stations, they shall be made available to the athlete. Refreshments provided by the athletes shall be kept under the supervision of officials designated by the Organising Committee from the time that the refreshments are lodged by the athletes or their representatives. Those officials shall ensure that the refreshments are not altered or tampered with in any way.

Refreshment distribution:

- (e) The Organising Committee shall delineate, by barriers, tables or markings on the ground, the area from where refreshments can be received or collected, which. Refreshments shall be placed so that they are easily accessible to, or may be put by authorised persons in the hands of, the athletes. Such persons shall remain inside the designated area and not enter the course nor obstruct any athlete. No officials shall, under any circumstances, run beside an athlete while he is taking refreshment or water.
- (f) In competitions held under Rules 1.1(a), (b), (c) and (f), a maximum of two officials per Country may be stationed behind the table at any one time.
 - Note: For an event in which a Country may be represented by more than three athletes, the Technical Regulations may allow additional officials at the refreshment stations.

Runners carrying refreshments:

(g) An athlete may at any time carry water or refreshment by hand or attached to his body provided it was carried from the start or collected or received at an official station.

Not allowed:

(h) An athlete who receives or collects refreshment or water from a place other than the refreshment stations, except where provided for medical reasons from or under the direction of race officials, or takes the refreshment of another athlete renders himself liable to disqualification by the Referee. The Referee should, for a first such offence, warn the athlete, normally be showing a yellow card. For a second offence, the Referee shall disqualify the athlete, normally by showing a red card.

The athlete shall then immediately leave the course. Providing water and replacement fluids is a mandatory aspect of all distance races. The lack of, or inadequately serviced stations can result in severe medical problems and even death. Detailed plans must be in place 36 to ensure there are enough fluids available at regularly-spaced refreshment stations. Very large fields may require more water stations but runners and staff should be cautioned against excessive fluid intake. Refreshment station logistics Water stations should be available prior to the start, at the finish and at least every 5km along the course.

In warmer climates every 2.5km is advisable. On out-back courses they can be placed in the centre of the road and made "double-sided" to reduce the number of locations required.

How much water?

Approximately 250-330ml of water (common bottle sizes) should be provided per runner. If it is an out-back course supplies should be doubled and separated into two equal parts, ready to serve to one side for the outward journey and to the other side for the return. If two races pass by the water stations (eg marathon and half-marathon) at different times then the supplies planned for each race should be stored and served separately. It should be noted that sponges are not as effective in dissipating body heat but are allowable under the Rules. Drinking water is of far more value than sponging.

<u>Configuration of water stations</u>: The size of a water station is dependent on the number of runners and the distance between each station. Care should be given to designing a water/ refreshment station that allows all of the runners easy access. This is accomplished by spreading the refreshment tables out over a longer distance.

IAAF Label Road Races

General Principles

Each year, the IAAF awards a designation referred to as an IAAF Road Race Label to leading Road Races around the World. 1.2 Races shall be divided into three categories:

- Marathons
- Half Marathons
- Other races included under this category: Races over "official distances" for which World Records are recognised (see IAAF Rule 261): 10Km 15Km 20Km 25Km 30Km 100Km; "Classical" races" over non-standard distances.

Reference:

https://media.aws.iaaf.org/competitioninfo/a6691e27-f891-4c84-8e95-7d2b5ddd77ee.pdf https://bjsm.bmj.com/content/bjsports/55/6/305.full.pdf

Principals of sports nutrition for sports at school and side- stepping myths

Dr Manoji Gamage

Consultant Nutrition Physician-Lady Ridgeway Hospital for Children

Dr G. Wijesuriva

DTCD, MSc (Med. Adm), MSc (Food & Nutrition), Deputy Director General (MS) II, Minstry of Health.

Introduction

Proper nutrition and hydration have a major impact on young athletes' health and sports performance across all levels of training and competition. When athletes want to improve their physical skills – whether it is strength, speed, endurance, or power. Athletes who invest time to plan for healthy eating and hydration get more out of their training, perform better during competition, refuel their bodies faster, and have less illness and injury.

Nutrition and hydration before activity

Proper nutrition and hydration before activity are vital to ensure athletes


- have enough fuel for mental and physical performance
- · can avoid physical discomfort caused by hunger, upset stomach, or dehydration
- able to push their muscles for a longer period of time

When Should Athletes Eat?

The timing of meals is vital for maximum fueling and utilization, whether it be before routine training or before a tournament. If an athlete begins an activity with food in their stomach, this can cause cramping or nausea.

- If there is adequate time, eat a full meal three to four hours before an activity which gives an athlete's body time to digest food (This can include all components of nutrients –Carbohydrate, fat, protein and, vegetables to give vitamin and minerals)
- When it is not possible to eat two to three hours before an activity, athletes can choose a snack, one-two hours before. This snack will help prevent hunger and provide energy for the activity. (This will include mostly carbohydrate and protein containing food. Should be easy to digest)

Example of full meal



Example of a snack

A Low-fat yoghurt, a banana and cereal bar Chicken sandwich with whole grain bread

Hydration before activity

Water has many key functions in the body including the transport of nutrients to the muscles and tissues, and the control of body heat through sweat. When an athlete has lost as little as two percent of body weight during activity, mental and physical performance are greatly impaired. However, over hydration should also be prevented. In athletes, over-hydration often happens when they drink large amounts (8–10 L or 36–40 cups) of low sodium fluids (like plain water) before or during long bouts of intense activity and signs and symptoms are mostly like dehydration.

An Athlete needs to drink 400-600 mL of fluid 30 mins before activity. In long tournaments, the body should be prepared by drinking 500ml the night before as well.

What fluid is most suitable?

A mixture of water, jeewani, electrolyte mix, king coconut, sport drinks should be used

Nutrition and hydration during training or tournaments

Nutrition during training or events

In most cases, an athlete will not need to eat during activity if they have eaten enough to fuel their muscles and body before they train or compete. Athletes who are active for less than an hour do not need to consume food unless they did not eat a large enough meal before the activity.

Athletes may need to eat during an activity when

- · it is a nonstop endurance activity that lasts longer than one hour
- · it is a morning activity and the athlete has only eaten a small breakfast

When athletes perform an intense activity for more than one hour (eg: long distance swimming, Long distance running), they need to ingest 30 to 60 grams of carbohydrate in small amounts during each hour of activity, and drink enough water to maintain hydration and energy levels. Athletes can consume this carbohydrate through specially prepared drinks or food or a combination of both. During competition, athletes need to choose foods that they already know will not cause them stomach upset or cramps. Examples of good carbohydrate food choices include

- 1 large banana (30 g carbohydrate)
- 1 medium orange (12 g carbohydrate)
- 250 mL (1 cup) watermelon (11 g carbohydrate)
- 1 small box (28 g) raisins (22 g carbohydrate)

Hydration during exercise

The need for hydration can vary from player to player depending on the individual's quality and quantity of sweat as well as the duration of activity.

In a, less than one hour session an athlete should drink 400-800ml of fluid and water is adequate. If it's more than one hour specially electrolyte replacement in the fluid is important. Therefore, each athlete needs his /her own fluid bottle. A fluid with, glucose to energize the muscles and salts to replace losses is recommended.

ORS is a good option as a rehydration solution. For home preparation add ½ teaspoon of salt and 2 table spoons of sugar in to one liter of water. King coconut, Fruit juices can also be used.

Nutrition and hydration Guidelines After Activity

Nutrition after activity


Proper nutrition and hydration after activity are important to refuel and repair tissue. Athlete need to eat foods that provide carbohydrate and protein within 30 minutes of finishing activity in order to refuel the muscle glycogen stores. One must not miss this golden window of opportunity which increases performance.

Example of carbohydrate rich, moderate protein(4:1ratio) snacks to consume within the first 30 mins post training are

- 1 medium size banana with 250 mL (1 cup) of low fat milk
- 175 mL (3/4 cup) bowl of sweet corn flakes with resins and 250 mL (1 cup) of low fat milk
- · White bread fish sandwich with low fat yoghurt

Hydration after activity

A young athlete should drink up to 4ml/kg/Day of fluid this is around 250-500ml.Good indicator is the colour of the urine. Athletes should continue to drink in small amounts until urine colour is acceptable.



Over hydration can lead to hyponatrenamia. Symptoms can be subtle including dizziness, lightheadedness or headache, vomiting and severe as coma and seizures.

General eating practices during off-seasons for athletes

Routine healthy food practices are very important for a player.

- A healthy breakfast is essential to refuel muscles after a long sleep and should not be missed.
- Healthy planned homemade food is better than buying short-eats. A balanced diet including grains, protein sources such as fish, meat and eggs, and fruits and vegetables should be consumed.

- Athletes need to develop a healthy eating routine by having healthy foods onhand to meet their energy and nutrient needs at home, at school, and on the road.
- An athlete should learn to read food labels when consumed

Common myths in sport nutrition

- Are commercial sports drinks anecessity?
 Sport drinks help replace sugar and electrolytes needed by the body during intense exercise that lasts longer than one hour. Athletes never need sports drinks to fuel before activity or refuel after activity as it is always better to eat
 - drinks to fuel before activity or refuel after activity, as it is always better to eat food and drink healthy fluids such as water and milk. Sports drinks contain sugar and can lead to cavities or weight gain when consumed on a regular basis. A home-made drink with sugar and electrolytes can hydrate the player well.
 - sports drinks are not all the same and their ingredients often change over time. It is important for athletes to always check labels because some drinks may contain ingredients that they do not need or too little of the ingredients that they do need. If consuming these should be tried way before a tournament.
- Are carbonated fluids good as a re-hydrating fluid?
 Fluids that are carbonated (have bubbles) often make athletes feel full. Athletes may then drink less fluid and dehydrate during activity. Carbonated fluids may also cause stomach discomfort and gas
- Natural Health Products
 Some sports drinks may contain various forms of natural health products such as ginseng, inositol, carnitine, creatine, glucuronolactone, or ginkgo biloba. None of these ingredients have been shown to enhance performance, and could pose serious health risks to young athletes whose bodies are not yet fully grown.
- Are Sport Nutrition Supplements Safe for Young Athletes?
 Nutrition supplements could have very different effects on teen athletes compared to adult athletes asgrowing bodies break down, absorb, and excrete supplements much differently from fully grown adult bodies, even supplements that are proven safe and helpful in adults could have adverse effects in younger people. Therefore, these supplements should not be tried without medical guidance (One supplement given to a child may not be suitable to use in another)
- Use of multivitamins
 Young athletes do not need vitamin and mineral supplements, if they maintain a
 healthy body weight and consume enough nutrients from a range of foods from
 all natural food groups (cerealanimal proteins, fruits, Avegetables, milk, nuts and
 oil seeds).
 - Sports performance will not improve by taking more vitamins and minerals than is required for good healthand over dose can even be toxic. Medical advice should be sorted on long term use.



Doping & Supplements in Sports

Dr O. L. De Silva (MBBS) DCO (WADA) ETU- National Hospital of Sri Lanka

Nutrition usually makes a small but potentially valuable contribution to successful performance in elite athletes, and dietary supplements can make a minor contribution to this nutrition program.

Definition of a dietary supplement as per International Olympic Committee (IOC) consensus statement for dietary supplement and high- performance athletes as follows; A food, food component, nutrient, or non-food compound that is purposefully ingested in addition to the habitually consumed diet with the aim of achieving a specific health and/or performance benefit.

Furthermore, IOC recognize that dietary supplements come in many forms, including the following:

- functional foods, foods enriched with additional nutrients or components outside their typical nutrient composition (eg, mineral-fortified and vitaminfortified, as well as nutrient enriched foods)
- formulated foods and sports foods, products providing energy and nutrients in a more convenient form than normal foods for general nutrition support (eg, liquid meal replacements) or for targeted use around exercise (eg, sports drinks, gels, bars)
- single nutrients and other components of foods or herbal products provided in isolated or concentrated forms
- multi-ingredient products containing various combinations of those products described above that target similar outcomes

Nonetheless, supplement use is widespread at all levels of sport. Products described as supplements target different issues, including (1) the management of micronutrient deficiencies, (2) supply of convenient forms of energy and macronutrients, and (3) provision of direct benefits to performance or (4) indirect benefits such as supporting intense training regimens. The appropriate use of some supplements can benefit the athlete, but others may harm the athlete's health, performance, and/or livelihood and reputation (if an antidoping rule violation results). A complete nutritional assessment should be undertaken before decisions regarding supplement use are made.

Supplements claiming to directly or indirectly enhance performance are typically the largest group of products marketed to athletes, but only a few (including caffeine, creatine, specific buffering agents and nitrate) have good evidence of benefits. However, responses are affected by the scenario of use and may vary widely between individuals

because of factors that include genetics, the microbiome and habitual diet. Supplements intended to enhance performance should be thoroughly trialled in training or simulated competition before being used in competition. Inadvertent ingestion of substances prohibited under the antidoping codes that govern elite sport is a known risk of taking some supplements. Protection of the athlete's health and awareness of the potential for harm must be paramount; expert professional opinion and assistance is strongly advised before an athlete embarks on supplement use.

It is said that if a supplement works it might be banned or else if the supplement is banned it might work vice versa.

In Sri Lanka supplements could get an approval through the legitimate pathways which include obtaining clearance certificate of analysis by National Dangerous Drugs Control Board.









Ref. International Olympic Committee (IOC) consensus statement for dietary supplement and high- performance athletes



Safe resumption of Sports & Exercise after SARS-CoV-2 infection

Dr. Himan De Silva

Olympic Sports & Exercise Physician & WADA-DCO; MBBS (Ruhuna); Dip. Sp. Med (Col); Dip Sp. Med (IOC); Dip. Sp. Physiotherapy (IOC) Dip. Sp. Psycology (IOC); MSc in Sports & Exercise Medicine (Cardiff-UK) PhD in Sports & Exercise Medicine (Read)

This article is based on evidence-based research publications on resumption of Sports, Exercise and Physical activities. Medical professionals are advised to follow the protocols as much as possible to ensure safe participation and return to sports. The Covid-19 infected patients are categorized in to 06 different categories based on the severity of illness and recommendations are given to respective categories.

Covid -19 ආසාදනයෙන් පසු වනයාම සහ කීඩා ආරම්භ කිරීම සඳහා පහත සඳහන් උපදෙස් මාලාව පිළිපැදීම යෝගත වේ. මේ යටතේ ආසාදිතයින් කාණ්ඩ හයකට බෙදා වර්ගීකරණය කොට එක් එක් කාණ්ඩයට අදාළ වෛදා උපදෙස් පිළිපැදීමට කීඩකයන් සහ කීඩා සමාජ උනන්දු කරවනු ඇත.

Group 01/පළමු කණ්ඩායම

Individuals without symptoms and signs that never have been tested positive for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). Recommended to obtain H-1246 certificate before resumption of sports & exercise from a Sports medicine/an Authorized Doctor.

Covid 19 ආසාදනයට අදාල රෝග ලක්ෂණ කිසිවක් නොපෙන්වූ ආසාදිතයන්, වෙනත් අවදානම් රෝගී තත්ත්වයන් නොමැති අවස්ථාවක කුීඩා පුහුණුවීම් ඇරඹීමට පුථම කුීඩා/බලයලත් අනුමත වෛදාවරයෙකු යටතේ පූර්ව කුීඩා යෝගාහා සහතිකය වන සෞඛා 1246 සහතිකය ලබා ගැනීම යෝගා වේ.

Group 02/ දෙවන කණ්ඩායම

Individuals with a positive SARS-CoV-2 test without any COVID-19 symptoms but isolating at home (quarantine) under close medical observation (telephonic or video). Recommended to obtain H-1246 certificate before resumption of sports & exercise. Athlete allowed to participate after full recovery and free of signs & symptoms of Covid-19 and best after 10 to 14 days after the PCR/RAT became Negative.

Covid-19 වෛරස් ආසාදනය සඳහා Antigen හෝ PCR පරීක්ෂණයකින් Positive නත්ත්වයට පත් වූ දින සිට දින දාහතරක් නිවසේ හෝ අතරමැදි ස්ථානයක සමීප වෛදා නිරීක්ෂණය යටතේනිරෝධායනයට ලක්වූ ආසාදිතයින්.

කීඩා පුහුණුවීම් ඇරඹීමට පුථම කීඩා/ බලයලත් අනුමත වෛදාවරයෙකු යටතේ පූර්ණ වෛදප පරීක්ෂණයකට ලක් වී පූර්ව කීඩා යෝගාපතා සහතිකය වන සෞඛාප 1246 සහතිකය ලබා ගත යුතුය. පූර්ණ සුවය ලබා PCR/RAT පරීක්ෂණය Negative වී දින 10ක් හෝ 14 ක් අතර කාලයකට පසු පුහුණුවීම් ඇරඹිය හැක.

Group 03/ තුන්වන කණ්ඩායම

Individuals who experienced COVID-19 with mild symptoms, only needing outpatient treatment and quarantine for 14 days.

Recommended to obtain H-1246 certificate before resumption of sports & exercise. Athlete allowed to participate after full recovery and free of signs & symptoms of Covid-19 and athlete might have to wait for three to four weeks for resumption of sports & exercise since their PCR/RAT became Negative. May also warrant recommendations from the specialist cardiologist & chest physician. Athlete would subjected to investigations include ECG/Exercise ECG, Chest X-Ray, Spirometry and Blood tests.

Covid 19 ආසාදනය සඳහා Antigen හෝ PCR පරීක්ෂණයකින් Positive තත්ත්වයට පත්වූ සහ සුළු වශයෙන් රෝගී ලක්ෂණ පෙන්වූ, මෙන්ම බාහිර රෝගී අංශයෙන් පමණක් පුතිකාර ලැබූ,(රෝහල් ගත නොවූ) සහ දින දාහතරක් නිරෝධායනයට ලක්වූ ආසාදිතයින් සඳහා.

කීඩා/ බලයලත් අනුමත යටතේ පූර්ණ වෛදා පරීක්ෂණයකට ලක් වී සෞඛායය 1246 යෝගා සහතිකය ලබා ගත යුතුය. පූර්ණ සුවය ලබා PCR/RAT පරීක්ෂණය Negative වී කීඩා පුහුණුවීම් ඇරඹීම සඳහා සති තුනත් හතරත් අතර කාලයක් ගත විය හැක. රෝගී අවස්ථාවේදී පෙනහළු සහ හෘද වස්තුව බලපෑමට ලක් වූ තත්ත්වය තීරණය කිරීම සඳහා හෘද රෝග විශේෂඥයෙක් මෙන්ම ස්වසන රෝග විශේෂඥයෙක් මෙන්ම ස්වසන රෝග විශේෂඥයෙක් මගින් ලබාගත් විශේෂඥ නිර්දේශ අවශා විය හැක

Group 04/ හතරවන කණ්ඩායම

Individuals with moderate symptoms but had inpatient treatment due to an increased risk derived from pre-existing conditions (e.g. Asthma, Diabetes).

Recommended to obtain H-1246 certificate before resumption of sports & exercise. Athlete allowed to participate after full recovery and free of signs & symptoms of Covid-19 and athlete might have to wait for two to six months for resumption of sports & exercise since their PCR/RAT became Negative. It is the best to get recommendations from the specialist cardiologist & chest physician. Athlete would subjected to investigations include ECG/Exercise ECG, Chest X-Ray, Spirometry and Blood tests.

Covid-19 වෛරසය සඳහා Positive වූ, තරමක් තීවු රෝග ලක්ෂණ පෙන්නුම් කළ රෝහල් ගතව පුතිකාර ලැබූ සහ සෙසු අවදානම් තත්ව ඇති ආසාදිතයින් සඳහා (උදාහරණ - ඇදුම, හතිය, දියවැඩියාව, හෘද රෝග) කීඩා වෛදාපවරයෙකු යටතේ පූර්ණ වෛදාප පරීක්ෂණයකට ලක් වී සෞඛාගය 1246 යෝගාතා සහතිකය ලබා ගත යුතුය. තවද,පූර්ණ සුවය ලබා PCR/RAT පරීක්ෂණය Negative වී පුහුණුවීම් ආරම්භ කිරීම 03 කාණ්ඩයේ පිළිවෙළට අනුව සිදුවන අතර කීඩා පුහුණුවීම් ඇරඹීම සඳහා මාස තුනත් මාස හයන් අතර කාලයක් ගත විය හැක.

හෘද වස්තුව සහ පෙනහල්ල පරික්ෂා කිරීම සඳහා අතිරේක පරීක්ෂණ අවශාවේ.විශේෂඥ හෘද රෝග වෛදාවරයෙක් සහ ස්වසන රෝග විශේෂඥ වෛදාවරයෙකුගේ නිර්දේශ අවශා වන අතර එකී පරීක්ෂණවල පුතිඵල මත පදනම්ව වාහයාම් සහ පුහුණුවීම් ආරම්භ කිරීම සඳහා මාස දෙකත් මාස හයත් අතර කාලයක් ගත විය හැක.

Group 05/ පස්වන කණ්ඩායම

Individuals with severe symptoms, inpatient treatment, including intensive care without artificial respiration.

Covid-19 වෛරසය සදහා Positive වී තදබල රෝගී ලක්ෂණ පෙන්නුම් කොට රෝහල්ගතවී දැඩි සත්කාර ඒකකයට ඇතුල් කොට පුතිකාර ලැබූ නමුත් ශ්වසන ආධාරකයකට සවි නොකල ආසාදිතයින් සඳහා.

Group 06/ හයවන කණ්ඩායම

Individuals with severe symptoms, inpatient treatment in intensive care and on artificial respiration.

Covid-19 වෛරසය සඳහා Positive වෛරසය ආසාධිත වී දැඩි සත්කාරයේ පුතිකාර ලැබූ අතර ශ්වසන ආධාරක යන්නුයක් ආධාරයෙන් හුස්ම ගත් ආසාදිතයින් සඳහා.

Groups 5 and 6; Following SARS-CoV-2 discharge, rehabilitation is recommended. A complete pulmonary and cardiological examination is necessary ('cardiac markers' such as high sensitivity troponin-I or natriuretic peptides) including resting ECG, lung function, echocardiography, stress test with ECG and blood gas analysis. Return to sport will be after several months depending on the severity and completeness of recovery. Depending on previous findings in heart rate, CT of the thorax and cardiac MRI examination in consultation with a respiratory physician and cardiologist, hospital discharge can take place. A final medical check and sports clearance/statement is mandatory.

5 සහ 6 කාණ්ඩයට අයත් ආසාදිතයින් ව්යායාම සහ පුහුණුවීම් පටන් ගැනීමට පුථම පූර්ණ හෘද සහ පෙනහළු පරීක්ෂාවකට මෙන්ම ශාර්රික යෝගයතා පරීක්ෂණයකට සහභාගී විය යුතුය. කීඩකයාගේ තත්ත්වයන් සලකා බලා ස්වසන රෝග විශේෂඥ සහ හෘද රෝග විශේෂඥයෙක් මගින් පූර්ණ වෛදය පරීක්ෂණවලට ලක් කොට කීඩා වෛදයවරයකුගේ නිර්දේශය මත ශාර්රික යෝගයතා පරීක්ෂණයකින් පසු කුමානුකූලව පුහුණුවීම් ඇරඹිය යුතුය.පුහුණුවීම් අතර කීඩකයා විධිමත්ව නියමිත කාලාන්තර වලදී වෛදය පරීක්ෂණ වලට ලක් කළ යුතුය.මේ සඳහා මාස කීපයක් ගත වීමට පුළුවන.

Summery:

<u>Group 1 and 2</u>, Resumption of sport can occur <u>10–14 days</u> after complete recovery from SARS CoV-2 infection.

<u>Groups 3 and 4</u>, Resumption of sports might happen within <u>3 weeks to 6 months</u> after complete recovery from SARS CoV-2 infection depending on severity of the illness.

<u>Groups 5 and 6</u>, Following SARS-CoV-2 discharge, rehabilitation is recommended. Return to sport will be after <u>several months</u> depending on the severity and completeness of recovery.

Reference:

Löllgen H, Bachl N, Papadopoulou T, et al. Recommendations for return to sport during the SARS-CoV-2 pandemic. BMJ Open Sport & Exercise Medicine2020; 6:e000858. doi:10.1136/bmjsem-2020-000858



බසු-මෙම හෝර්ම කැමති මාධයෙන් තෝරා හැනීමට පහසු ලෙස, සිංහළ-ඉංගුීසි සහ දම්ල-ඉංගුීසි ලෙස මුදුණය කරඇත.

සෞඛ්ය අමාතයාංශය / ඛ්ඩා අමාතයාංශය / අධ්යාපත අමාතයාංශය Ministry of Health / Ministry of Sports / Ministry of Education Sri Lanka

anicargo goaletta agua For Office use only

& C DOSO/Reg No

Sports Medical Pre-Participation Evaluation Form /පූර්ව- කිරා වෛදස සහතික පෝර්මය තීවකයා පිළිබඳ විස්තරය/Athlete's Medical Information- තීවකයා විසින් සම්පූර්ණ කළ යුතු වේ./Athlete to Complete

odism/Hospital

උපත් දිනය/Date of Birth	Satu/Age Share quasi/NIC No/Passport No.		
මුපිතය සහ දුණ.සංසන Address and Tel No	k		
cotag/encadence/School or Institute			
(SCOO) (SCO) Sport or Sports			
SCOCIDEDCOCO COLORO Event or Positio	os in the Team lame	•	
produce see that open charman Parents N	AMC Destroy's Name		
files and entitles recognized with Court	h/Moster in channe in Secret's Name	,,,,,,	
(සිරි පම පමණි)/Only if available	Doctor's Name. h/Master in charge in Sport's Name:- g.ss./Tel No:-		
මාගේ පූර්ව යුඩා යෝගයට පරික්ෂණය සිදු මාගේ කරුණු මාගේ භාරකරු/දෙමාපියක් ප	කිරීම සඳහා ඉන්න රජයේ රෝහලේ ලිඩා වෛදය ඒකකය.'සෙවදයවරයා වෙත තමන්තින දැනි දෙමි. පූර්ව ලිඩා යෝ සෙබේ හවාදියවරයන්? 'භායපනයේ අවශාවන තිබෙවරින් වෙත ඇත. වීමට මාගේ විවැද්ධාවවයක් නොවෙත. මෙම සිය	kolumo	(PPE)
I agree to undertake pre- participation exan I am aware that some information may neo	අවශ්ය වූ විධක වෙතත් හාර්යාව වෙත අදහසු විස්තර ඉති දිශිව එකත වෙමි. nination in order to enable medical staff to find whether there are any contraindications for sports training or pa d special clarification and I do not object in releasing those information to my parents/school teachers/guardian inderstand that the information contained in this form is otherwise confidential and can only be released with m	s or th	t .
මූර්යකානේ අත්සන/Athlete's Signature	(දෙමාලිය/තාරකරු හේ අත්තන) වසය 16ට අඩු හමා/Parent's/Gaardian's Sig for < 16 years) දීශග/Date		900
######################################			
කීතයා වුදුන් තමුට්දාණ සංවියිය් කීතුසභාන	ර් සහමය පිළිබඳ විස්සර/Athlete's Medical Information; To be completed by the Athlete මෙව	energy.	හොළකි
	Ves Ves	No	The second second
1. වසයාම කරන විට ඔබට ක්ලාන්තය, පසුල	වී සැක්තුම හෝ හැක්ම හෝ වෙනත් යම් අපහසුතාවයක් දැනුනේද? දැනේද?		
Have you ever felt faintish, chest pain,	polpitation or any other significant discomfort during or after exercise ? yes" the details.		
2. ඔබගේ හෘදුවස්තුවේ හෝ පෙනනස්වස ප්	වී අපමානයකටයක් ඇති මට වෛදයවරු මමට කිපිළිතෙ අවසා ඇත්ද?	П	
Have you ever informed by a doctor th	at your heart or lungs(chest) has any abnormality?		50
 ඔබට කිසිලු හඳෙය සම්බන්ධ රෝහයක් ප්‍ර 	රජිය බව වෛදපවරු හෝ සිබිනේ භාරකරුවන් පවසා පිවේද?		
Have you ever informed by a doctor or	parents guardins that your heart has any abnormality?		
4. ඔබට කිසිඳු අධ්ය රුධ්ර පිහිතය හෝ මේ	දය වැඩිවීමේ රෝග සත්වයක් (cholestero) ඇති වී සිබේද?		
Do you have a history of high blood pr	essure or high Lipids in your blood(Dyslipidcamia/Cholesterol) ###################################	page	page 1
Have not ever follow at Has a Doctor e	over denied or restricted your participation in sport after a such a medical examination ?		
	/		(-1
Harva year awar had Arthmy or Evanger	induced Authora?		
7. දහනට වනයාම කිරීමේදී අතුම හතිය හෝ	පසුවේ මහත්සිය සභ්ස හෝ පසුවේ වේදනාවත් ආපි වේද?		
8. අපතුරයාට දැක්ව සිහි පරති වීම හෝ නිසා	Alterating of coughing spells during or after exercise?		
Do you have a history of an accident w	hich resulted in a head injury, loss of consciousness or concussion?	-	
Have you ever had a Fit, Convulsion or	r no Challanin 9	ш	
10 MAC mall works district Suffer? ?			
Do you have any Skin problems?			
11, ඔබට ම්ලන්ගය රෝහ කිසිවක් සිබේද? (උදා - වසුහඩු අත්මාව නාදය, පිළිතා ස්තායු සම පෙසෙනු මහේඩික ආදි)		
Do you have any chronic medical cond	litions (Illness staying in your body for long period-(Eg. kidney,liver,heart,cancers,lung,mental,etc)		
12. ඔබ හිජිපතා යම් ඖෂධයක් භාවිතා කර	og g&Gç2Do you take any medicine regularly?		
69800 68 booter Name of the Medi	Cons. 2'Have you ever undergone any surgery(operation). of the surgery. ECost Year. End Date		
1,1. de drag agadosado gas desc;	PHave you ever undergone any surgery(operation).	Ш	
14 (KE) (SE) reciproral recipus are raci	Sofie? / Have you ever been hospitalized for any illness	П	
පරණය නම් කරන්න/Name the Illness			
15. සම සම විටමන් හෝ සත්ති ජනක පුවය ඇම පුරුණු Name of the Samplement	ැවසට Year ැවසට Date කාවසා ගරයිද? (Supplement) Do you take any Supplements?		
16. ඔබ කුණ්තාව (සිවිකාව කාට භාවිතා කර	Str? Do you wear spectacles, lenses, contact fenses?		
17. සිම දුම් පාතය කරන්නේද? /Do you smo	oke?		
18. ඔබ මන්ගරන්/මන්දුවම පාසය කරන්නේද	? /Do you drink alcohol? or take any narcotic substance?		
 ඔබට මහන්ඩ් කම්මවේ හතියක් දැනේද? ඔබ තුීඩා කරන විට යම් සෞඛ්‍යමය හෝ 	/Do you feel tired ,lethargic or unfit?		
21. එන්නත් කිරීම සාර්ථකව සිදු කර ඇත්දු?	/Are you properly Immunized and up to date?		
22, ක්ෂට අතාත්මකතා බහිටක් අයතාත් නම්	D coordes. If you have any allergic problems please mention		
23. මෙට සිදුව අති යම හඳුන අත්මුවට පත Hone remains at an article at a second	Prace) /Are you properly Immunized and up to date? Decided on the you have any allergic problems please mention		
Trigge Tool 43 to coor wrote air neventours of	Coc Date		
24. ක්රගේ පවතේ හේ පොසිස් පිසිවක කළ	ත නොගත් රෝගයකින් අඩු 50 ට පෙර මිය ගෙන් තිබේද?	-	1
Has anyone in the family (Blood Relati	ions) died suddenly and unexpectedly before the age of 50 years?		
25, ඔබගේ ලේ පොතීන් කිසිවලට කිසිදු හැඳ	රෝගයන් වැළඳි ඇති බවට ඔබ දැනුවත්ව සිට්ද?		
Have any of your relatives ever had any	y form of cardiac illness (Heart condition or illness)		
26. සමගේ පමුතේ දේ පදාතිවරයෙකුට හිසිර	මේ හෝ රෝහයක් වැළඳි ඇත්ද? (උදා-වකුහඩු,පත්මාව,හඳය,පිළිතා,පෙනහල,මානයික)		
nave any of your blood relations suffer	red or suffering from a serious or chronic illness/(Eg kidney,liver,heart,cancers,lung,mental.etc)		
I do hereby certify that I have adequate	වර්ග්(Competition) සඳහා පුමාණවත් ලෙස පෙර පුළුගම වල යුත්ත වී අතත		

4 (කරගයක් සඳහා සහභාගි වීමට අදහස් කරන ම්‍රිකයන් සඳහා පමණි./(Only for the athletes for Pre-Competition medical examination)

මසිට උණ සඳී පදිසි රෝකාමාධයක් පසුතිය දින 3 අදකුත වියදදී අපේශම සිහා සිරීමට පෙර රෝකය සුවව් දින ඔස් සහ වන අරු සිටීම හෝ පූර්ව පරග වෙදයා පරිස්කණයකට යළි දහතාම වන අතිවාර්ත වෙ. It is mandatory to f. Refrain from exercise and sports till 3 days passed from the date of complete cure from any acute medical illness with or without fever or else 2, to consult your doctor for another pre-participation medical examination before engage in sports or exercise. මහේ දැනුමේ පුකරව ඉහත ඉදිරිපත් කළ කොරතුරු නිව්දේ සිට මෙයින් පුකරන කරමි. I do hereby certify that the details above, given by me are true to my knowledge.

ක්ඛ්යායාගේ අත්තන Athlete's Signature

60/පියා ආරකරයෙන් අත්තන(වයක 19ට අඩු කම්)/ Parent's Guardian's Sig.for < 16 years දිනය/Date

MEDICAL EXAMINATION BY SPORTS PHYSICIAN/ CONSULTANT/ AUTHORIZED MEDICAL OFFICER

PALLOR LETHORA INGÉR CLUBBING ISSABILITY YSTEM EXAMINATION: CARDIOVASCULAR Sys. PR Boats/min Rhythm Character Femoral Pulse/Peripheral. Pulse Heart Size/Apex Beat Heart Sounds Murmur BP mmHg Haemodynamically ENT Audiometry (optional CNS	Ves lormal J	No N	RESPIRATORY System Auscultation Spirometry(optional) PEFR Pre Ex	Yes	Albnorm	BLOOD TESTS (OPTIONAL) URINE Analysis/hcg (optional) CXR P/A(optional) ECG -12 lead(optional)	Abnorm	
ETHORA NGER CLUBBING SSABILITY STEM EXAMINATION: No CARDIOVASCULAR Sys. PR Beats/min Rhythm Character Femoral Pulse/Peripheral. Pulso Heart Size/Apex Beat Heart Sounds Murmur 3P rnmHg Haemodynamically ENT Nudiometry (optional	lormal J	Abnorma	CYNOSIS SYNDROMIC SIGNS MARFAN Accessment (optional) al RESPIRATORY System Auscultation Spirometry(optional) PERP Pre Ex		Alboorm	URINE Analysis/hog (optional) CXR P/A(optional) ECG -12 lead(optional) MUSCULOSKELITAL System (optional) Head & Nock Back & Spine Shoulder & Arm Ellow & Forearm Wrist , Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)	nal Abno	ırmal
SER CLUBBING SABILITY STEM EXAMINATION: No ARDIOVASCULAR Sys. R Beats/min hythm Character emoral Pulse/Peripheral. Luse leart Size/Apex Beat leart Size/A	lormal J	Abnorma	SYNDROMIC SIGNS MARFAN Assessment (optional) al RESPIRATORY System Auscultation Spirometry(optional) PEFR Pre Ex		Albnorm	CXR P/A(optional) ECG -12 lead(optional) MUSCULOSKELITAL System (optional) Head & Neck Back & Spine Shoulder & Arm Elbow & Forearm Wrist , Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)	nal Abno	remal
SABILITY TEM EXAMINATION: No ARDIOVASCULAR Sys. R Beats/min Pythm Character emoral Pulse/Peripheral. Lufs cart Size/Apex Beat eart Sounds lumue P mintle aemodynamically NT Ludiometry (optional	Jormal J	Abnorma	MARFAN Assessment (optional) al RESPIRATORY System Auscultation Spirometry(optional) PEFR Pre Ex. L/minmin Post Ex PEFR. L/minmin Post Ex PEFR. L/min ABDOMINAL Liver/Spleen Genitals (Testicles-paired/single) Hernia EYE V/Aculty V/Field Colour vision Near vision		Abnorm	ECG -12 lead(optional) MUSCULDSKELITAL System (optional) Head & Neck Back & Spine Shoulder & Arm Elbow & Forearm Wrist , Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)	nal Abno	irmal
TEM EXAMINATION: No ARDIOVASCULAR Sys. R Beats/min pythm Character emoral Pulse/Peripheral. ulse eart Size/Apex Beat eart Sounds lurmur P mmHg aemodynamically	lormal J	Abnorma	Assessment (optional) RESPIRATORY System Auscultation Spirometry(optional) PEFR Pre Ex		Abnorm	MUSCULDSKELITAL System (optional) Head & Nock Back & Sprice Shoulder & Arm Elbow & Forearm Wrist, Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)	nal Abno	urmal
ARDIOVASCULAR Sys. R Beats/min hythm Character emoral Pulse/Peripheral. ulso eart Size/Apex Beat eart Sounds turnur P mmHg aemodynamically	lormal J	Abnorma	RESPIRATORY System Auscultation Spirometry(aptional) PEFR Pre Ex		Albnorm	MUSCULDSKELITAL System (optional) Head & Meck Back & Spine Shoulder & Arm Elibow & Forearm Wrist , Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)	mal Abmoo	ormal
ARDIOVASCULAR Sys. R Beats/min hythm Character emoral Pulse/Peripheral. ulse eart Size/Apex Beat eart Sounds turnue P minHg aemodynamically	lormal J	Abnorma	RESPIRATORY System Auscultation Spirometry(optional) PEFR Pre Ex		Abnorm	MUSCULDSKELITAL System (optional) Head & Meck Back & Spine Shoulder & Arm Elibow & Forearm Wrist , Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)	Abno	ormal
R Beats/min hythm Character emocal Pulse/Peripheral. ulse leart Size/Apex Beat leart Sounds furmur P mmHg laemodynamically NT uudiometry (optional			Auscultation Spirometry(aptional) PEFR Pre Ex			Head & Neck Back & Spice Shoulder & Arm Elbow & Forearm Wrist, Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)		
hythm Character emoral Pulse/Peripheral. ulso eart Size/Apex Beat eart Sounds furmur P mmHg aemodynamically			Spirometry(optional) PEFR Pre Ex			Back & Spine Shoulder & Arm Elbow & Forearm Wrist , Hand & Flingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)		
Character moral Pulse/Peripheral. dise eart Size/Apex Beat eart Sounds furmur r mmtg aemodynamically			PEFR Pre Ex			Shoulder & Arm Elbow & Foream Wrist , Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)		
moral Pulse/Peripheral.			ABDOMINAL Genitals (Testicles- paired/single) EYE V/Aounty V/Field Colour vision Near vision			Elbow & Foream Wrist , Hand & Fingers Hip & Thigh Knee & Leg Anide & Foot(Arches) Toes BIOMECHANICS (optional)		
dise sart Size/Apex Beat eart Size/Apex Beat eart Sounds our of the sart sart sart sart sart sart sart sart			ABDOMINAL Genitals (Testicles- paired/single) EYE V/Aounty V/Field Colour vision Near vision			Wrist , Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)		
dise sart Size/Apex Beat eart Size/Apex Beat eart Sounds our of the sart sart sart sart sart sart sart sart			ABDOMINAL Liver/Spleen Genitals (Testicles- paired/single) Hernia EYE V/Acuity V/Field Colour vision Near vision			Wrist , Hand & Fingers Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)		
eart Size/Apex Beat eart Sounds urmur urmur urmur urmurlig aemodynamically er diometry (optional			ABDOMINAL Liver/Spleen Genitals (Testicles- paired/single) Hernia EYE V/Aculty V/Field Colour vision Near vision			Hip & Thigh Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)		
eart Sounds urmur PrinnHg aemodynamically str udiometry (optional			Liver/Spleen Genitals (Testicles- paired/single) Hernia EYE V/Aculty V/Field Colour vision Near vision			Knee & Leg Ankle & Foot(Arches) Toes BIOMECHANICS (optional)		
urmur rmmHg semodynamically st udiometry (optional			Liver/Spleen Genitals (Testicles- paired/single) Hernia EYE V/Aculty V/Field Colour vision Near vision			Ankle & Foot(Arches) Toes BIOMECHANICS (optional)		
emnHg aemodynamically 4T udiometry (optional			Liver/Spleen Genitals (Testicles- paired/single) Hernia EYE V/Aculty V/Field Colour vision Near vision			Toes BIOMECHANICS (optional)	=	
nemodynamically IT udiometry (optional			Genitals (Testicles- paired/single) Hernia EYE V/Acuity V/Field Colour vision Near vision			BIOMECHANICS (optional)		
NT udiometry (optional			EYE V/Acanty V/Field Colour vision Near vision					
udiometry (optional			EYE V/Apuity V/Field Colour vision Near vision					
udiometry (optional			V/Acuity V/Field Colour vision Near vision		Ξ		-	-
udiometry (optional		=	V/Field Colour vision Near vision			Pronation/Supination/Asymmetry		-
udiometry (optional			Colour vision Near vision		_	COA-CORTESTORIORY, THE SEPSEMBLE OF THE		
udiometry (optional		- 5	Near vision					
5226								
526								
NS	-33		Fundoscopy (optional)		-			
				-	-	Joint ROM	-33	- 8
						Flexibility		
						Strength	_	-
			LRMP/Gyn-Obs Ex(optional)		-	Agility	S &	-5
						Balance & Coordination	-	-
KIN	-		PHYSICAL FITNESS After 10 min			Other Relevant details		H
	25		Run		200			
			No.	-33	35			
	- 1			-	-			
IICALLY No contraindicatio	ons for sp	orts pari	ticipation /Not Fit for participation					
of Consultant/Sports Medic			ed Medical Officer			DateTime		
at namountained observe income	cine MO//	Authoriz	Secretary Sections					



Big ispanning Carlin belinging Brigains Phante agained using palp against acts Card speciants with its Salny

காதார அமைச்சு/Ministry of Health/ விளையாட்டு அமைச்சு /Ministry of Sports கல்வி அமைச்சு / Ministry of Education

for Office use uses /Reg No

ексерфиятель Нооріа

elementa ungages subjeting greener paglaneer upon/ Sports medical Pre-Participation Evaluation form

மேம்கள்ளூரின் மருத்துகள் அரிபுகள் /Athlete's Medical Information :வேம்கள்ளூரினாக் நிரப்படவேண்டும் /Athlete to Complete done good /Date of Birth. greenfujó ogrosse Oud &se. /Address and Tei No....... Sp. 44 49 Bto /NIC /Passport No unimoso/ again /School or Institute ... ellemenni pi ellemenni passe /Sport or Sports... Super/ superso Since /Event or Position in the Team. gajazu sosujajaujist vuuk /Family Doctor's Name... aultggamm / Gungaum@hafen Guan /Coach/Master incharge in Sport's Name 1. (Baskgarama)/Only if availble persondut Bis/Tcl No 2. ... தான விளையாடுப் பயிறக். போட்டிக்கு முன்னான மறுத்தை புறிசாதனை முடை கிறைறில் எழுப்பிறத்தைற்கான ஏற்கவித் தடைகளும் இல்லை வண்ணத் உறுகியந்ததபதற்கான செலுகளைகளை மறுத்துவ உத்தியாகதுக்கள் பேறற்காளை பூனை ஈம்மத்தைத் அரிவிக்கின்றன். சில நக்கம்கள் ஜேனிவுபித்தப்படுக்கனற்பு என்பதை நான கீறிலு வைந்திருப்பதுடன் சிவற்கரை வாழ் பெறிறாட் பாட்சாலை கிறியாட்டிய பாதனைகள் கிறக்கியாக கையில் சிறக்கியில் பெறியாட்டிய அரிய செல்வகைகளும் கிறவன். பேற்கூறிய எழுக்காகவுக்கு கியான் கியநைக்கும் உள்ள நக்ககைகள் கிறக்கியாடுக்கும் அறிவரியில் பெறியாட்டிய என்பக்கும் கிறியேன். Lagree to undertake pre- participation examination in order to enable medical staff to find weather there are any contraindications for sports training or participation. I am aware that some information may need clarification and I do not object in releasing that information to my parents/school Teachers/guardian's/officers in the institute who are interested. I understand that the information contained in this form is otherwise confidential and can only be released with my consent. eurocongrandor ensociation /Athlete's Signature gas Date (16 eauguber subducumidat auf denthat Fungerconflat execumbul) Parent's Guardian's Sig.for < 16 years) வெள்ளத்தாரின் மறந்துவக் குறிபுக்கள். வெள்ளத்துளரியாக் நிறிபப்படவேண்டும். /Athlete's Medical Information; To be completed by the Athlete dub Some Saftura Yes No Unsure 1. Επικερές αυέκαι της φουά της επικές στος Σους συντική επίξει το τολές συνές υπόρες συνές το μετικές το τολές Have you ever felt faintish, chest pain pulpitation or any other significant discomfort during or after exercise? meter chaps paged of the answer is "yes" the details... டாலர் தடுப்பத்தவர் (இரத்த உறவினர்) சடுதியான எதிர்பாராத 50 வயிற்கும் துறைவான மரணம் முன் ஒருப்படுள்ளதா? Has anyone in the family (Blood Relations) died suddenly and unexpectedly before the age of 50 years? ഗ്രപ്പെ പ്രദേശ്യകള് ജൂഡ് തരുട്ടെ പ്രത്യവീട്ടാടത്ത് (ആളം) ഉത്യവന്റന്നെട്ട ഒരില്പ് വെട്ടറ്റില്റിന്നാർ ഡ്രാഡ്.പുനി Have you ever been informed by a doctor that your heart or lungs(chest) has any abnormality? рту в. такументердіці: / кирдут/ в. робтупо бірш сидерій в. тогр тіт куйиї. Віфтуп?... Have you ever been informed by a doctor or parents, guarden's that your heart has any abnormality? a margage a um gegé digrégo / defa Gangula (Ganorollono), gegéalio a ming ming august par? Do you have a history of high blood pressure on high Lipids in your blood(Dyslipideamia/Cholesterol) உங்கள் உறவினா எவருக்காவது கீதய வந்ததங்கள் கிறந்துள்ளதா? ... Have any of your relatives ever had any form of cardiac illness(Heart condition or illness) вильног авиницавий индијувациу окоу индијурау дандан на колудил гибилуниу аудирирг? Have you ever failed or Has a Doctor ever denied or restricted your participation in sport after a such a med examination? елиндев рыв ходар эколу елушфайн бигу рыз ходар дрих усталы. п Do you ever had Asthma or Exercise induced Asthma? udgilderlunge deeg with guystieten 12 magas gils eigsti. Order dyssig Uning flee deeg digoe stulishing?... Do you have Asthma, chest tightness, wheezing or coughing spells during or after exercise? 10. унёц набиляния этогово выго душ-рентрето яд ишего очену эдилуда учащет...... Do you have a history of an accedent which resulted in a head injury, loss of consciousness or concussion? 11. greky elifungnegy svelky gépülgévegyt . Do you ever had a Fit, Convulsion or an Epilepsy ? е_пинувае Орто нои фритан оцедулано в_клигут...... Do you have any Skin problems? a. magang ganag égn, antum unggana dipateorair a. magar. (gan... anasa angganas)-(Eg kidney.Ever,heart,cancers,lung.mental.etc). Do you have any chronic medical conditions illness staying in your body for long period-(Eg kidney,liver.heart.cancers.hing,mental.etc) feine cgr. influen ungagen undausge? Do you take any medicine regularly?... 14. august sout sense? /Name the Medicine... 15. и пункцию предолжение опиский денеря? Have you ever undergone any surgery(operation). radioal security was type of surgery...... fried one-guerous grad day one-gue to approximate. Have you ever been hospitalized for any illness. maniny Year gag/Date Gosta /Name the Illness..... 17. இங்கள் ஏற்றையு ஒன்ற நீரப்பு (Supplement) மறுதுகள் பயரைந்ததுக்கூறிகளா?Do you take any Supplements? ... Dunit /Name the Supplement... 18. glassi senerng energi ounggy allowers undicogn?Do you was spectacles, lenses contact lenses?... Kniasi uspaudacusami/Do vou smoke? 20. இங்கள் முற அறந்துகளூரர் கூல்வது பேசுவதும்படிருள் மாவிப்படிரா? Do you drink alcohol or take any nurcotic substance?... a magazag securiora especial de official de contrata d 22. grand absonutupé ngugadung genag ungenay oran osenagaseuri knee gaard tape (Do you wear protective equipment?...... occurrences new? Name it (knee guard tape/brace)... 23. தீங்கள் நேருந்த தடுப்புக்கள் நடிதாது பெற்றுள்ளிகளா? /Have youbeen: properly Immunized and up to date?.. p. nievitětým a podornejným urgynjuromínym těflunov niejšenievi a incigo? ... Have any of your blood relations suffered or suffering from a serious or chronic illness?(Eg kidney,liver,heurt,cancers,lung,mental.etc.) a.magsag ekişgler (kirlige / edecerum.per (kirlige ansmarir giput (perejer) Have you ever met with an accident/s or sports injuries? Mention those below.

snuggler persons /Accedent-Injury...

உங்கதுக்கு ஒவ்வாமை உள்ளதா? Do you have any affergic problems?a.....முக குறப்பிருக?/Name the affergy if any.....

300. 700 /100 104004000	lete's Sign		couguing a Colorageather Colorageather Language		00.00.00	contractor to to to a contractor to the contract		
N	A. C.		Parent's/Guardian's Sig.for	нициофе	emelija.			
ENARAL EX; BMI	MEDICAL Heig	226	IINATION BY SPORTS PHYSICIA	N/ COI	127	TANT/ AUTHORIZED MEDICAL OFFIC	ER _Time	
Monarie II	Yes	No	VIOLET 100000000 10000 1000000	Ye	15	priorities and extension of the contract of th	ormal Al	bnormal
PALLOR	- 2		ANKLE OEDEMA			BLOOD TESTS (OPTIONAL)		
LETHORA			CYNOSIS			URINE Analysis/hcg (optional)		
INGER CLUBBING			SYNDROMIC SIGNS			CXR P/A(optional)		
ISSABILITY			MARFAN Assessment (antismul)			ECG -12 lead(optional)		
STEM EXAMINATION:			Assessment (optional)	1	_			
ZION SAMMINATION:	Normal	Abnor	mal	Norma	Abno	ormal 8	lormal .	Abnom
CARDIOVASCULAR Sys.		-	RESPIRATORY System			MUSCULOSKELITAL System (optional)		
PR Beats/min			Auscultation		_	Head & Neck		
Rhythm			Spirometry(optional)	_		Back & Spine		
Character	8		PEFR Pre ExL/min	_	1	Shoulder & Arm		-
emoral			min Post-Ex PEFRL/min	_	_	Elboew & Forearm		-
ulse/Peripheral. Pulse	3		min Post Ex PEFRL/min	_	-	Wrist , Hand & Fingers	-	-
leart Size/Apex Beat	-			_		Hip & Thigh	-	
Heart Sounds	-			-	-	Knee & Leg		-
Murmur	-	-	ABDOMINAL	-	_	Anide & Foot(Arches)	_	-
BP mmHg	-	-	Liver/Spleen	_	_	Toes	_	-
Haemodynamically:			Genitals (Testicles-paired/single)					-
			Hernia	_		1233222211777222448237247		+
			EYE	-	-	BIOMECHANICS (optional)		-
			V/Acuity	_	-	Pronation/Supination/Asymmetry	-	-
TAILER .	-	-	V/Field	\rightarrow	-		-	-
ENT		18.80	Colour vision	-	-			
Audiometry (optional			Near vision	-	-			
			Fundoscopy (optional)	-	-			
				_	-			
ONS .				_	-	Joint ROM		
10256			LRMP/Gyn-Obs Ex(optional)	-	-	Flexibility		
						Strength		
						Agility		
						Balance & Coordination		100
						\$2000000000000000000000000000000000000		
				_				
			PHYSICAL FITNESS After 10 min		2.5	Other Relevant details		
SKIN	-		Section 1					
SKIN:			Run	-	-			
SKIN	=		Section 1	=	Ξ			

Name of Consultant/Sports Medicine MO/Authorized Medical Officer....



கோவு අමාකනාංශය / කூඩා අමාකනාංශය / අධනාපන අමාකනාංශය கூடிதார அமைச்சு / விளையாட்டு அமைச்சு / கல்வி அமைச்சு Ministry of Health / Ministry of Sports / Ministry of Education Sri Lanka

Pho	ote	gra	ωb	r

යෝගානා සහතිකය / விடுத்தல் சான்றிதழ்/ CLEARANCE CERTIFICATE

සුවිව සිති / පැවණිණින අත්තෝහන / Pre Participation/පුච්ච කරන / Qumilipsing ආත්තෝහන / Pre Event

	දියාපදිංචි අංකය / ugiaj இහස්සරේ / Reg. No.:
තුීඩකයා පිළිබඳ නොරතුරු/ ක්ෂාmurt $oldsymbol{G}$ ක්ෂූල් පළමුව කියලය / $oldsymbol{D}$ etails of t	he player:-
to-6/Guuij/Name:-	***************************************
(CBssca/elleureris/Address	
උපන් දිනය/ගිලාල නිශුලි/Date of Birth ;	в. эк. gas./NIC/Passport No.:
:	
් තිබනයා සිතු පතේ ඇය විසින් ඉල්ලුම්කර ඇති ඉහරිව/ඉහරි/තිර්වෙන් සඳහා සහභාගී අ සිටීමට කරම හේතු වන්නා වූ කාරික පතේ මහාසික පරේගී නත්ත්වයන් මෙම පරිත්මණයර දේවිපත් වූ අවස්ථාගේට දී නොමැත. එම නිසා /මෙනොග්ටල නිදා සංසන දිනිසාවේකා/ සංස හිතනාගටදන්වැන්නු පැත්තනු පාර්ලිකිරීම මුලුවල වර්ණ විශාත්තය දී පත්ති හැමුණුන් ගලුණුනු පරි Athlete doesn't have any physical or mental contraindication to refrain from the spe activity requested at the time of the Medical Exmination Therefore,	ர்தியாக வேர் குறித்த சொத்தை தேரத்தில் நேல்கல்
e සහභාගින්වය අනුමත කරම්/පමළපල්ලාලෙනුකෙන එපැමින මනයන්න්වලක/Cleared for	Participation
නෙතාමන්වය පිමාසමිත වේ/පත්ලපල්ලලන් කළොසකලන්ල.Lui_g/Limited Porticity	
 සහභාගික්වය කාවකාලිකට අත්තිවුවා ඇත/හේතුගුහුතුන් පුරුපත්කයක් නිලසුන්ගේ. සහභාගික්වය අනුමික පොකරමි/ගේතුගමුහැපුරුණේ අපාලික මණ්ඩාරය, ශ්රාභය/N 	
විපේෂ කරුණු/ බේහීකෑ. පුළුරාපුස්සණ / Special Notes:-	
A පහවදය කරදුණු /ගලුණුලක් පණුරු/Medical Notes	No/නැත/මුණක Yes/මිව්/au
 කිව්පයා තවදුරවත් අතිරේක පෙවදය පරීක්ෂණවලට පොලිකළ යුතු වේ./නිෂණාග ග්රීණාලකක්ෂල ක.ර.ගිල්ල්රාගාව මහණලය /Athlete needs further medical evi 	nis whi and an and an an and an
 தீய்மை சடிவ புகிலை/එன்னல் නිර්ම අවශාය/விளையாட்டு வீரர் மருந்துவ கி கோன்ன வேண்டும்./Athlete needs medical treatment/Immunizations. 	PER CONTRACTOR CONTRAC
 කිරිකයා යළි යම් කාලපිණවකට පසු පරීක්ෂා කළ යුතුය./ශ්භණාගාවල බෝල නිහ හරිමාතුකකෙනුණු ක.වடூத்தப்படன் வேண்டும். / Athlete need to be evaluated 	
■ විශේෂඥ පෙවදප පයාමු කිරීම/කදෙසුමය ල්වුකෙසුස්සෙන නියාල්ස/Referrals to Co	
■ රසායනාගාර පරික්ෂණ සිදු කිරීම./අදුරාදෙනා, ujfdengeemen/Laboratory In	
. වෙනත් කරුණු /බෙහා. ලැබුදාහේ/Remarks	
තාක විකිත්තක අවත සවහන්/මුසාත් සඳුළුලාගුණයක් පැළිසුලෝ/Notes to the Phys දීවහතට ආචාර්ය පවත සවහන්/මේකතාගාරුල ශාලේයාණ්[සැලණයෙන් සුල්ඩා/Notes to Maste ලැකුකරු පවත සවහන්/යාඩුලෑණියාණලණයෙන්/Notes to Coach නිතුන් කරුණු/ලැලිඩා/Other Notes	r in charge in Sports
ැවන පැමිණිය යුතු දිනය/ අලිනිය බලාගමණගෙ නිමේ/ Dates for the next visits 1 එමික සිහා අවෙදය පරිත්මණ දිනය/මුහැ. මුම්මාගේ ගලන්නුම පුම්මාලකෙන්නෙකේ නිමේ/Pet	
විශක්ෂාද වෛදන / සුිඩා වෛදන නිළධාරි / අනුමක වෛදන නිළධාරි ක්ෂාපයාරලි ගලළුණුක පල්පත්ව පෝස්දේර්වේයයය. ගලළුණුක පල්ලත්(කළුණුඩා ලියුත) Consultant / Sports Physician / Authorized MO	අත්තන කිළ මුදාව දිනය කෙරමණටයන් නිතමය හිතේ Signature Rubber Stamp Date

කිවනයකු පිළිපැදිය යුතු උපදෙස්/ ශාර්තමෙනුමඟුස්සුලික ක්ළි (மුණාලසම්/ Instructions to Athlete

- L මෙම සහතිකය කිඩකයා සතු ලියවිල්ලම් / අන්තතු කළ නොහැන. තනතිකය නිකුත් කළ දින සිට ඉදිරියට වර්යෙක කලෙයන් සඳහා වලංදාවේ / මුණාණ්ඩුණු මෙනෙහාරේලි වේලණසුණියල් / සහහත්පුරුදුණෙනුනු, දෙල්ණෙරුර් මුණුණුණු ඉරු කලා දුල්ලිලමු සිංහලුණෑගෙනුන්/ This document belongs to the athlete and nontransferable Valid for one year period ahead from the date of issue.
- 2. වර්ගයක් ඉක්ති ගිය විට යළි වාර්තික කීඩා වෛදය පරික්ෂණයට අදිරිපත් වී වෛදා පහතිකය අවුත් කර ගත යුතු වේ./පෙණල්කුඩුණ වෛදය පරික්ෂණයට අදිරිපත් වී වෛදන ප්‍රතිකයට අදිරිපත් කරනුණු සැදුරුණු ප්‍රතිකයට අදුරුත් ප්‍රතිකයට අදුරුත් ප්‍රතිකයට අදුරුත් ප්‍රතිකයට අදුරුත් අදුර
- 3. කරන සංවිධායකයන් සඳහා මෙම සහතිකය අවතා විට, විදුහල්පතිකුණ / ආයතන ප්‍රධාතී / මාණ්ඩලික නිළධාරී / සාමදාන විනිශ්චයකාර ආදී සුදුසුකම් ලක් නිළධාරීපයකු ලවා සහතික කළ ජායා පිටපතක් ඔබට ඉදිරිපත් කළ හැක. / ශාණායුණ් සිංහු නිලකාවේ නොහෝ නොහුණේ නිදහසේ, යළ සෙල්ගේ සමානු ලියා සෞඛ්‍ය සිංහුණේ සිංහුණ ප්‍රියේඛය සිංහුණේ සිංහුණ ප්‍රියේඛය සිංහුණ සිංහුණය ප්‍රියේඛය සිංහුණ සිංහුණ සිංහුණ සිංහුණ සිංහුණ ප්‍රයේඛය සිංහුණ සිංහුණ
- 4. තිවකතා පෙවදය කෙතිකය ලබාගත් වර්ගය කුළ යම් සැළකිය යුතු පෝගි කත්ත්වයක් හෝ ජොල්ගනවීමක් හෝ අහතුරක් සිදුවුනි නම් යළි පෙවදය පරීක්ෂාවට ඉදිරිපත් වීම අතයාවයට පව්. / ඉල ශියේගෙන්නුණේ ගැලළඳහාගෙන, ශිලයේ ශ්‍රේකුණ්ල ක.විශ්‍යාපය , හොළණියන් හඳුරුවන් අතුරියයාව යනුත් යනුත් යනුත් අතුරිය ක්‍රයේ දැන්නීම ප්‍රතික්ෂණ යනුත් සිදුවුන් අතන්ත් දැන්නීම විද්යා Athlete meets any of serious medical illness, accident or a hospitalization, he or she should consult for a Re-medical examination.
- 5. කිටා තරග ඉතරි සඳහා වූ ප්‍රව්‍ර කරග ප්‍රත්‍රයක් අතවදය පරික්ෂණය සිදුකිරීමට නම් කිටාසයා ප්‍රව්‍ර අතවදය පරික්ෂණය ප්‍රත්‍රයක් අතවදාරය පරික්ෂණය ප්‍රත්‍රයක් අතවදාරය පරික්ෂණය ප්‍රත්‍රයක් අතවදාරය පරික්ෂණය ප්‍රත්‍රයක් අතවදාරය අත්‍රයක් ප්‍රත්‍රයක් අත්‍රයක් අත්‍යක් අත්‍රයක් අත්
- 6 gibes வசிரம் விளியமை පසුව වුවද කලාතුරනින් සමහන්තව වූ වෙනී තත්ත්වයන් මත (උදා, කද පරණ, සහ සමහණය) පිළිධායකු කදිනියේ මිය යා කැස. <u>උතියෙන</u> இந்த மரணத்தை ஏற்படுத்தும் காதனங்களால் அனதாதன அழலியல் காதனந்களால் ஒற்படும் <u>பாதியுக்களுக்கு</u> இச் சானநிலம் உடயடுத்தப்படாது <u>Even after</u> a therough medical examination there are causes that can cause sudden death to an athlete. (Eg. Cardiomyopathy, ARVD, Hear strokes)

පූර්ව තරග යෝගානා සහතිකය/ போட்டிக்கு முன்னரான விடுத்தல் என்றிதழ்/ Pre Event Fitness Certificate

පූර්ව නිවා පෝගයකා සහභිකය ලබා ගෙන ඇන්නම් පමණක් සුදුසුනම් ලන් ගෙවදය නිළධාරිගයකු මගින් කරයෙන් සඳහා යමණක් වලාද වන පනතු සඳහන් පූර්ව තරග යෝගයකා සහභිකය පරගයකට සහභාගි වීමට අපර ලබා ගතු හැක.

Event/Sport/තරන ඉසවව/නුඩාව/කුසල්මේණ් ක්රිකණයාද.ල			ONE HONO-THE		
Date of the Event or Sport කරන ඉන්වව කිරීමට සවතික දිනයානිකුල්වේ. නියනි					
History Fever (Within 3 days) Distributes (Within 3 days) Other	Yes/No Yes/No Yes/No	Yes/No Yes/No Yes/No	Yes/ No Yes/ No Yes/ No	Yes/No Yes/No Yes/No	Yes/Ne Yes/Ne Yes/Ne
CVS Ex Pulse B P Auscultation				**************************************	
RES (Normal / Abnormal)					
Musculo Skeletal System (Normal / Abnormal)			1 70		100
CNS (Normal/Abnormal)				Sec.	
Abdomen (Normal/Abnormal)		80			7000
ම්වාසයා කරන ඉසරිව සඳහා සහභාගි පොවී හිටීමට කරම පන්තු වන්නා වූ තාර්ත පන් මාසාවික රෝගී සත්ත්වයත් මෙම පරික්ෂණයට ඉදිරිපත් වූ අවත්වාවේදී රොග්ලා. ශ්රිකණාවල් ඉදිරුණු ශ්රාව මිදුන්වණය' දැන ප්රියාවේයේ කුල්ලිස් ශ්රිකණයට ඉදිරිපත් වූ ප්රියාවේදී පරික්ෂණයට ඉදිරුණු ශ්රාව ම්යාප්‍රයට පිළිබඳ හැරුණුව පැමිණෙකුණේ ම්ලාද්ණ වුණසේද Afthete dosem't have any physical or mental contraindication to refrain from the requested sports competition at the time of the medical exmination	norvenium.				,
පිටසයා සරහ ඉසරිව සඳහා සහභාගි වීමට පුදුනු හැක./Gruinsvigamt, Gunifyulko untagauphy අතුයාලය Adulete is not fit for the competition.	13.5	S 700	et a	V 530	
Signature and Rubber Stamp of Medical Officer Name of the Medical Officer		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			******
Date		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(11) 11 (811) XII.		11799440
		0.0000000000000000000000000000000000000		135555773577	







සைවන අමාතනංශය ககாதார அமைச்சு Ministry of Health

Provincial Secretaries of Health Services,
Provincial Directors of Health Services,
Regional Directors of Health Services,
Directors / Medical Superintendents of Hospitals,
District Medical Officers of Divisional Hospitals,
Head of Specialized Campaigns & Decentralized Units,
All Heads of Institutions concerned.

Establishment of Sport Medicine Units-Pre Participation Medical Examination (PPE)/Pre Event Examination (PEE)

His Excellency the president shows special consideration towards the establishment of the sports medicine services all over the country in view of preventing sudden at hletic deaths and to improve physical health among school children.

Accordingly, Ministry of Health in collaboration of the Ministry of Sports has involved in developing Sports Medicine Services in the country.

In relation to this, Medical Officers with qualification of post graduate diploma in Sports Medicine have been allocated to many major hospitals and functioning Sports Medicine Units have been established in 11 hospitals.

Establishment of Sports Medicine Units should be considered as a national priority in preventing the Health hazards among athletes and improving their physique; especially at the school level.

Further as a preventive measure for such unexpected complication, Steering Committee for Sports Medicine Service Development decided to introduce Pre Participation Examination (PPE) and Pre Event Evaluation (PEE) for such athlete participants. PPE will be preferably done at the Sports Medicine Units by Sports Medicine trained Medical Officers in the Ministry of Health or Ministry of Sports or by the consultants in Sports Medicine or by the certified/authorized Medical Officers of the government hospital after an adequate training which is supposed to be organized by Ministry of Health.

Following PPE and PEE, a certificate will be issued. It provides the level of physical and mental fittees of participant based on the provided history and examination finding of the participants at the time of examination.

Due to the constrain of trained Medical Officers in the country at present, organizers of such event has the responsibility to coordinate with Head of the Institution and MOIC of the Sports Medicine Unit of the nearby major hospitals in order to get such examination arranged as follows.

- PPE at least 3 months period to the athlete event.
- PEE at least 2 weeks before the athlete event.

(Appointments should be obtained in advance)

- PPE Form is the valid questionnaire which should be filled by an athlete/patient or by parents /guardians if the child is under the age of 16 years.
 - Form will be available in the Ministry of Health web site www.health.gov.lk. Also this form will be sent to schools and other relevant institutions by the Ministry of Education and Ministry of Sports.
 - Any person requesting a PPE medical certificate is requested to submit the duly filled and signed form to the Medical Officer at the examination.
 - This form could be collected from the Sports Medicine Units of the hospitals or from school principals or could be downloaded from the relevant websites. Any clarification may be done for the Medical Officer at the time of examination.
 - He/she should also submit an ECG with the name, the date and the time printed on it.ECG s for all the medicals may not be possible to be taken from the government hospital.
 - ECG is mandatory for long distance running more than 1500 meters, martial arts, contact, contact and collision sports, cadetting, cycling, long distance swimming more than 400 meters and any sports or at an any clinical situation that service of Consultant/Sports Medicine Medical Officer is requested.(12 lead with long rhythm strip L11)
 - ECG for school children for PPE purpose is mandatory and government hospital should always try to facilitate providing the ECG facility where available even though the PPE is done at a different hospital.
 - Person should come for the medical with a valid identity card and he or she must bring a letter signed by the principal/Head of the Institute certifying that he/she wants to take part or currently taking part in the requested sport or sports.
 - Since workload is heavy for the limited number of trained Medical Officers, it is advisable that all the school kids to get their PPE medical checkup done at the beginning of the year or during school vacations.

 - The PPE Clearance Certificate (Health 1246) document issued by the Sports Medicine Unit will be valid only for period of one year from the date of issue.
- Athlete has to come for a periodic health evaluation in next year on same date and get the clearance extended for another year on the same certificate and so on.
- Player must have undergone PPE prior to the Pre Event clearance (PEE). Otherwise PEE will not be awarded.
- Pre- Event Clearance will be mentioned in the appropriate boxes on the back side of the PPE clearance certificate.
- > Pre- participation and pre- event medical examinations to be done on
 - Station based- Eg. at the school or Government Institute of the athlete
 - . Clinic based at the hospital clinic.

Provinces are presently covered by following Sports Medicine Units as given bellow:-

<u>Units</u>	Province/s
Sports Medicine Unit, General Hospital Matara Sports Medicine Unit, Teaching Hospital Karapitiya	Southern Province
Sports Medicine Unit, General Hospital Kalutara (Nagoda) Sports Medicine Unit, Colombo South Teaching Hospital Kalubowila Sports Medicine Unit, Lady Ridgeway Hospital for Children Sports Medicine Unit, National Hospital Colombo	Western & North Central Sabaragamuwa
Sports Medicine Unit, Teaching Hospital Kurunegala	North Western Province
Sports Medicine Unit, Teaching Hospital Peradeniya - Sports Medicine Unit, Teaching Hospital Kandy -	Central and Uva Provinces
Sports Medicine Unit, Teaching Hospital Batticaloa	Eastern Province
Sports Medicine Unit, Teaching Hospital Jaffna -	Northern Province

Sports Medicine Unit should give the priority towards school children's requests and then that of the Government institute c.g. Ministry of Sports. For the private sector medical examination, fee will be charged.

MO/Sports Medicine could send direct referrals to the consultants of other specialties in this regards.

MO/Sports Medicine could request investigations apart CT/MRI, which should be requested through his consultant if available.

All the PPE/Pre Event clearance certificates and the PPE form should have two official rubber seals of the unit and the Medical Officers'/Consultants'; as PPE/pre- event medicals are on individual responsibility.

MO Sports Medicine could differ issuing PPE/PEE Clarence till the player is fully investigated or if he feels that athlete is physically or mentally not fit or not attended with adequate time before the event.

There may be situations that even after comprehensive medical examination sudden deaths could occur due to rare medical causes and environmental conditions.

Sudharma Karunaratne Secretary, Ministry of Health. Sudharma Karunaratne Secretary Ministry of Health "Sulvasiri paya" 385, Rev. Baddogama Wimalavchsa Thero Mawatha, Colombo 10. Sri Lanka.

CLINICAL REPORT

Medical Conditions Affecting Sports Participation

Guidance for the Clinician in Rendering Pediatric Care

Stephen G. Rice, MD, PhD, MPH, and the Council on Sports Medicine and Fitness

ABSTRACT

Children and adolescents with medical conditions present special issues with respect to participation in athletic activities. The pediatrician can play an important role in determining whether a child with a health condition should participate in certain sports by assessing the child's health status, suggesting appropriate equipment or modifications of sports to decrease the risk of injury, and educating the athlete, parent(s) or guardian, and coach regarding the risks of injury as they relate to the child's condition. This report updates a previous policy statement and provides information for pediatricians on sports participation for children and adolescents with medical conditions.

In 2001, the American Academy of Pediatrics published an analysis of medical conditions affecting sports participation. This updated report replaces the 2001 policy statement and provides additions and changes to increase the accuracy and completeness of the information.

Health care professionals must determine whether a child with a health condition should participate in a particular sport. One way of determining this is by estimating the relative risk of an acute injury to the athlete by categorizing sports as contact, limited-contact, or noncontact sports (Table 1). This categorization may subdivide contact sports into collision and contact sports; although there may be no clear dividing line between the 2, collision implies greater injury risk. In

indicate un exclusive course of treatment or serve as a standard of medical care. Variations, falong into account individual circumstances, may be appropriate.

www.pediatrics.org/cgi/doi/10:1542/

doi:10.1542/pirds.2008-0080

All clinical reports from the American

Academy of Pediatrics automatically emile

5 years after publication unless mafforwed.

revised, or retired at or before that time.

The guidance in this report does not

Key Words

peds 2008-0080

youth, athletes, risk of injury, contect and collision sports, prevention management, strenuousness, safety

PEDACTRCS (SSY Numbers Print, 0031-4085), Online, 1098-4275; Copyright © 2008 by the American Academy of Peclatrics

collision sports (eg. boxing, ice hockey, football, lacrosse, and rodeo), athletes purposely hit or collide with each other or with inanimate objects (including the ground) with great force. In contact sports (eg. basketball and soccer), athletes routinely make contact with each other or with inanimate objects but usually with less force than in collision sports. In limited-contact sports (eg. softball and squash), contact with other athletes or with inanimate objects is infrequent or inadvertent. However, some limited-contact sports (eg. skateboarding) can be as dangerous as collision or contact sports. Even in noncontact sports (eg. power lifting), in which contact is rare and unexpected, serious injuries can occur.

Overuse injuries are related not to contact or collision but to repetitive microtrauma; furthermore, overuse injuries generally are not acute. For these reasons, the categorization of sports in Table 1 insufficiently reflects the relative risks of injury. However, the categorization indicates the comparative likelihood that participation in different sports will result in acute traumatic injuries from blows to the body.

For most chronic health conditions, current evidence supports and encourages the participation of children and adolescents in most athletic activities. However, the medical conditions listed in Table 2 have been assessed to determine whether participation would create an increased risk of injury or affect the child's medical condition adversely. These guidelines can be valuable when a physician examines an athlete who has one of the listed problems. Decisions about sports participation are often complex, and the usefulness of Table 2 is limited by the frequency with which it recommends individual assessment when a "qualified yes" or a "qualified no" appears.

The physician's clinical judgment is essential in the application of these recommendations to a specific patient. This judgment is enhanced by consideration of the available published information on the risks of participation, the risk of acquiring a disease as a result of participation in the sport, and the severity of that disease. Other variables to consider include (1) the advice of knowledgeable experts, (2) the current health status of the athlete, (3) the sport in which the athlete participates, (4) the position played, (5) the level of competition, (6) the maturity of the competitor, (7) the relative size of the athlete (for collision/contact sports), (8) the availability of effective protective equipment that is acceptable to the athlete and/or sport governing body, (9) the availability and efficacy of treatment, (10) whether treatment (eg. rehabilitation of an injury) has been completed, (11) whether the sport can be modified to allow safer participation, and (12) the ability of the athlete's parent(s) or guardian and coach to understand and

TABLE 1 Classification of Sports According to Contact

Contact	Limited-Contact	Noncontact
Baskethali	Adventure racings	Badminton
Boxingti	Baseball	Bodybuilding*
Cheerleading	Bicycling	Bowling
Diving	Canoeing or kayaking (white water)	Canoeing or kayaking (flat water)
Extreme sports ^d	Fencing	Crew or rowing
Field hockey	Field events	Curling
Football, tackle	High jump	Dance
Gymnastics	Pole vault	Field events
lce hockey*	Floor hockey	Discus
Lacrosse	Football, flag or touch	Javelin
Martial arts	Handbal	Shot-put
Rodeo	Horseback riding	Golf
Rugby	Martial arts*	Orienteering ⁹
Sking, downhill	Racquetball	Plower lifting:
Skijumping	Skating	Race walking
Snowboarding	Ice	Riflery
Soccer .	In-line	Rope jumping
Team handball	Roller	Running
Ultimate Frisbee	Skiing	Sailing
Water polo	Cross-country	Scuba diving
Wrestling	Water	Swimming
i Decreta i Sep	Skateboarding	Table tennis
	Softball	Tennis
	Squash	Track
	Volleybali	
	Weight lifting	
	Windsurfing or surfing	

Activenture racing has been added since the previous statement was published and is defined as a combination of 2 or more disopleres, including orienteering and havigation, cross-country numning, mountain biking, padding, and climbing and rope skills.

to accept the risks involved in participation. Potential dangers of associated training activities that lead to repetitive and/or excessive overload also should be considered.

Unfortunately, adequate data on the risks of a particular sport for athletes with medical problems often are limited or lacking, and an estimate of risk becomes a necessary part of the decision-making process. If primary care physicians are uncertain or uncomfortable with the evaluation and/or the decision-making process, they should seek the counsel of a sports medicine specialist or a specialist in the specific area of medical concern. If the physician thinks that restriction from a sport is necessary for a particular patient, then he or she should counsel the athlete and family about safe alternative activities.

Physicians making decisions about sports participation for athletes with cardiovascular disease (Table 2) are strongly encouraged to consider consulting a cardiologist and to review carefully recommendations from the 36th Bethesda Conference. 12 The complexities and nuances of cardiovascular disease make it difficult to provide important detailed information in a single table.

An athlete's underlying cardiac pathologic condition and the stress that a sport places on that condition are the 2 primary factors determining the risk of participating in that sport. A strenuous sport can place dynamic (volume) and static (pressure) demands on the cardiovascular system. These demands vary not only with activities of the sport but also with factors such as the associated training activities and the environment, as well as the level of emotional arousal and fitness of the competitors. Figure 1 lists sports according to their dynamic and static demands, as classified by cardiopulmonary experts of the 36th Bethesda Conference. 12

New recommendations on sports participation for athletes with hypertension (Table 2) are available. 19,322 The latest blood pressure tables provide the 50th, 90th, 95th, and 99th percentiles based on age, gender, and height. 10 The blood pressure reading must be at least 5 mm Hg above the 99th percentile before any exclusion from sports is indicated. 30 Periodic monitoring of resting (preexercise) blood pressure levels is preferred for readings above the 90th percentile. A more-complete evaluation is performed for sustained blood pressure readings above the 95th percentile. 10,12

In earlier legal decisions, athletes have been permitted to participate in sports despite known medical risks and against medical advice, usually in cases involving missing or nonfunctioning paired organs. In recent years, however, courts have been reluctant to permit athletes to participate in competitive athletics contrary to the team physician's medical recommendation. When an athlete's family seeks to disregard such medical advice against participation, the physician should ask all parents or guardians to sign a written informed consent statement indicating that they have been advised of the potential dangers of participation and that they understand these dangers. The physician should document, with the athlete's signature, that the child or adolescent athlete also understands the risks of participation. To ensure that parents or guardians truly understand the risks and dangers of participation against medical advice, it is recommended that these adults write the statement in their own words and handwriting,59-62

Additional information on the effects of medical problems on the risk of injury during sports participation is available in Care of the Young Athlete by the American Academy of Orthopaedic Surgeons and the American Academy of Pediatrics⁶⁷ and Preparticipation Physical Evaluation, Third Edition, by the American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine, In addition, other American Academy of Pediatrics policy statements include relevant material.⁶⁴⁻⁶⁷

^b The American Academy of Pediatrics opposes participation in boxing for children, adolescents, and young adults.²

The American Academy of Pechatrics recommends limiting backboulding and power lifting until the adolescent achieves sexual maturity toting 5 (Tarmer stage V)

[#] Extreme sports has been added since the previous statement was published.

[&]quot;The American Academy of Pediatrics recommends limiting the amount of body checking allowed for hockey players 15 years and younger, to reduce injuries.

Martial arts can be subclassified as judo, juinsia, karate, long fu, and tae lower do; some forms, are contact sports and others are limited-contact sports.

Orienteering is a race (contest) in which competitors use a map and a compass to find their way through unfamiliar territory.

Condition	May Participate
Atlantoaxial instability (instability of the joint between cervical vertebrae 1 and 2)	Qualified yes
Explanation: Athlete (particularly if he or she has Down syndrome or juvenile rheumatoid arthritis with cervical involvement) needs evaluation to assess the risk of spinal cord injury during sports participation, especially when using a trampoline 4-7.	
Bleeding disorder Explanation: Athlete needs evaluation. ⁸⁰	Qualified yes
Cardiovascular disease Cardiis (inflammation of the heart)	No
Explanation: Carditis may result in sudden death with exertion. Hypertension (high blood pressure)	Qualified yes
Explanation: Those with hypertension >5 mm Hg above the 99th percentile for age, gender, and height should avoid heavy weightlifting and power lifting, bodybuilding, and high-static component sports (Fig. 1). Those with sustained hypertension (>95th percentile for age, gender, and height) need evaluation. (**17 The National High Blood Pressure Education Program Working Group report defined prehypertension and stage.) I and stage 2 hypertension in children and adolescents younger than 18 years of age.	FI
Congenital heart disease (structural heart defects present at birth). Explanation Consultation with a cardiologist is recommended. Those who have mild forms may participate fully in most cases, those who have moderate or severe forms or who have undergone surgery need evaluation. The 36th 8ethesda-Conference ¹² defined mild, moderate, and severe disease for common cardiac lesions.	Qualified yes
Dyszhythmia (irregular heari rhyshm) Long-QT syndrome Malignant ventricular arrhyshmilas	Qualified yes
Symptomatic Wolff-Parkinson-White syndrome- Advanced heart block Family history of sudden death or previous sudden cardiac event	
Implantation of a cardioverter-deficialition Explanation: Consultation with a cardiologist is advised. Those with symptoms (chest pain, sympope, near-sympope, dizziness, shortness of breath, or other symptoms of possible dysrhythmia) or evidence of mitral regurgitation on physical examination need evaluation. All others, may participate fully ""	
Heart murmur Explanation If the murmur is innocent (does not indicate heart disease), full participation is permitted. Otherwise, athlete needs evaluation (see structural heart disease, especially hypertrophic cardiomyopathy and mitral valve prolapse).	Qualified yes
Structural/acquired heart disease Hypertrophic cardiomyopathy Coronary artery anomalies Arthyshmogenic right ventricular cardiomyopathy Acute rheumatic fever with carditis	Qualified no Qualified no Qualified no Qualified no
Ehlers-Danitos syndrome, vascular form Marfan syndrome Mitral valve prolapse Anthracycline use	Qualified no Qualified yes Qualified yes Qualified yes
Explanation: Consultation with a cardiologist is recommended. The 36th Bethesda Conference provided detailed recommendations. (2005) in Most of these conditions carry a significant risk of sudden cardiac death associated with interse physical exercise. Hypertrophic cardiomyopathy requires thorough and repeated evaluations, because disease may change manifestations during later adolescence. (2010) Martian syndromic with an aortic aneuryon also cardicase sudden death during intense physical exercise. (2) Athlete who has ever received chemotherapy with anthracyclines may be at increased risk of cardiac problems because of the cardiotoxic effects of the medications, and resistance training in this population should be approached with caution; strength training that avoids isometric contractions may be permitted. (2005) Athlete needs evaluation.	
Vasculitis/vascular disease Kawasaki disease (coronary artery vasculitis) Pulmonary hypertension	Qualified yes
Explanation: Consultation with a cardiologist is recommended. Athlete needs individual evaluation to assess risk on the basis of disease activity, pathiologic changes, and medical regimen. ²¹	
Cerebral palsy Explanation: Athlete needs evaluation to assess functional capacity to perform sports specific activity.	Qualified yes
Diabetes melitus Explanation: All sports can be played with proper attention and appropriate adjustments to diet (particularly carbohydrate intake), blood glucose concentrations, hydration, and insulin therapy. Blood glucose concentrations should be monitored before exercise, every 30 min during continuous exercise, 15 min after completion of exercise, and at beditime	Yes
Diarrhea, infectious Explanation: Unless symptoms are mild and arhiete is fully hydrated, no participation is permitted, because diarrhea may increase risk of dehydration and heat filmss (see fever).	Qualified no
Eating disorders Explanation: Athlete with an eating disorder needs medical and psychiatric assessment before participation.	Qualified yes
Eyes Functionally 1-eyed athlete Loss of an eye	Qualified yes
Detached retins or family history of retinal detachment at young age. High myopia	
Connective tissue disarder, such as Marfan or Stickler syndrome Previous intraocular eye surgery or serious eye injury	

Condition	May Participate
Explanation: A functionally 1-eyed athlete is defined as having best-corrected visual acuity worse than 20/40 in the poorer-sceing eye. Such an athlete would suffer significant disability if the better eye were seriously injuried, as would an athlete with loss of an eye. Specifically, boxing and full-contact martial arts are not recommended for functionally 1-eyed athletes; because eye protection is impractical and/or not permitted. Some athletes who previously underwent intraocular eye surgery or had a serious eye injury may have increased risk of injury because of weakened eye tissue. Availability of eye guards approved by the American Society for Testing and Materials and other protective equipment may allow participation in most sports, but this must be judged on an individual basis. ^{27,29}	SECOND CONTRACTOR
Conjunctivitis, infectious	Qualified no
Explanation: Athlete with active infectious conjunctivitis should be excluded from swimming. Fever	No
Explanation: Elevated core temperature may be indicative of a pathologic medical condition (infection or disease) that is often manifest by increased resting metabolism and heart rate. Accordingly, during athlete's usual exercise regimen, the presence of fever can result in greater heat storage, decreased heart tolerance, increased risk of heart aliness, increased cardiopulmonary effort, reduced maximal exercise capacity, and increased risk of hypotension because of altered vascular tone and dehydration. On rare occasions, fever may accompany myocarditis or other conditions that may make usual exercise dangerous.	0.364
Gastrointestinal Malabsorption syndromes (celiac disease or cystic fibrosis)	Qualified yes
Explanation: Athlete needs individual assessment for general mahutrition or specific deficits resulting in coagulation or other defects; with appropriate treatment, these deficits can be treated adequately to permit normal activities. Short-bowel syndrome or other disorders requiring specialized nutritional support, including parenteral or enteral nutrition. Explanation: Athlete needs individual assessment for collision, contact, or limited-contact sports. Presence of central or peripheral, individling, venous catheter may require special considerations for activities and emergency preparedness for unexpected trauma to the device(s).	
Heat illness, history of Explanation: Because of the likelihood of recurrence, athlete needs individual assessment to determine the presence of predisposing conditions and behaviors and to develop a prevention strategy that includes sufficient acclimatization (to the environment and to exercise intensity and duration), conditioning, hydration, and salf intake, as well as other effective measures to improve heat tolerance and to reduce heat injury risk (such as protective equipment and uniform configurations). **In **Includes**: The protective equipment and uniform configurations (**Includes**: The protective equipment and uniform configurations). **Includes**: The protective equipment and uniform configurations (**Includes**: The protective equipment and uniform configurations (**Includes**: The protection of the protection	Qualified yes
Hepatitis, infectious (primarily hepatitis C) Explanation: All athletes should receive hepatitis B vaccination before participation. Because of the apparent minimal risk to others, all sports may be played as athlete's state of health allows. For all athletes, skin lesions should be covered properly, and athletic personnel should use universal precautions when handling blood or body fluids with visible blood. ³⁰	Yes
HIV infection Explanation: Because of the apparent minimal risk to others, all sports may be played as athlete's state of health allows (especially if viral load is undetectable or very low). For all athletes, skin lesions should be covered properly, and athletic personnel should use universal precautions when handling blood or body fluids with visible blood. However, certain sports (such as wrestling and boxing) may create a situation that favors wrall transmission (likely bleeding plus skin breaks). If viral load is detectable, then athletes should be advised to avoid such high-contact sports.	
Kidney, absence of one	Qualified yes
Explanation: Athlete needs individual assessment for contact, collision, and limited-contact sports: Protective equipment may reduce risk of injury to the remaining kidney sufficiently to allow participation in most sports, providing such equipment remains in place during activity. (2)	
Explanation: If the liver is acutely enlarged, then participation should be avoided because of risk of rupture. If the liver is chronically enlarged, then individual assessment is needed before collision, contact, or limited-contact sports are played. Patients with chronic liver disease may have changes in liver function that affect stamina, mental status, coaquilation, or notintional status.	Qualified yes
Malignant neoplasm	Qualified yes
Explanation: Athlete needs individual assessment. If Musruloskeletal disorders	Qualified yes
Explanation: Athlete needs individual assessment. Neurologic disorders	SHILLSHAR
History of serious head or spine trauma or abnormality, including cranictority, epidural bleeding, subdural hematoma, intracerebral hemorrhage, second-impact syndrome, vascular malformation, and neck fracture 45.28-56. Explanation: Athlete needs includual assessment for collision, contact, or limited-contact sports.	Qualified yes
History of simple concussion (mild traumatic brain injury), multiple simple concussions, and/or complex concussion Explanation, Artifetic needs including a seessment. Research supports a conservative approach to concussion management, including no artifetic participation while symptomatic or when deficits in judgment or cognition are detected, followed by graduated return to full activity. 8-32	Qualified yes
Myopathies	Qualified yes
Explanation: Athlete needs individual assessment. Recurrent headaches	Yes
Explanation: Athlete needs individual assessment. ⁽⁾ Recurrent plexopathy (burner or stinger) and cervical cord neuroprama with persistent defects Explanation: Athlete needs individual assessment for collision, contact, or limited-contact sports; regaining normal strength is important	Qualified yes
benchmark für return to play ^{34,35} Seizure disorder, well controlled	Yes
Explanation: Risk of seizure during participation is minimal. If Seture disorder, poorly controlled	Qualified yes
Explanation: Athlete needs individual assessment for collision, contact, or limited-contact sports. The following noncontact sports should be avoided archery, riflery, swimming, weightlifting, power lifting, strength training, and sports involving heights. In these sports, occurrence of a seizure during activity may pose a risk to self or others. 20	Qualific yes

Condition	May Participate
Obesity	Yes
Explanation: Because of the increased risk of heat illness and cardiovascular strain, obese athlete particularly needs careful acclimatization (to the environment and to exercise intensity and duration), sufficient hydration, and potential activity and recovery modifications during competition and training. ³⁷	
Organ transplant recipient (and those taking immunosuppressive medications)	Qualified yes
Explanation: Athlete needs individual assessment for contact, collision, and limited-contact sports. In addition to potential risk of infections, some medications (eg. prednisone) may increase tendency for bruising	55 10
Ovary, absence of one	Yes
Explanation: Risk of severe injury to remaining ovary is minimal.	W. Shella
Pregnancy/bostparturn Explanation Athlete needs individual assessment: As pregnancy progresses, modifications to usual exercise routines will become necessary. Activities with high risk of falling or abdominal trauma should be avoided. Scuba driving and activities posing risk of allifude sickness should also be avoided during pregnancy. After the birth, physiological and morphologic changes of pregnancy take 4 to 6 weeks to return to baseline.	Qualified yes
Respiratory conditions	0.000
Pulmonary compromise, including cystic florosis Explanation: Athlete needs individual assessment but, generally, all sports may be played if oxygenation remains satisfactory during graded exercise test. Athletes with cystic fibrosis need acclimatization and good hydration to reduce risk of heat illness.	Qualified yes
Asthma	Yes
Explanation. With proper medikation and education, only athletes with severe asthma need to modify their participation. For those using inhalers, recommend having a written action plan and using a peak flowmeter daily 60-80 Achietes with asthma may encounter risks when scuba diving.	
Acute upper respiratory infection	Qualified yes
Explanation. Upper respiratory obstruction may affect pulmonary function. Athlete needs individual assessment for all except mild disease (see fever).	
Rheumatologic diseases Juvenile rheumatoid arthritis	Qualified yes
Explanation. Athletes with systemic or polyarticular juvenile rheumatoid arthritis and history of cervical spine involvement need radiographs of vertebrae C1 and C2 to assess risk of spinal cord injury. Athletes with systemic or HLA-B27-associated arthritis require cardiovascular assessment for possible cardiac complications during exercise. For those with micrognathia (open bite and exposed teeth), mouth guards are helpful. If usetts is present, risk of eye damage from trauma is increased, ophthalmologic assessment is recommended. If visually impaired, guidelines for functionally 1-eyed athleses should be folknived.* Juvenile dermatomyositis, idiopathic myositis Systemic lugus enythematosis. Ravinaud phenomenon.	
Explanation: Athlete with Juvenile dermatomyositis or systemic lupus enythematosis with cardiac involvement requires cardiology assessment before participation. Athletes receiving systemic corticosteroid therapy are at higher risk of osteoporoilic fractures and avascular necrosis, which should be assessed before clearance; those receiving immunosuppressive medicarions are at higher risk of serious infection. Sports activities should be avoided when myositis is active. Rhabdomyolysis during intensive exercise may cause renal injury in athletes with idiopathic myositis and other myograthies. Because of photosensitivity with juvenile dermatomyositis and systemic lupus enythematosis, sun protection is necessary during autobor activities. With Raynaud phenomenor, exposure to the cold presents risk to hands and feet. The Explanation: Athlete needs individual assessment, in general, if illness status permits, all sports may be played, however, any sport or activity that	Qualified yes
entails overevertion, overheating, dehydration, or chilling should be avoided. Participation at high altitude, especially when not acclimatized, also poses risk of sixtle cell crisis.	
Suchie cell trait	Yes
Explanation: Athletes with sickle cell trait generally do not have increased risk of sudden death or other medical problems during athletic participation under normal environmental conditions. However, when high exertional activity is performed under extreme conditions of heat and humidity or increased athlatide, such catastrophic complications have occurred rarely **** *** Athletes with sickle cell trait, like all athletes, should be progressively acclimatized to the environment and to the intensity and duration of activities and should be sufficiently hydrated to reduce the risk of exertional heat illness and/or mandomyolysis. *** According to National institutes of Health management guidelines, sickle cell trait is not a contraindication to participation in competitive athletics, and there is no requirement for screening before participation.** More research is needed to assess fully potential risks and benefits of screening athletes for sickle cell trait.	
Skin infections, including herpes simplex, molluscum contagiosum, vertucae (warts), staphylococcal and streptococcal infections (furuncies [boils], carbuncles, impetigo, methicillin-tesistant Sraphylococcus aureus [cellulitis and/or abscesses]), scables, and tinea. Explanation: During contagious periods, participation in gymnastics or cheerleading with mats, martial arts, westling, or other collision, contact, or	Qualified yes
limited-contact sports is not allowed. (5-5)	
Spleen, enlarged	Qualified yes
Explanation. If the spleen is acutely enlarged, then participation should be avoided because of risk of rupture. If the spleen is chronically enlarged, then individual assessment is needed before collision, contact, or limited-contact sports are played.	
Testicle, undescended or absence of one Explanation: Certain sports may require a protective cup. ²²	Yes

This table is designed for use by medical and normedical personnel. "Needs exclusion" means that a physician with appropriate browledge and experience should assess the safety of a given sport for an arbitrary with the listed medical condition. Unless otherwise noted, this need for special consideration is because of variability in the seventy of the disease, the risk of injury for the specific sports listed in Table 1, or both.

INCREASING DYNAMIC COMPONENT

A. Low (< 40% Max O₂ B. Moderate (40-70% Max O₂ C. High > 70% Max O

FIGURE 1

Classification of sports according to cardiovascular demands (based on combined static and dynamic components).19 This classification is based on peak static and dynamic components achieved during competition. It should be noted, however, that the higher values may be reached during training. The increasing dynamic component is defined in terms of the estimated percentage of maximal oxygen uptake (Max 0,) achieved and results in increasing cardiac output. The increasing static component is related to the estimated percentage of maximal voluntary contraction (MVC) reached and results in increasing blood pressure load. Activities with the lowest. total cardiovascular demands (cardiac output and blood pressure) are shown in box IA, and those with the highest demands are shown in box IIK. Boxes IIA and IB depict activities with low/moderate total cardiovascular demands, boxes IIA, IIB, and IC depict activities with moderate total cardiovascular demands, and boxes IIB and IC depict high/moderate total cardiovascular demands. These categories progress diagonally across the graph from lower left to upper right. * Danger of bodily collision. It Increased risk if syncope occurs. I Participation is not recommended by the American Academy of Pediatrics ² d The American Academy of Pediatrics classifies cricket in the IB box flow static component and moderate dynamic component. 4 (Reproduced with permission from Affichell JH, Haskell W, Sriell P, Van Camp SP. 36th Bethesda Conference, Task horse & classification of sports, JAm Colf Cardrof. 2005;45(8):1364-1367.)

	(< 40% Max O ₂)	(40-70% Max O ₂)	(> 70% Max O ₂)
III. High (>50% MVC)	IIIA (Moderate) Bobsledding/luge** Field events (throwing) Gymnestics** Martial arts* Sailing Sport climbing Water skiing** Weight lifting** Windsurfing**	IIIB (High Moderate) Body building** Downhil sking** Skateboarding** Snowboarding** Wrestling*	IIIC (Hiigh) Boxing** Canceing/kayaking Cycling** Decathlon Rowing Speed-skating** Tristhlon**
II. Moderate (20-50% MVC)	IIA (Low Moderate) Archery Auto racing ^{s,b} Diving ^{s,b} Equestriam ^{s,c} Motorcycling ^{s,a}	IB (Moderate) American football* Field events (jumping) Figure skaling* Rodeoing** Rugby* Running (sprint) Surfing** Synchronized swimming*	IIC (High Moderate) Basketball* Ice hockey* Cross-country skiling (skating technique) Lacrosse* Running (middle distance) Swimming Team handball
1. Low (< 20% MVC)	IA (Low) Billiards Bowling Cricket ^a Curting Golf Riflery	IB (Low Moderate) Baseball/softball* Fencing Table tennis Volleyball	IC (Moderate) Badminton Cross-country skiling (classic technique) Fleid hockey* Orienteering Race walking Racquetball/squash Running (long distance) Soccer* Tennis

COUNCIL ON SPORTS MEDICINE AND FITNESS, EXECUTIVE COMMITTEE, 2006 – 2007

NCREASING STATIC COMPONENT

Eric W. Small, MD. Chairperson
Teri M. McCambridge, MD, Chairperson-elect
Holly Benjamin, MD
David T. Bernhardt, MD
Joel S. Brenner, MD, MPH
Charles Cappetta, MD
Joseph A. Congeni, MD
Andrew J. Gregory, MD
Bernard A. Griesemer, MD
Frederick E. Reed, MD
Stephen G. Rice, MD, PhD, MPH

PAST MEMBERS

Jorge E. Gomez, MD Douglas B. Gregory, MD Paul R. Stricker, MD

LIAISONS

Claire Marie Ann LeBlanc, MD Canadian Paediatric Society James Raynor, MS, ATC National Athletic Trainers Association

CONSULTANT

Michael F. Bergeron, PhD

STAFF

Anjie Emanuel, MPH Jeanne Lindros, MPH

REFERENCES

- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Medical conditions affecting sports participation. Pediatrics. 2001;107(5):1205–1209
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Participation in boxing by children, adolescents, and young adults. Pediatrics. 1997;99(1):134–135
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Safety in youth ice hockey: the effects of body checking. Pediatrics. 2000;105(3):657–658
- American Academy of Pediatrics, Committee on Injury and Poison Prevention, Committee on Sports Medicine and Pitness.

- Trampolines at home, school, and recreational centers. Pediatrics. 1999;103(5):1053-1056
- Maranich AM, Hamele M, Fairchok MP. Atlanto-axial subluxation: a newly reported trampolining injury. Clin Pediatr (Phila). 2006;45(5):468–470
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Atlanto-axial instability in Down syndrome: subject review. Pediatrics. 1995;96(1):151–154
- 7 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Preparticipation Physical Evaluation. 3rd ed. New York, NY: McGraw-Hill. 2004
- Mercer KW, Densmore JJ. Hematologic disorders in the athlete. Clin Sports Med. 2005;24(3):599-621
- National Hemophilia Foundation. Playing It Safe: Bleeding Disorders, Sports and Exercise. New York, NY: National Hemophilia. Foundation, 2005
- National High Blood Pressure Education Program Working Group on High Blood Pressure in Children and Adolescents. The fourth report on the diagnosis, evaluation, and treatment of high blood pressure in children and adolescents. *Pediatrics*. 2004;114(2 suppl):555–576
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Athletic participation by children and adolescents who have systemic hypertension. *Pediatrics*. 1997;99(4): 637–638
- American College of Cardiology Foundation. 36th Bethesda Conference: eligibility recommendations for competitive athletes with cardiovascular abnormalities. J Am Coll Cardiol. 2005; 45(8):1313–1375
- 13 Maron BJ, Thompson PD, Ackerman MJ, et al. Recommendations and considerations related to preparticipation screening for cardiovascular abnormalities in competitive athletes: 2007 update; a scientific statement from the American Heart Association Council on Nutrition, Physical Activity and Metabolism: endorsed by the American College of Cardiology Foundation. Circulation. 2007;115(12):1643–1655
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Cardiac dysrhythmias and sports. *Pediatrics*, 1995;95(5):786–788
- Freed LA, Levy D, Levine RA, et al. Prevalence and clinical outcome of mitral-valve prolapse. N Engl J Med. 1999;341(1): 1–7
- Maron BJ. Sudden death in young athletes. N Engl J Med. 2003;349(11):1064-1075
- Maron BJ. Hypertrophic cardiomyopathy: a systematic review. JAMA. 2002;287(10):1308–1320
- Pyeritz RE. The Marlan syndrome. Annu Rev Med. 2000;51: 481–510
- American Academy of Pediatrics, Council on Sports Medicine and Fitness. Strength training by children and adolescents. Pediatrics. 2008;121(4):835–840
- Steinherz L, Steinherz P, Tan C, et al. Cardiac toxicity 4 to 20 years after completing anthracycline therapy. JAMA. 1991; 266(12):1672–1677
- Newburger JW, Takahashi M, Gerber MA, et al. Diagnosis, treatment, and long-term management of Kawasaki disease: a statement for health professionals from the Committee on Rheumatic Fever, Endocarditis, and Kawasaki Disease, Council on Cardiovascular Disease in the Young, American Heart Association. Pediatrics 2004;114(6):1708-1733
- Gomez JE. Paired organ Ioss. In: Delee JC, Drez D Jr. Miller MD, eds. Delee and Drez's Orthopaedic Sports Medicine: Principles and Practice. 2nd ed. Philadelphia, PA: Saunders; 2003;264–271
- 23. American Academy of Pediatrics, Committee on Sports Medi-

- cine and Fitness, Protective eyewear for young athletes. Pediatrics. 2004;113(3):619-622
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Climatic heat stress and the exercising child and adolescent. Pediatrics. 2000;106(1):158–159
- Bergeron MF, McKeag DB, Casa DJ, et al. Youth football: heat stress and injury risk. Med Sci Sports Exerc. 2005;37(8): 1421–1430
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Human immunodeficiency virus and other blood-borne viral pathogens in the athletic setting. *Pediatrics*. 1999;104(6):1400–1403
- Dickerman JD. The late effects of childhood cancer therapy. Pediatrics. 2007;119(3):554–568
- Wojtys EM, Hovda D, Landry G, et al. Current concepts: concussion in sports. Am J Sports Med. 1999;27(5):676–687
- McCrory P, Johnston K, Mccuwisse W, et al. Summary and agreement statement of the 2nd International Conference on Concussion in Sport, Prague 2004. Clin J Sport Med. 2005;15(2): 48–55
- Aubry M, Cantu R, Dvorak J, et al. Summary and agreement statement of the 1st International Symposium on Concussion in Sport, Vienna 2001. Clin J Sport Med. 2002;12(1):6–11
- Herring SA, Bergfeld JA, Boland A, et al. Concussion (mild traumatic brain injury) and the team physician: a consensus statement. Med Sci Sports Exerc. 2006;38(2):395–399
- Guskiewicz KM, Bruce SL, Cantu RC, et al. National Athletic Trainers' Association position statement: management of sport-related concussion. J Athl Train. 2004;39(3):280–297
- Lewis DW, Ashwal S, Dahl G, et al. Practice parameter: evaluation of children and adolescents with recurrent headaches; report of the Quality Standards Subcommittee of the American Academy of Neurology and the Practice Committee of the Child Neurology Society. Neurology. 2002;59(4):490–498
- Castro FP Jr. Stingers, cervical cord neuropraxia, and stenosis. Clin Sports Med. 2003;22(3):483

 –492
- Weinberg J, Rokito S, Silber JS. Etiology, treatment, and prevention of athletic "stingers." Clin Sports Med. 2003;22(3): 493–500, viii
- Hirtz D, Berg A, Bettis D, et al. Practice parameter: treatment of the child with a first unprovoked sezzure: report of the Quality Standards Subcommittee of the American Academy of Neurology and the Practice Committee of the Child Neurology Society. Neurology, 2003;60(2):166–175
- American Academy of Pediatrics, Council on Sports Medicine and Fitness and Council on School Health, Active healthy living: prevention of childhood obesity through increased physical activity. *Pediatrics*. 2006;117(5):1834–1842
- American College of Obstetricians and Gynecologists, Committee on Obstetric Practice. ACOG committee opinion: exercise during pregnancy and the postpartum period. Obstet Gynecol. 2002;99(1):171–173.
- Morales M, Dumps P, Extermann P. Pregnancy and scuba diving: what precautions? [in French]. J Gynewl Obstet Biol Reprod (Paris). 1999;28(2):118–123
- National Heart, Lung, and Blood Institute. National Asthma Eduation and Prevention Program Expert Panel Report 3: Guidelines for the Diagnosis and Management of Asthma: Full Report. Bethesda, MD National Institutes of Health; 2007. Available at www.nhlbi.nib. gov/guidelines/asthma/asthupdt.htm. Accessed October 2, 2007
- Arnerican College of Allergy, Asthma, and Immunology. Asthma Disease Management Resource Manual. Arlington Heights. IL. American College of Allergy, Asthma, and Immunology, Available at: www, acaai.org/Member/Practice.Resources/manual.htm. Accessed November 17, 2006
- Storms WW. Review of exercise-induced asthma. Med Sci Sports Exerc. 2003;35(9):1464–1470

- Holzer K, Brukner P. Screening of athletes for exercise-induced bronchospasm. Clin J Sport Med. 2004;14(3):134–138
- Giannini MJ, Protas EJ. Exercise response in children with and without juvenile rheumatoid arthritis: a case-comparison study. Phys Ther. 1992;72(5):365–372
- Tench C, Bentley D, Vleck V, McCurdie L White P, D'Cruz D. Aerobic fitness, fatigue, and physical disability in systemic lupus crythematosis. J Bheumatol. 2002;29(3):474–481
- Carvalho MR, Sato EI, Tebexreni AS, Heidecher RT, Schenckman S, Neto TL. Effects of supervised cardiovascular training program on exercise tolerance, aerobic capacity, and quality of life in patients with systemic lupus erythematosis. Arthritis Rheum. 2005;53(6):838–844
- Hicks JE, Drinkard B, Summers RM, Rider LG. Decreased aerobic capacity in children with juvenile dermatomyositis. Arthritis Rheum. 2002;47(2):118–123
- Clarkson PM, Kearns AK, Rouzier P, Rubin R, Thompson PD. Serum creatine kinase levels and renal function measures in exertional muscle damage. Med Sci Sports Exerc. 2006;38(4): 623–627
- Pretzlaff RK. Death of an adolescent athlete with sickle cell trait caused by exertional heat stroke. Pediatr Crit Care Med. 2002; 3(3):308–310
- Kark J. Siehle Cell Trait. Washington, DC: Howard University School of Medicine; 2000. Available at: http://sickle.bwh.harvard. edu/sickle_trait.html. Accessed November 17, 2006
- Kerle KK, Nishimura KD. Exertional collapse and sudden death associated with sickle cell trait. Am Fam Physician. 1996; 54(1):237–240
- Bergeron MF, Cannon JG, Hall EL, Kutlar A. Erythrocyte sickling during exercise and thermal stress. Clin J Sport Med. 2004; 14(6):354–356
- National Heart, Lung, and Blood Institute. The Management of Sickle Cell Disease. 4th ed. Bethesda, MD: National Institutes of Health. 2002;15–18. NIH publication 02-2117
- Mast EE, Goodman RA. Prevention of infectious disease transmission in sports. Sports Med. 1997;24(1):1–7
- Sevier TL. Infectious disease in athletes. Med Clin North Am. 1994;78(2):389–412
- Centers for Disease Control and Prevention. Methicilin-resistant *Staphylococus aureus* infections among competitive sports participants: Colorado, Indiana, Pennsylvania, and Los Angeles

- County, 2000–2003. MMWR Morb Mortal Whily Rep. 2003;52(33): 793–795. Available at: www.cdc.gov/mmwr/preview/mmwrhtml/ mm5233a4.htm. Accessed November 17, 2006
- Centers for Disease Control and Prevention, Communityassociated MRSA information for clinicians. Available at: www. cdc.gov/ncidod/dhqp/ar_mrsa_ca_clinicians.html. Accessed November 17, 2006
- American Academy of Pediatrics. General physical activities defined by level of intensity. Available at: www.aap.org/sections/seniormembers/docs/Fit-ActvsIntensity.pdf. Accessed October 2, 2007.
- Baxter JS. Legal aspects of sports medicine. In: Garrick JG, ed. Orthopaedic Knowledge Update: Sports Medicine 3. Rosemont, IL: American Academy of Orthopaedic Surgeons; 2004:397

 –402
- Mitten MJ. When is disqualification from sports justified? Medical judgment vs patients' rights. Phys Sports Med. 1996; 24(10):75-78
- Mitten MJ. Emerging legal issues in sports medicine: a synthesis, summary, and analysis. St. John's Law Rev. 2002;76(1):5–86
- Mitten MJ. Legal issues affecting medical clearance to resume play after mild brain injury. Clin J Sport Med. 2001;11(3): 199–202
- Sullivan JA, Anderson SJ, eds. Care of the Young Athlete. Elk. Grove Village, IL: American Academy of Pediatrics; 2000
- Washington RL, Bernhardt DT, Gomez J, et al. Organized sports for children and preadolescents. *Pediatrics*. 2001;107(6): 1459–1462
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Risk of injury from baseball and softball in children: Pediatrics. 2001;107(4):782–784
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness. Intensive training and sports specialization in young athletes. Pediatrics. 2000;106(1):154–157
- American Academy of Pediatrics, Committee on Sports Medicine and Fitness, Promotion of healthy weight-control practices in young athletes. Pediatrics. 2005;116(6):1557–1564

ADDITIONAL RESOURCE

Brenner JS, American Academy of Pediatrics, Council on Sports Medicine and Fitness. Overuse injuries, overtraining, and burnout in athletes. Pediatrics, 2007;119(6):1232–1241

See discussions, stats, and author profiles for this publication at: https://www.masurchgute.net/publication/341046537

Resistance Training for Children and Adolescents

1 authors, including: Avery Filippobaum	
Annu filmsham	
The College of New Jersey 372 PUBLICATIONS 35,428 CTRTIONS	
SEC PROMUE	

Effects of Integrative Neuromuscular Training on Motor Performance in Prepubertal Socion Players View project



Resistance Training for Children and Adolescents

Paul R. Stricker, MD, FAAP, Avery D. Faigenbaum, EdD, FACSM, FNSCA, Teri M. McCambridge, MD, FAAP, COUNCIL ON SPORTS MEDICINE AND FITNESS.

Resistance training is becoming more important as an integral part of comprehensive sport training regimens, school physical education classes, and after-school fitness programs. The increasing number of youth who are involved in sport activities, coupled with the health problems of inactivity and being overweight, have resulted in increased interest in resistance training. Secular declines in measures of muscular fitness in modern-day youth highlight the need for participation in youth resistance training for nonathletes as well as athletes. Parents often ask pediatricians to offer advice regarding the safety, benefits, and implementation of an effective resistance-training program. This report is a revision of the 2008 American Academy of Pediatrics policy statement and reviews current information and research on the benefits and risks of resistance training for children and adolescents.

KEY POINTS

- Positive outcomes of improved strength in youth continue to be acknowledged, including improvements in health, fitness, rehabilitation of injuries, injury reduction, and physical literacy.
- Resistance training is not limited to lifting weights but includes a wide array of body weight movements that can be implemented at young ages to improve declining measures of muscular fitness among children and adolescents.
- Scientific research supports a wide acceptance that children and adolescents can gain strength with resistance training with low injury rates if the activities are performed with an emphasis on proper technique and are well supervised.
- Gains in childhood strength are primarily attributed to the neurologic mechanism of increases in motor neuron recruitment, allowing for increases in strength without resultant muscle hypertrophy.

abstract

"Department of Orthopedias, Pediatric & Adolescent Sports Medicine, Scripps Danic, San Diego, California, "Department of Health and Exercise Science, The College of New Jersey, Ewing, New Jersey, and "Department of Orthopedias, University of Maryland, Callege Park, Maryland,"

Drs Strisker, Falgenboum, and McCambridge served as authors of the manuscript with substantial input into the content and revision; and all authors approved the final manuscript as submitted.

Clinical reports from the American Academy of Padiatrics benefit from expertise and resources of linicons and internal IARP and external reviewers. However, clinical reports from the American Academy of Pediatrics may not reflect the views of the Galsons on the organizations or government agencies that they represent.

The guidance in this report does not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

All almost reports from the American Academy of Pediatrics automatically expire 5 years after publication unless reaffirmed, revised, or retired at or before that time.

This document is copyrighted and is property of the American Academy of Pediatrics and its Beard of Directors: All authors have filed souther of interest statements with the American Academy of Pediatrics: Any conflicts have been resolved through a process approved by the Board of Directors. The American Academy of Pediatrics has neither solicited nor accepted any concernical involvement in the development of the context of this publication.

001; https://doi.org/10.1542/peds.2020-1011

Address correspondence to Paul R. Stricker, MD, FAAP, E-mail: droaul@droaulstricker.com

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Brilline, 1085-4275)

Copyright @ 2020 by the American Academy of Pediatrics

To citte: Stricker PR, Faigenbaum AD, McCambridge TM, AAP COUNCIL ON SPORTS MEDIONE AND FITNESS. Resistance Training for Children and Adolescents. Peakstrics: 2020;145(6):e20201011

- It is important to incorporate resistance training into physical education classes and youth sport programs to increase muscular strength, reduce the risk of overuse injuries, and spark an ongoing interest in this type of exercise.
- Certain health situations require consultation with a medical professional before starting a program of resistance training.

BACKGROUND

Resistance training and strength training are synonymous terms used to denote a component of sport and exercise training that is designed to enhance muscular strength, muscular power, and local muscular endurance for general exercise or competitive sports. Resistance training is a specialized method of conditioning that involves the use of different modes of training with a wide range of resistive loads, from body weight to barbells. Resistance-training programs may include the use of free weights (barbells and dumbbells), weight machines, medicine balls,

kettlebells, elastic tubing, or a person's own body weight to provide the resistance needed to increase strength.

Along with the extremes of inactivity and/or being overweight and the evolution of youth sports into more intense training at younger ages, there is also a change in the landscape of "strength" among children and adolescents. Evidence of decreasing measures of muscular fitness in youth over the years adds importance for involving youth in some form of resistance exercise regardless of whether they are involved in sports.1-3 On the other hand, some adolescents are increasingly using resistance training in pursuit of muscularity without even being involved in sports.4 The type, amount, and frequency of resistance exercises are dictated by the specific and unique goals of the sport and training program as well as the individual child's resistance training skill competency (RTSC) and accumulated time of formal resistance training (also referred to as "training age"). Table I defines an

alphabetical list of common terms used in resistance training.

RESISTANCE-TRAINING BENEFITS

Performance Benefits

The many benefits of resistance training have been increasingly documented in the pediatric sports arena. Although building strength is often a primary goal, the positive sequelae of strength gains in youth continue to be recognized, including improvements in motor skill performance, gains in speed and power, developing physical literacy, reducing the risk of injury, and injury rehabilitation. Children and youth are entering competitive sports at younger ages, and their training programs are becoming more complex and can involve the use of private coaching, personal trainers, and sports psychologists in addition to their routine coaches and teams. Possessing adequate strength to keep up with these increased demands on the body is valuable to help reduce the risk of injury and optimize gains in performance.

TABLE 1 Definitions

Term	Definition
Bodybuilding	Lifting weights with the specific goal of increasing muscle size, symmetry, and definition with the possible goal of entering competitive events that are judged
Concentric muscle action	The muscle shortens during contraction (ie, lifting phase of bicep curl)
Core strengthening	Focusing a strength-building program on the muscles that stabilize the trunk and pelvis of the body, this training emphasizes atrengthening the abdominal, low back, and gluteal muscles as well as flexibility of muscular attachments to the pelvis, such as the quadriceps and hamstring muscles
Eccentric muscle action	The muscle lengthens during contraction (ie, lowering phase of bicep curl)
Integrative neuromuscular training	Multimodal exercise program using different types of resistance training to target deficits in strength and motor control by improving both health- and skill-related components of physical fitness.
Isokinetic muscle action	This exercise requires special equipment that maintains a fixed speed of muscle contraction throughout the range of motion
Muscular fitness	A global term that includes muscular strength, muscular power, and local muscular endurance
Physical literacy	Moving with confidence and competence in various activities and environments to benefit overall health
Plyametric exercises	Repeated, rapid, eccentric, and concentric muscle actions, such as side-to-side hops or squat jumps
Powerlifting	A competitive sport that involves maximum lifting ability; powerlifting includes the dead lift, back squat, and bench press-
Prehabilitation	Strength, flexibility, and functional training aimed at preventing injuries before they happen or reducing the risk of a recurrent injury.
Repetition (rep)	One complete movement of an exercise that typically involves lifting and lowering a load
Repetition maximum (RM)	The maximum amount of weight that can be lifted with proper exercise technique using a given resistance, a 1 8M is the maximum resistance that can be used for 1 complete repetition of an exercise, whereas a 10 RM is the maximum resistance that can be used for 10 complete repetitions of an exercise.
Set	A group of repetitions performed continuously
Weightlifting	A sport that involves the performance of the shatch and clean and jerk exercises in competition
Weightlifting training	The use of weightlifting exercises, movements, and derivatives of these exercises incorporated into a training program

Health Benefits

Healthy lifestyles incorporate regular exercise that provides a balance of activities, including participating in strength-building programs. In addition to increasing muscular strength, muscular power, and local muscular endurance, resistance training has been shown to produce many health benefits, including improvements in cardiovascular fitness, body composition, bone mineral density, blood lipid profiles, insulin sensitivity in youth who are overweight, increased resistance to injury, and mental health.5-14

Programs involving resistance training provide positive options to engage children and adolescents with overweight or obesity in physical activity and may be more likely to create a positive and successful experience for these participants, who may have lower levels of physical fitness, poor exercise compliance, and reduced tolerance for aerobic training.15-17 Evidence does show that participation in a resistance-training program helps increase daily levels of spontaneous activity in school-aged boys, 18,19 which suggests that resistance training may be a good place to start when trying to get inactive kids to be more active. Progressing into a combined program of resistance and aerobic training may generate added benefit because combined programs have shown favorable effects on the reduction of total body fat in youth.20-22

Additional Benefits

After years of research, it is now accepted that children and adolescents can increase strength with low injury rates if resistance training is well supervised with an emphasis on correct technique, Early studies successfully demonstrated significant strength gains in children and a lack of injury with proper technique and supervision. 57,12,23

With a preponderance of studies showing positive gains from youth resistance training, perspectives are shifting regarding integrating resistance training into physical education, youth fitness, and injuryreduction programs.

Previous concerns regarding resistance training focused on what would happen if a child lifts weights, but more recent focus has turned toward what will happen if a child does not lift weights, especially in light of the secular declines in measures of muscular fitness over the vears. Targeting strength deficits and building strength reserves will continue to be a valuable concept to address.24,25 The available research supports resistance training in youth with a new perspective of acquiring and maintaining high strength reserves to enhance performance across a wide range of general and specific skills while reducing injury risk. There is a shift from the primary concern of injuries associated with resistance training to the concern of injury and other adverse events because of a lack of adequate strength to keep up with training demands, 14,26,27

Resistance training is applicable to virtually all children and adolescents for contributions to muscular fitness, resistance to injury, and improved performance. Enhancing muscular strength is an important concept to embrace fully beyond the association with only lifting progressively heavier weights. This clarification may encourage girls and boys to engage in year-round resistance training to increase their strength reserves without fear of getting too muscular or impairing sports performance.

Numerous studies have shown that children and adolescents can gain strength with resistance-training programs involving techniquedriven progression along with qualified supervision and instruction. 5.7.12,23,28-30 Adequate supervision may be variable depending on the goals of the resistance-training program, RTSC of the participants, and experience of the teacher, instructor, or coach. An experienced professional may be able to effectively guide a larger number of youth, whereas more individualized instruction may be appropriate for more advanced-level techniques. There are many different variables that contribute to a well-designed youth resistance-training program, including quality of instruction, training environment, training frequency, training age, type of resistance used, intensity of effort, number of sets and repetitions, rest interval between sets and exercises, and duration of training.26

Training and Detraining

Recent studies suggest that resistance-training programs lasting >23 weeks are most effective in attaining maximal strength gains.30 Strength gains occur with different types of resistance training for a minimum duration of 8 weeks with a frequency of 2 to 3 times a week. In general, detraining effects can occur after 8 to 12 weeks without resistance training,5,7,11,15,31,32 but detraining is a more complex process in youth because of developmental improvements in performance, which allows some skills to be retained better than others.32 Children recover more quickly than adults from resistance-training fatigue; therefore, experts recommend 1 minute of rest between sets for beginners, increasing to 2 to 3 minutes of rest as the intensity of training increases (ie, incorporation of weightlifting movements or plyometric exercises).33 Training exercises involving the core (abdominals, low back, and gluteal muscles) are foundationally important for sports participation and can provide benefit for sport-specific skill acquisition and postural control.7,34,35

One-Repetition Maximum

The one-repetition maximum (1 RM) (see Table 1 for definition) test can be administered by qualified professionals to assess maximal strength, determine an appropriate resistance-training intensity, and evaluate the effectiveness of a resistance-training program.36 Previous American Academy of Pediatrics (AAP) policy statements have not recommended 1 RM testing in skeletally immature individuals. However, 1 RM testing that is properly administered has been found to be a valid and reliable measure of strength and power in children and adolescents.36,37 Although 1 RM testing is used in pediatric research settings and youth sport facilities, alternative measures (handgrip strength, long jump, and vertical jump) correlate with 1 RM strength and may be used to evaluate muscular fitness in youth.38 Research indicates that 1 RM testing in children and adolescents can be safe and efficacious when established testing protocols are followed by qualified professionals.36,37,39,40

Mechanisms of Strength Gains

Proper resistance training in children can enhance strength without resultant muscle hypertrophy. These strength gains are attributed primarily to a neurologic mechanism whereby training increases the number of motor neurons that are "recruited" to fire with each muscle contraction,41,42 This mechanism accounts for the increase in strength in populations with low androgen concentrations, including girls and preadolescent boys. In contrast, resistance training during and after puberty augments muscle growth by actual muscle hypertrophy.11 Early studies regarding resistance training involved nonathletic children, but an increasing number of studies are being conducted with competitive young athletes.43,44 Further research is needed in the area of long-term

strength improvements with resistance training programs in young athletes and the effect on the neurologic mechanism of motor unit recruitment.

Performance Enhancement and Other Uses of Resistance Training

Increases in strength with resistance programs have shown improvement in some performance measures, such as vertical jump, countermovement jumps, and sprint time6,45-47 as well as improved maximal oxygen uptake with combined resistance and aerobic training programs.48 Resistance training combined with aerobic training does not appear to impair strength gains in youth and may be more beneficial than single-mode training,32,49 Translation of those improvements to overall athletic performance on the field or court may be more difficult because so many variables are involved with actual performance, making it challenging to separate the contribution from resistance training alone. However, positive results in the area of performance measures, along with other aspects of sport, such as injury rehabilitation and injury reduction, make resistance training a valuable piece of the training landscape and foundational to long-term athletic development. 50,51

Prehabilitation

Preventive exercise (prehabilitation) uses resistance training to address and focus on joints that are commonly at risk for overuse injuries (ie, enhancing rotator cuff and scapular stabilization strength preventively to reduce shoulder injury in athletes who are involved in overhead sports, such as baseball, softball, tennis, volleyball, swimming, and water polo). Research in adolescent athletes has shown resistance training to contribute to decreased injuries.5-7,14,52,53 Injury prevention programs may have greater effectiveness when started before the period of altered

biomechanics that increase injury risk.54-56

Various prehabilitation studies are finding positive results in the reduction of anterior cruciate ligament injuries, especially when resistance training exercises are combined with plyometric exercises.5-7,45,52,57 Plyometric training involves the use of rapid concentric and eccentric muscle actions to enhance muscle strength and power in a relatively short amount of time, such as squat jumps. Plyometric exercises may benefit performance 58-60 and reduce the risk of injury. When combined with proprioceptive training (ie, balance exercises), these programs have also been shown to be beneficial in rehabilitation and reduction of certain injuries, such as ankle sprains, 61

RESISTANCE TRAINING RISKS

Injury rates in youth resistance training settings that adhere to qualified supervision and proper technique are lower than those occurring in other sports or general recess play at school.4 On the basis of years of research in this area, there is less concern for injury from supervised, well-designed, and technique-driven resistance training and more concern for injuries that occur because of poor supervision, an inappropriate progression of training loads, or low strength reserves in youth who are not prepared for the demands of sports practice and competition.

Overtraining Risks

Resistance training has more of a place in injury reduction than in the cause of injury. However, prolonged training with heavy loads and resistance training without adequate rest and recovery between sessions have been correlated with increased injuries and illness, 62-64 thus requiring similar attention as with other sources of overtraining and

sensible incorporation into the yearly training schedule. It is important to account for time spent in resistance training as part of total training time to reduce the risk of overuse injuries. Resistance training can be incorporated into a year-round plan that varies in volume and intensity depending on the sport season (eg. preseason, in season, or off season).

The AAP recommends rest from competitive athletics, sport-specific training, and practice by taking at least 1 to 2 days off per week to allow for physical and psychological recovery. ⁶⁵ Adequate fluid and caloric intake is necessary to provide the fuel to exercise, compete, recover, and grow. ^{66,67} Athletes participating in high levels of training volume who are underrecovered and undernourished are at risk for overtraining, injury, and illness. ^{68,69}

Skeletal Risks

Appropriately designed resistance training programs have no apparent negative effect on linear growth, physeal health, or the cardiovascular system.7,22 Explosive contractions of the muscle-tendon attachment at apophyseal areas during active play, sports, or lifting weights may increase the risk of avulsion fracture until closer to skeletal maturity. 70,71 Resistance training safety is enhanced when teachers, coaches, and instructors ensure a safe training environment and use developmentally appropriate teaching strategies, focus on enhancing RTSC, and have an appropriate instructor/participant ratio. This ratio can vary on the basis of the expertise of the instructor, program design, and training age and RTSC of participants.

National Electronic Injury Surveillance System

Results of the US Consumer Product Safety Commission's National Electronic Injury Surveillance System (NEISS) have raised concerns about

injuries from the use of weights and resistance training. The NEISS collects data on injuries related to strength training equipment but does not provide information on supervision, program design, or training experience. This system warrants mentioning in this report to reduce conflicting information among the general public who read NEISS information. Careful interpretation of NEISS data is needed because most injuries reported from resistance training occur on home gym equipment with unsafe behavior in unsupervised settings.72 These data are in stark contrast to data from well-designed studies with appropriate supervision and technique, making education of parents necessary to reduce confusion about the risks associated with resistance training in the youth population. 12,73-75

NEISS data suggest that muscle strains account for many of the reported injuries, and areas that are most commonly injured are the hand, low back, and upper trunk; recent NEISS data also suggest that hand injuries are particularly common in children <12 years old. 76,77 NEISS data neither specify the cause of the injury (ie, attempting to lift a heavy load with poor technique) nor separate recreational from competitive weightlifting or powerlifting injuries, but the data support the need for qualified supervision and equipment that are appropriate for the size and skill level of youth involved in resistance training.

Various intense metabolic conditioning programs incorporate different types of resistance training, running intervals, and repetitive body weight exercises, such as plyometrics, into training sessions. This type of high-intensity circuit training is typically characterized by the performance of a maximum number of repetitions of selected exercises for a predetermined time interval. In

adult metabolic conditioning programs, the shoulder, knee, and low back are most commonly injured, ⁷⁸ but safety in the pediatric population is undetermined because of a lack of current data. As with any type of resistance training, it is important to have proper exercise technique, qualified supervision, and adequate recovery between intense training sessions.

Medical Conditions

Certain health situations require special attention before beginning a resistance training regimen. Athletes with poorly controlled, preexisting hypertension require consultation with a medical professional because of the risk of marked elevation of blood pressure during resistance training with weights. Using one's own body weight is an acceptable alternative until a consultation can be obtained. 79,80 Consultation with a medical professional regarding resistance training is also required for young athletes with uncontrolled seizure disorders,81 although resistance training has been determined to be safe in children with underlying seizures that are well controlled on medication.81,82

Some children and adolescents may be disqualified from participation in resistance training because of certain medical conditions. Counseling against resistance training is necessary for youngsters with hypertrophic cardiomyopathy who are at risk for worsening ventricular hypertrophy and restrictive cardiomyopathy or hemodynamic decompensation secondary to an acute increase in pulmonary hypertension.⁸³ Resistance training should be avoided in individuals with pulmonary hypertension because of a risk of acute decompensation during a sudden change in hemodynamics as well as those with Marfan syndrome.83

Although exercise interventions that include resistance training may be beneficial for youth with cancer, 84 certain chemotherapeutic agents require caution. Youth with a previous history of cancer treated with anthracycline chemotherapy are at increased risk for cardiotoxicity and acute congestive heart failure during resistance training, as evidenced by case reports associated with doxorubicin, daunomycin or daunorubicin, idarubicin, and possibly mitoxantrone. 85

Misconceptions and Evidence

The health supervision visit is a good opportunity to explore the topic of resistance training, dispel the myths associated with this type of exercise (Table 2), and discuss the importance of staying physically active and strong. These visits can allow for the identification of risk factors for injury; discussion of family history, medical conditions, medications, previous injuries, as well as training goals; motivation for resistance training; discussion of experience; and discussion of expectations from both the child and parents. It is valuable for pediatricians to counsel families about the multiple health and fitness benefits of resistance training, including improvements in muscular strength, muscular power, sports performance, injury resistance, and long-term athletic development.

Performance-Enhancing Substances

The AAP strongly opposes the use of performance-enhancing substances and vigorously endorses efforts to eliminate their use among children and adolescents.86 Information is available for health care providers to provide regarding the risks and health consequences of anabolic steroids and other performanceenhancing drugs as well as to discourage youth from considering their use. For instance, the AAP has a training simulation on addressing the use of performance-enhancing substances (available at www.aap. kognito.com).

Integrative Neuromuscular Training

In this era of sedentary pursuits of technology and social media, keeping children and adolescents active and optimally developing motor skills, muscular fitness, and physical literacy is challenging. No longer can it be assumed that children innately know how to run, hop, jump, and throw. Integrative neuromuscular training is a multimodal form of training that uses resistance exercises, dynamic stability, core exercises, and plyometric and agility training performed in short intervals with intermittent periods of rest. 26,87 Integrative neuromuscular training can improve muscular fitness in youth, enhance motor skill development, improve sports

performance, and decrease sports injury risk. 12,87

It is difficult to say at what age a child can begin resistance training because of developmental differences. If a child is able to begin participating in sports activities at 5 years of age, being able to begin some type of resistance training with body weight movements at that age is acceptable because strength gains can be made in ways other than lifting external loads. An age range of 5 to 7 years is when many children are often involved in sports participation, and it is reasonable that they can also benefit from the strength-building process with exercises such as frog jumps, bear crawls, crab walks, kangaroo hops, and one-leg hops. 88 The one-leg hop is a skill most 5-yearolds should be able to perform,89 although the ability to perform more complex movements will be influenced by the amount of time youth have practiced basic skills and reinforced desired movement patterns. The combination of qualified instruction with techniquedriven progression is likely to yield the greatest benefits for youth at any age.

Training Age

The more recent concepts of "training age" and RTSC can be used in the design of a resistance training program. Training age refers to the

TABLE 2 Misconceptions Versus Evidence

I RM testing is unsafe for youth.

Missannoantions

Misconceptions	ENGENCE
A child is unable to increase strength before puberty	Prepubertal children are able to gain strength by an increase in neurologic recruitment of muscle fibers, and gains in strength can be made with low injury rates if resistance training programs are well supervised with an emphasis on proper technique.
Young boys and girls may get "muscle bound" if they resistance train	Prepubertal strength gains occur by neurologic mechanisms, and pubertal gains may augment muscle growth by actual muscle hypertrophy enhanced by pubertal hormones.
Resistance training may decrease aerobic performance in youth.	Improvements in aerobic performance have been shown with combined aerobic and resistance training programs, and combined aerobic and resistance programs do not appear to impair strength gains in children.
Resistance training may stunt growth.	Well-designed resistance training programs have not been shown to have a negative effect on physical

(growth plate) fleath, linear growth, and cardiovascular health in youth.

Children are stronger now than ever before. There is a need to target strength deficits and build strength reserves due to declining measures of muscular fitness in modern-day youth.

1 RM testing may be a safe method for assessing muscular strength in youth provided that qualified supervision is present and appropriate testing guidelines are followed.

Caldinana

cumulative amount of time spent in formalized training, and RTSC incorporates the quantity of weight lifted, the quality of the lifting movement, and the emotional maturity of the athlete.26,90 As the athlete's RTSC advances, higher loads may be used in a technique-driven process, and a gradual progression of incorporating skills requiring higher degrees of technical ability may be included (ie, more advanced weightlifting movements and plyometric exercises).7 Understanding training age and the importance of RTSC allows for developmentally appropriate, progressive training rather than relying on previous recommendations based solely on chronological age. With earlier participation in welldesigned and properly supervised resistance training, a 10-year-old girl may already have 3 years of resistance-training experience versus a 14-year-old boy who is a beginner and has a resistance training age of 0.

Ways and Means of Improving Strength

Gains in strength can be acquired via various types of resistance training methods and equipment, including body weight, free weights, resistance bands, kettlebells, medicine balls, and child-size machines. Most fitness centers use equipment made for adult bodies and greater weight increments, but child-appropriate machines are available in some youth centers across the country. Dumbbells, kettlebells, and medicine balls require good balance control and technique while being small in size, portable, and allowing for sportspecific motions.

The Use of Weightlifting Movements

The competitive sport of weightlifting includes the snatch and the clean-and-jerk exercises, whereas weightlifting movements include derivatives of these exercises.

Research has demonstrated that this type of weightlifting training is

superior in improving countermovement jumps, horizontal jumps, and 5- and 20-m sprints over traditional resistance training.47,91 Research has demonstrated that if light loads are used to learn these complex movements, and ongoing quality instruction is available for technique-driven progression, then weightlifting exercises and their derivatives can be incorporated into youth training programs safely.7 Learning how to perform these multijoint lifts correctly requires considerable time and coaching expertise. Performing these multijoint movements in childhood can help youth gain competence and confidence in performing these skills. If weightlifting movements are going to be incorporated into a youth training program, the following guidelines are to be considered.

- Advance in a gradual fashion, learning the lifts with a wooden dowel then progressing to an unloaded, light barbell and finally to a weighted barbell, focusing on proper form throughout the technique-driven progression.
 These weightlifting movements can be incorporated into beginner programs but will depend on the goal of the program and quality of instruction available.
- Consider training age and RTSC level, which will vary individually on the basis of cumulative training and level of instruction.
- Perform under the guidance of a professional with requisite coaching certifications, such as a certified strength and conditioning specialist (National Strength and Conditioning Association), accredited strength and conditioning coach (UK Strength and Conditioning Association), or USA weightlifting coach (USA Weightlifting).

Competitive bodybuilding is the application of resistance training principles specifically for the appearance-related purposes of maximizing muscle mass, symmetry, and body definition. Endogenous anabolic hormones are necessary for the increased muscle mass that is the primary goal of bodybuilding. "Late bloomers" are often tempted to try to build muscle mass by increasing the intensity and volume of training; however, there is no substitute for the onset of puberty, and increased training does not hasten the biological clock. Concerns about abnormal eating behaviors, excessive focus on body image, or use of anabolic agents and other performance-enhancing substances warrant careful screening for these behaviors in any adolescent who pursues competitive bodybuilding,

Resistance Training Roadmap

Suggestions for youth who are engaged in a resistance training program are as follows.

- Qualified instructors with appropriate certifications who understand youth resistancetraining principles and the physical and psychosocial uniqueness of youth should provide real-time feedback to ensure safe and correct movement development.
- Begin with 1 to 2 sets of 8 to 12 repetitions using a low resistance training intensity (ie, ≤60% 1 RM) as proper technique is developed. A low resistance training intensity allows for the completion of 8 to 12 repetitions of a variety of exercises without undue fatigue.
- As RTSC improves and can be demonstrated consistently, it is reasonable to increase weight in 5% to 10% increments and reduce the number of repetitions.
- The program can be progressed to 2 to 4 sets of 6 to 12 repetitions with a low to moderate training intensity (≤80% 1 RM).
- Young athletes can be introduced to periodic phases of lower

repetition ranges (<6) at a higher training intensity (>80% 1 RM) provided that RTSC is high.³⁰

- When performing more complex, multijoint exercises, such as weightlifting, the importance of completing all repetitions with proper technique is vital to achieve proper motor control development. During this type of resistance training, fewer repetitions (eg, 1-3) may be productive to aid in motor control development.
- Include all muscle groups, including core muscles, in a resistance training program.
- Perform the various exercises through the full range of motion with proper technique.
- Perform exercises in a particular sequence during training. In general, work large muscle groups before small muscle groups and complex, multijoint exercises before single-joint exercises.
- Achieving strength gains require sessions to be at least 20 to 30 minutes long and performed 2 to 3 times per week on nonconsecutive days while gradually increasing resistance training intensity and volume as strength and RTSC improve.
- Keep the resistance training stimulus effective and enjoyable by periodically varying the exercises, sets, and repetitions.
- Use dynamic warm-up exercises integrated into the training session followed by cool-down periods with appropriate stretching techniques.
- Youth resistance training programs should be technique driven and consistent with the needs, abilities, and maturity level of the participants.

Guidelines have been proposed by the National Strength and Conditioning Association⁵ and the 2014 International Consensus position statement on youth resistance training.⁷

Resistance training is highly encouraged as part of a multifaceted approach to physical literacy, exercise, strength building, fitness, and athletic performance in youth. It is valuable to emphasize that combining aerobic training with resistance training also offers long-term benefits for general health and fitness. Important factors concerning child health are fueling the need for resistance training for all youth. Trends of decreasing muscular fitness in youth and the requirement of strength for competency in movement skill development are important and make it meaningful for families to be aware of the benefits of integrating strength-building activities into a well-rounded exercise program for general physical fitness, sports participation, and lifelong health and wellbeing. It is also important for youth who are involved in resistance training to be able to participate in a safe, supportive, and nonabusive environment. Health care providers, parents, and coaches who are interested in learning more are referred to the US Center for SafeSport (www.safesport.org) and the AAP clinical report on organized sports.92

RECOMMENDATIONS

The necessity and appropriateness of a youth resistance training program are determined on the basis of the program goals and RTSC of participants. Proper exercise technique and qualified supervision are necessary for youth resistance-training programs to be safe, effective, and enjoyable. With enthusiastic instruction, constructive feedback, and program variation, resistance training can become a lifetime activity. Recommendations for a youth resistance training program are as follows.

 Obtain consultation with a medical professional before

- beginning a resistance training program in youth with uncontrolled hypertension, uncontrolled seizure disorders, specific cardiovascular conditions, or a history of treatment with an anthracycline chemotherapeutic agent.
- Seek consultation with a pediatric cardiologist for children with complex congenital cardiac diseases for guidance on safety and possible modification of participation.
- Integrate aerobic and resistance training along with other skillrelated fitness components into developmentally appropriate exercise training (ie, integrative neuromuscular training) to create a comprehensive fitness program.
- In youth with overweight or obesity, start with basic resistance exercises over a more aerobically based program to support and encourage successful physical activity both short- and long-term.
- Include dynamic warm-up exercises in the training session and cool down with less intense stretching.
- Encourage participants to have an adequate intake of fluids and proper nutrition because both are important for energy storage, recuperation, and competition.
 Proper fuel is beneficial for the caloric demands of exercise, performance, recovery, and growth.
- Assess RTSC and provide realtime feedback on exercise technique to minimize risk and maximize benefit from resistance training. This can be achieved by the following.
 - Exercises should be performed initially with little or no load until RTSC improves and proper technique has been mastered.

- Incremental loads may then be added by using either body weight or other forms of resistance as long as proper form can be maintained.
- In youth with more advanced training age, higher loads and intensities will be necessary to increase muscular strength and power in preparation for sports. 30,43,44
- 1 RM testing may be appropriate to develop an individualized resistance training program and monitor progress.
- 8. Address all major muscle groups of the upper and lower body along with the core and include multijoint activities, such as squats and weightlifting exercises, for a comprehensive program for building muscular strength and power. These exercises may be complemented by adding more focused exercises to address sportspecific goals.
- Sensibly incorporate resistance training and account for time spent in resistance training as part of the total training plan to reduce the risk of overuse injuries. Monitoring time spent resistance training in schooland community-based programs in addition to other types of training is important to account for true total training volume.⁹³
- Evaluate any symptom of illness or sign of injury or overuse from resistance training or sport

- participation before allowing the exercise program to resume.
- Incorporate weightlifting exercises and their derivatives into an exercise program under the direction of a qualified professional. Progress from a wooden dowel to an unloaded barbell as RTSC improves.
- Educate athletes about the risks associated with the use of performance-enhancing substances and/or drugs and anabolic steroids to discourage the use of such substances.
- 13. Enhance resistance training safety by using professionals who are qualified, trained, and aware of the unique aspects of youth and possess a recognized strength and conditioning certification. Instructor/ participant ratio is important and depends on the experience of the instructor as well as the training age and RTSC of participants. Licensed physical education teachers and certified fitness professionals with understanding and experience in training youth may provide safe and effective programs for children and adolescents, and young athletes may receive qualified instruction from their high school coaches or strength and conditioning specialists.94
- Use proper technique and supervision by a qualified professional as necessary safety components in any resistance training program involving children and adolescents.

LEAD AUTHORS

Paul R. Stricker, MD, FAAP Avery D. Falgenbaum, EdD, FACSM, FNSCA Teri M. McCambridge, MD, FAAP

COUNCIL ON SPORTS MEDICINE AND FITNESS EXECUTIVE COMMITTEE, 2017-2018

Cynthia R. LaBella, MD, FAAP, Chairperson M. Alison Brooks, MD, FAAP, Chairperson-Elect Greg Canty, MD, FAAP Alex B. Diamond, DO, FAAP William Hennrikus, MD, FAAP Kelsey Logan, MD, FAAP Kody Moffatt, MD, FAAP Blaise A. Nemeth, MD, MS, FAAP K. Brooke Pengel MD, FAAP Andrew R. Peterson MD, MSPH, FAAP Paul R. Stricker, MD, FAAP

LIAISONS

Donald W. Bagnall - National Athletic Trainers Association Mark E. Halstead, MD, FAAP - American Medical Society for Sports Medicine

CONSULTANTS

Michele LaBotz, MD, FAAP Andrea Stracciolini, MD, FAAP

STAFF

Anjie Emanuel, MPH

ABBREVIATIONS

1 RM: 1-repetition maximum AAP: American Academy of Pediatrics

NEISS: National Electronic Injury Surveillance System RTSC: resistance training skill

competency

FINANCIAL DISCLOSURE: The authors have indicated they have no financial relationships relevant to this article to disclose.

FUNDING: No external funding

POTENTIAL CONFLICT OF INTEREST: The authors have indicated they have no potential conflicts of interest to disclose.


Resistance Training for Children and Adolescents

Paul R. Stricker, Avery D. Faigenbaum, Teri M. McCambridge and COUNCIL ON SPORTS MEDICINE AND FITNESS

Pediatrics 2020;145;

DOI: 10.1542/peds.2020-1011 originally published online May 26, 2020;

Updated Information & including high resolution figures, can be found at: Services http://pediatrics.aappublications.org/content/145/6/e20201011 References This article cites 93 articles, 20 of which you can access for free at: http://pediatrics.aappublications.org/content/145/6/e20201011#BIBL Subspecialty Collections This article, along with others on similar topics, appears in the following collection(s): Current Policy http://www.aappublications.org/egi/collection/current_policy Council on Sports Medicine and Fitness http://www.aappublications.org/cgi/collection/council_on_sports_me dicine_and_fitness Sports Medicine/Physical Fitness http://www.aappublications.org/cgi/collection/sports_medicine:physical fitness sub Permissions & Licensing Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.aappublications.org/site/misc/Permissions.xhtml Reprints Information about ordering reprints can be found online: http://www.aappublications.org/site/misc/reprints.xhtml





DEDICATED TO THE HEALTH OF ALL CHILDREN®

PEDIATRICS

Resistance Training for Children and Adolescents


Paul R. Stricker, Avery D. Faigenbaum, Teri M. McCambridge and COUNCIL ON SPORTS MEDICINE AND FITNESS

Pediatrics 2020;145;

DOI: 10.1542/peds.2020-1011 originally published online May 26, 2020;

The online version of this article, along with updated information and services, is located on the World Wide Web at: http://pediatrics.aappublications.org/content/145/6/e20201011

Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2020 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.







අබනපන අමාතකංශය கல்வி அமைச்சு Ministry of Education

'ඉසුරුපාය', බන්තරමුල්ල, ශී් ලංකාව. 'இசுருபாப', பத்தரமுல்ல, இலங்கை.

♦ +94112785818
♦ www.moe.gov.lk

මගේ යොමුව බොදුයු இත. My Ref.

ED/9/15/2/3/@806

සියම යොමුව දෙ.ගළු මුදෙ. Your Ref.

දිනය නිසනි Date

2022.03. 1

වකුලේඛ අංකය: 03/2022

සියලුම පළාත් අධ්යාපත ලේකම්වරුන්, සියලුම පළාත් අධ්යාපත අධ්යක්ෂවරුන්, සියලුම කලාප අධ්යාපත අධ්යක්ෂවරුන්, සියලුම කොට්ඨාස අධ්යාපත අධ්යක්ෂවරුන්, සියලුම වසුනල්පතිවරුන්, සියලුම වසුලේ කි්ඩා සංගම සතාපතිවරුන් වෙත,

පංසල් කුීඩා

පාසල් දරුවත් කායික, මානසික, සාමාජික හා ආධායක්මික සුවකාවයෙන් පරිපූර්ණ කිරීමේ ඉලක්ක සපුරා ගැනීම සඳහා "සෑම දරුවකුම අනිචාර්යයෙන් කිරීම කියාකාරකමක් කළ යුතුය" යන සංකල්පය මූලික කර ගනිමින් කිරිම කියාකාරකම්වල නිරතවන දරුවන්ගේ එම නිපුණතාව හා හැකියාවන් මැන බැලීමත්, රට නියෝජනය කර ජාතාන්කරය සඳහා යොමු කිරීමත් අරමුණු කර ගනිමින් අධායපන අමාතනාංශය මහින් පවත්වන සමස්ත ලංකා පාසල් කිරීඩ කරග සඳහා මෙම චකුලේඛය කියාත්මක වේ. පාසල් ශිෂා ශිෂාරාවන් සඳහා පවත්වන අනෙකුත් සියලු කරගාවලි සඳහා ද මෙම චකුලේඛයේ 1.1 යටතේ ඇති පොදු නීතිරිති අදාළ වේ. පාසල් කිරීඩ තරග පැවැත්වීම සම්බන්ධව මෙයට පෙර නිකුත් කරන ලද සියලු උපදෙස් සංගුත හා චකුලේඛ මෙයින් අවලංගු වේ.

1.1 පොදු නීති රීති

- 1.1.1 සියලුම පාහල් ක්‍රීඩා තරග සඳහා නියෝජනය කළ හැක්ෂක් ශ්‍රී ලංකා ප්‍රථවැසිභාවය සතික පාසල් ශිෂා / ශිෂානවන්ට පමණි. පාසල් තැර ගිය සිසුන්ට මෙම තරග සඳහා සහභාගී විය නොහැකිය.
- 1.1.2. නිවාසාන්තර/කොට්ඨාස/කලාප/පළාත්/ජාතික මට්ටමේ සමස්ක ලංකා පාසල් ස්‍රීඩා තරග සඳහා සහභාගී වන පාසල් ශිෂා / ශිෂාාවන් කරග පැවැක්වෙන වර්ෂයේ දෙසැම්බර් 31 වන දිනය ද ඇතුළත් ව එදිනට නියමිත වයස් සිමාව තුළ සිටිය යුතු ය. තවද පාසල් ස්‍රීඩා සංගම මහින් පවත්වන තරග සඳහා වයස් සීමා ගණනය කිරීම ඒ ඒ පාසල් ක්‍රීඩා සංගම විසින් තීරණය කළ යුතුය.
- 1.1.3 වයස අවුරුදු 12 න් පහළ ශිෂා ශිෂාාවන් සඳහා කිසිදු ක්‍රීඩාවක් තරගකාරීව නොපැවැත්විය යුතුය. පසලේ සංගම් මගින් පවත්වන ක්‍රීඩා තරගවලදී වයස අවුරුදු 13 න් පහළ ලෙස තරග පවත්වන්නේ නම් එම තරග සඳහා සහභාගී කර ගත හැකි වන්නේ වයස අවුරුදු 12 ට වැඩි ක්‍රීඩක ක්‍රීඩකාවන් පමණි. වයස අවුරුදු 12 න් පහළ කරගකාරීව තරග සංවිධානය කරන්නේ නම් රීට අධාහපන අමාකාහංශයේ අනුමැතිය ලබා නොදෙන අතර අවුරුදු 12 න් පහළ ක්‍රීඩකාවන් සඳහා ක්‍රීඩා හඳුන්වාදීමේ හා ආකර්ෂණය කර ගැනීමේ විනෝදාත්මක ඉසර් සංවිධානය කළ හැකිය.
- 1.1.4. සෑම ක්‍රීඩා කණ්ඩායමක් භාරවම ව්දුහල්පතිවරයාගේ ලිපියක් සතිකව ගුරුවරයකු සහභාගිවිය යුතුය. ශිෂාතවන් සහභාගි වන්නේ නම ගුරු මහත්මියක අනිවාර්යයෙන් සහභාගි විය යුතුය.

லிர் சூர்பாகமுல் கௌரவ அமைச்சர் Hon, Minister © +94112784832

+94112784825

A minister.education@moe.gov.lk

Germannia Secretary © +94112784811 • +94112785162

5% secretary.education@moe.gov.lk

- 1.1.5. ක්‍රීඩා තරග සඳහා ඉදිරිපත්වන සෑම ක්‍රීඩක ක්‍රීඩිකාවක්ම පාසල් ශිෂය/ශිෂපාවන්ට යෝගන බාහිර පෙනුමෙන් හා ඇඳුම් පැළඳුම්වලින් යුක්තව සිටිය යුතු අතර ශිෂය/ශිෂපාවන්ට උචිත විනයානුකූල හැසිරීමක් ක්‍රීඩා පිටියේ දී මෙන්ම ඉන් පිටත දී පවත්වා ගැනීම අනිවාර්ය වේ. ක්‍රීඩකත්වය හා සාධාරණ තරගය යන ජීව ගුණයන් ආරක්ෂා කරමින් තරග වැදීම ක්‍රීඩක ක්‍රීඩකාවන්ගේ වගකීමකි.
- 1.1.6. සෑම ක්‍රීඩක /ක්‍රීඩිකාවකගේම වයස සනාථ කිරීම සඳහා විධිමත් උප්පැන්න සහතිකයේ මුල් පිටපන ඉදිරිපත් කළ යුතුය. දික්කික් රෙජ්ස්ටුංර්වරයා විසින් අනුසහතික කළ පිටපත ද විධිමත් උප්පැන්න සහතිකය ලෙස පිළිගනු ලැබේ.
- 1.1.7. තරගවලට සහභාගි වන සියලුම ක්‍රීඩක / ක්‍රීඩිකාවන් තම අනනාාකාවය සතංථ කිරීම සඳහා ප්‍රද්ගලයින් ලියාපදිංචි කිරීමේ දෙපාර්තමේන්තුවෙන් නිකුත් කළ හැදුනුම්පත හෝ වලංගු විදේශ ගමන් බලපතුය ඉදිරිපක් කළ යුතුය. වයස අවුරුදු 15 සම්පූර්ණ නොවූ ක්‍රීඩක / ක්‍රීඩිකාවන් සඳහා පමණක් කැපැල් දෙපාර්තමේන්තුවෙන් නිකුත් කරන ලද කැපැල් හැදුනුම්පත ඉදිරිපක් කළ හැකිය.
- 1.1.8. කිසියම ශිෂායකුට/ශිෂාාවකට එක් වර්ෂයක දී එක් තරගාවලියක් නියෝජනය කළ හැක්කේ එක් පාසලකින් පමණි. එබැවින් යම ක්‍රීඩකයකු කොටඨාස හෝ කලාප හෝ දිස්තික් හෝ පළාත් තරග මට්ටමකට පෙනී සිට පාසලෙන් ඉවත්වී නව පාසලකට ඇතුළත්වූයේ නම එම තරගාවලියේ ඉදිරි තරග සඳහා ද තමා පෙර සිටි පාසලම නියෝජනය කළ යුතුය.
- 1.1.9. ශිෂායකු / ශිෂායවක වෙනක් පාසලකට ඇතුළක් වීමෙන් පසු එම ඇතුළත් වූ දිනයේ සිට වසරක කාලයක් ඇතුළත නව පාසල යටතේ ක්‍රීඩා කරගවලට ලියාපදිංචි වන්නේ නම ඔහු / ඇය දැනට ඉගෙනුම ලබන පාසල යටතේ ක්‍රීඩාවලට ඉදිරිපත්වීමට වීරුද්ධත්වයක් නොමැති බවට පසුගිය වසර තුළ ඉගෙන ගත් සියලුම පාසල්වල වීදුහල්පතිවරුන්ගෙන් ලිබින අවසරයක් ලබා ගෙන අධ්‍යාපන අමාතකංශයේ අධ්‍යාපන අධ්‍යක්ෂ, ශාරීරික අධ්‍යාපන හා ක්‍රීඩා වෙත ඉදිරිපත් කර අනුමැතිය ලබා ගත යුතු ය. 6 සේණිය හා 12 සේණිය සඳහා පළමුවරට ඇතුළත් වූ සිසුන්ට පාසල නියෝජනය කිරීමට ද ක්‍රීඩා පාසල් සඳහා ඇතුළත්වන ක්‍රීඩා ශිෂාත්වලාභින්ටද කම ක්‍රීඩා පාසල නියෝජනය කිරීමට ද ඉහත 1.1.8 ට යටත්ව මෙම නීතිය බල නොපැවැත්වේ.
- 1.1.10. කරගාවලියකට ඉල්ලුම්පතු කැඳවන අවස්ථාවේ දී ශිෂායකු ඉල්ලුම්පතු ඉදිරිපත් කරන පාසලට ඇතුලත් වී හිටිය යුතු අතර එහි දී ඉහත 1.1.9 අනුව කටයුතු කළ යුතුය.
- 1.1.11. දහතුන් වසරක අඛණ්ඩ අධ්‍යාපන වැඩසටහන ක්‍රියාත්මක වන පාසල්වල ව්‍යුහල්පති විසින් අදාල සිසුන් පාසලේ පූර්ණ කාලීනව දහතුන් වසරක අඛණ්ඩ අධ්‍යාපන වැඩසටහන යටතේ ඉගෙනුම ලබන බව ලිබිකව සහතික කිරීම අනිවාර්ය වේ. (අධ්‍යාපන අමාක්‍යාංශය විසින් ඊට අදාළ වකුලේඛ නිකුක්කර නියමික පරිදි 13 වසරක අඛණ්ඩ අධ්‍යාපන වැඩසටහන ක්‍රියාක්මක වන පාසල් පමණක් මෙයට අදාළ වේ.)
- 1.1.12. විවිධ ක්‍රීඩා සඳහා බලපාන සම්මක නීකි රීකිවලට අකිරේක ව අධ්‍‍යාපන අමාත්‍යාංශය මඟින් පනවනු ලබන නීකි රීකි අනුව තරග පැවැක්විය යුතුය.
- 1.1.13. අධානපන අමාතාහංශය මඟින් නිකුත් කරන චාර්ෂික දින දර්ශනයට අනුව ඉල්ලුම්පත් ඉදිරිපත් කිරීම, තරග පැවැත්වීම කළ යුතුය.

1.2 කීඩා තරග වර්ගීකරණය

- 1.2.1. පාසල් ශිෂාය / ශිෂායාවන් සඳහා සංවිධානය කරනු ලබන ක්‍රීඩා කරග පහත දක්වා ඇති පරිදි වර්ගීකරණය කර ඇත.
 - 1.2.1.1 සමස්ත ලංකා පාසල් කීඩා තරගාවලිය
 - 1.2.1.2 පාසල් කුීඩා සංගම් විසින් සංවිධානය කරනු ලබන කුීඩා කරග
 - 1.2.1.3 අධ්‍යාපන අමාක‍‍‍‍ යාංශයේ අනුමැතිය යටතේ ජාතික ක්‍රීඩා සංගම, දිස්තික් සංගම, ක්‍රීඩා සමාජ සහ වෙනත් පිළිගත් සංවිධාන විසින් සංවිධානය කරනු ලබන ක්‍රීඩා තරග
- 1.2.2. සමස්ක ලංකා පාසල් ක්රීඩා කරගාවලිය

මෙම කරගාවලිය පහක අදියරවලින් සමන්විකය.

- 1.2.2.1 පාසල් මව්ටම (නිවංසාන්තර කීඩා තරග)
- 1.2.2.2 කොට්ඨාස මට්ටම (කරග පැවැක්වීම පිළිබඳව පළාත් අධානපන දෙපාර්තමේන්තුවට හෝ කලාප අධානපන කාර්යාලයට තීරණයක් ගත හැකිය.)
- 1.2.2.3 කලාප මට්ටම
- 1.2.2.4 පළාත් මට්ටම
- 1.2.2.5 ජාතික මට්ටම
- 1.2.3. සමස්ත ලංකා පාසල් කි්ඩා තරග සඳහා සැම කණ්ඩායම තරග ඉල්ලුම් පතුයක්ම කණ්ඩායම හාර ගුරු හවතා, විදුහල්පති, කලාප අධ්‍යාපන අධ්‍යාක්ෂ සහ පළාත් අධ්‍යාපන අධ්‍යාක්ෂ සහතික කර තිබීය යුතු ය. සමස්ත ලංකා මට්ටමේ තරග සඳහා ඉල්ලුම්පතු භාර ගැනීමෙන් පසු කුමන අන්දමේ හෝ සංශෝධනයක් සිදු කරනු නොලැබේ.
- 1.2.4. සමස්ත ලංකා පාසල් කිුිඩා කරන සඳහා කිුිඩක, කි්ඩිකාවන් ඇතුලත් කිරීමට පළාත් අධ්යාපන දෙපාර්තමේන්තුව මනින් පිළිගත් අතියාවනා ඉදිරිපත් කර ඇති අවස්ථාවලදී ඒ පිළිබඳව සලකා බලනු ලබන්නේ එම කි්ඩකයා/කි්ඩිකාව මීට අනුයාත වර්ෂයේ දී සමස්ත ලංකා මට්ටමේ පාසල් කි්ඩාවලදී දක්වා ඇති දක්ෂතා සැලකිල්ලට ගෙනය. එසේ සලකා බලනු ලබන කි්ඩක කි්ඩිකාවන් අදාළ පළාතේ කි්ඩා තරග පවත්වන කාලසීමාවේ දී අධ්යාපන අමාකසංශයේ විධිමක් අවසරය පරිදි ශී ලංකාව නියෝජනය කරමින් විදේශ තරගාවලියක් සඳහා සහභාගී වී තිබීම හෝ රෝගාතුරව සිටීමක් නම් රජයේ කි්ඩා වෛදා ඒකකයකින් ලබා ගත් වෛදා වාර්තා ඉදිරිපත් කර තිබීම සලකා බලනු ලැබේ. එම කි්ඩකයා, ක්‍රීඩිකාව අනිවාර්යයෙන්ම තරග පවත්වන වර්ෂයේ කලාප මට්ටමේ තරග සඳහා ඉදිරිපත්ව සුදුසුකම් ලබා තිබිය යුතුය. සෘජුවම පළාත් මට්ටමේන් තරග පවත්වන කි්ඩාවක් (කේවල) නම් එම කි්ඩක ක්‍රීඩිකාවන් අනුයාත වර්ෂයේ දී ඉල්ලුම්කර ඇති ඉසව සඳහා සමස්ත ලංකා පාසල් කි්ඩා පුථම, දෙවන, තෙවන හෝ පරිසාධන මට්ටම ඉක්මවා තිබීය යුතු අතර පළාත් අධායපන දෙපාර්තමේන්තුවේ කි්ඩා විෂයහාර නිලධාරීවරයාගේ නිර්දේශ සමහ ඉල්ලුම් කළ යුතුය. එසේ වුවද තරගාවලියට ඇතුලත් කර ගැනීමේ තීරණය අභියාවනා කම්ටුව සතුවේ.

1.2.5.
නිවාසාන්තර ක්‍රීඩා තරගවලින් පසුව පංසල් ශිෂා, ශිෂාාවන්හට අදාළ වර්ෂය තුළ ඉදිරිපත් විය හැකි ක්‍රීඩා තරග පහත පරිදි වේ.

කුීඩා තරග	නොටඨාස මථවම	කලාප මඵවම	පළාක් මඑටම	ජාතික මව්ටම
01.මලල ක්රීඩා (බාලක / බාලිකා)	V	1	1	1
02.වොලිබෝල් (බාලක / බාලිකා)	4	1	1	1
03.නෙව්බෝල් (බාලිකා)	V	√	1	1
04.පාපන්දු (බාලක / බාලිකා)	V	4	1	1
05.එල්ලේ (බාලක / බාලිකා)	V	V	1	1
06.සැහැල්ලු පන්දු කිකට (බාලක / බාලිකා)	V	V	1	√
07.වෙස් (බාලක / බාලිකා)	0	0	1	1
08.කරාතේ (බාලක / බාලිකා)	0	0	1	- √
09.බැඩම්න්ටන් (බාලක / බාලිකා)	0	0	√	√
10.මේස පන්දු (බාලක / බාලිකා)	0	0	V	1
11.8හිනුම (බාලක / බාලිකා)	0	0	V	-V
12.කෝබෝල් (බාලක / බාලිකා)	0	0	1	1
13.කැරම (බාලක / බාලිකා)	0	0	1	1
14.ජිමනාභ්ටික් (බාලක / බාලිකා)	0	0	1	1
15.ඇරොබික් ජිමිතාස්ටික් (බාලක / බාලිකා)	0	0	1	√
16.රගර් සත් සාමාජික (බාලක)	0	0	1	V
17.කබඩ් (බාලක / බාලිකා)	0	0	1	1
18.වයිකොන්ඩෝ (බාලක / බාලිකා)	0	0	-√	√
19.වුෂු (බාලක / බාලිකා)	0	0	√	1
20.පැසිපන්දු (බාලක / බාලිකා)	0	0	V	1
21. හොක් (බාලක / බාලිකා)	0	0	1	1
22.ශාරීරික අභානස (බාලක / බාලිකා)	0	0	1	√
23.ලෙදර් පන්දු කිකට් (බාලක)	0	0	1	1
24.අර්ධ මැරතත් (බාලක / බාලිකා)	0	0	1	1
25.තැන්ඩ බෝල් (බාලක /බාලිකා)	0	0	1	√
26.වෙරළ වොලිබෝල් (බාලක / බාලිකා)	0	0	0	1
27.මල්ලවපොර (බාලක)	0	0	0	1
28.බොක්සිං (ඛාලක)	0	0	0	1
29.ජුඩෝ (බාලක / බාලිකා)	0	0	0	1
30.ටෙනිස් (බාලක / බාලිකා)	0	0	0	1
31.බර එසවීම (බංලක / බංලිකා)	0	0	0	1
32.පාපැදි (බාලක / බාලිකා)	0	0	0	1

සැ.යූ. - √ තරග පැවැත්වේ.

0 - කරග නොපැවැත්වේ.

සැ.යු. ඉහත සටහනෙන් දක්වා ඇති සෑම ක්රීඩාවක්ම මෙම වකුලේඛය නිකුත් වී වර්ෂ දෙකක් ඇතුලත අවම එක් පළාතකට පාසල් පහක්වන් (05ක්) වනසේ පළාත් නවයම ආවරණය වන පරිදි පාසල් 50 ක් හෝ ඊට වඩා වැඩි පාසල් සංඛ්‍යාවක වාහජ්ත වී පැවතිය යුතුය. එසේ වාහජ්තව නොමැති ක්රීඩා සමස්ත ලංකා මට්ටමින් තරග නොපවත්වා වාහජ්ත වී ඇති පළාත්වල පමණක් පළාත් මට්ටමෙන් තරග පැවැත්වීමට කටයුතු කරනු ලැබේ.

ජාතික මට්ටම සඳහා නව නීඩාවක් සුදුසුකම් ලැබීමට අවම වශයෙන් එක් පළාතකට පාහල් 05 ක්වත් වනසේ පළාත් පහක නියෝජනයක් තිබිය යුතුය. ජාතික මට්ටමට ඇතුළත් වී වසර දෙකක් ඇතුලත සියලුම පළාත්වල නව නීඩාව වසාප්තව පැවතිය යුතුය.

1.3 තරග විස්තර

1.3.1. මලල ක්රීඩා

- 1.3.1.1. මලල ක්රීඩා වයක් සීමා හා තරග ඉසව
 - 12 න් පහළ බාලක / බාලිකා (අවුරුදු 10 ව වැඩි අවුරුදු 12 ට අඩු)
 - 14 න් පහළ බාලක / බාලිකා (අවුරුදු 12 ව වැඩි අවුරුදු 14 ව අඩු)
 - 16 න් පහළ බාලක / බාලිකා (අවුරුදු 14 ට වැඩි අවුරුදු 16 ට අඩු)
 - 18 න් පහළ බාලක / බාලිකා (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු)
 - 20 න් පහළ බාලක / බාලිකා (අවුරුදු 18 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.1.2. ව්පූහල්පතිගේ අභිමතය පරිදි නිවාසාන්තර ක්‍රීඩා තරග සඳහා පමණක් වෙනක් වයස් කාණ්ඩ යටතේ ද තරග පැවැත්විය හැකිය.
- 1.3.1.3. අවුරුදු 12 න් පහළ බාලක/ඛාලිකා වයස් මට්ටම සඳහා පළාත් පරිසාධන මට්ටම ඉක්ම වූ සියලු ක්‍රීඩක / ක්‍රීඩිකාවන් ජාතික මට්ටම සඳහා ඉදිරිපත් කළ හැකි ය.
- 1.3.1.4. වයස අවුරුදු 12 න් පහළ කරග සඳහා පළමු, දෙවන හා කෙවන ආදී වශයෙන් ක්‍රීඩක ක්‍රීඩිකාවන්ට ජයග්‍රභණ ලබා නොදෙන අතර ජාතික පරිසාධන මථටම ඉක්ම වූ ක්‍රීඩක ක්‍රීඩිකාවන්ට කුසලතා සහතික පත්‍ර ලබා දීම සිදුකෙරේ. පරිසාධන මථටම ඉක්මවන සෑම අවස්ථාවකදී ම එම පාසලට ලකුණු 01 ක් බැගින් හිමිවේ.

1.3.1.5.

12 ත් පහළ බාලක / බාලිකා - (අවුරුදු 10 ව වැඩි - අවුරුදු 12 ව අඩු)

බාලක	බංලිකා
මීටර් 60	ම්ටර් 60
ම්බර් 100	ම්වර් 100
උස පැනීම	උස පැනීම
දූර පැනීම	දූර පැනීම
මීවර් 50 X 4	ම්වර 50 X 4

1.3.1.6.

14 න් පහළ බාලක / බාලිකා - (අවුරුදු 12 ට වැඩි - අවුරුදු 14 ට අඩු)

බාලක	බාලිකා	
ම්ටර් 80	ම්ටර් 80	
ම්බර් 100	ම්වර් 100	
මීටර් 80 කඩුලු (මී. 0.762)	ම්වර් 80 කඩුලු (මී. 0.762)	
උස පැනීම	උස පැනීම	
දූර පැනීම	දුර පැතීම	
යගුලිය දැමීම (කි.ගුෑම් 3)	යගුලිය දැමීම (කි .ගුෑම 3)	
මීවර් 100 X 4	ම්වර් 100 X 4	

1.3.1.7. 16 න් පහළ බාලක / බාලිකා - (අවුරුදු 14 ව වැඩි - අවුරුදු 16 ව අඩු)

බංලක	බාලිකා	
ම්බර් 100	ම්බර් 100	
ම්වර් 200	ම්බර් 200	
ම ටර් 400	ම්වර් 400	
ම්ටර් 800	ම්වර් 800	
ම්ටර් 100 කඩුලු (මි. 0.838)	ම්වර් 100 කඩුලු (ම.0.762)	
මටර් 300 කඩුලු 07 (මී.0.762)	ම්ටර් 300 කඩුලු 07 (මී.0.762)	
ම්බර් 100 X 4	ම්බර් 100 X 4	
ම්බර් 400 X 4	ම්බර් 400 X 4	
උස පැනීම	උස පැනීම	
දූර පැනීම	දුර පැනීම	
යගුලිය දැමීම (කි.ගුෑම 4)	යගුලිය දැමීම (කි.ගුැම් 3)	
කවපෙත්ත විසිකිරීම (කි.ගුෑම 1)	කවපෙත්ත විසිකිරීම (කි.ගුෑම 1)	
තෙල්ල විසිකිරීම (ගුම 600)	හෙල්ල විසිකිරීම (ගුළු 500)	

1.3.1.8 18 න් පහළ බාලක / බාලිකා - (අවුරුදු 16 ව වැඩි - අවුරුදු 18 ට අඩු)

බංලක	බාලිකා		
ම ටර් 100	ම ටර් 100		
ම ටර් 200	ම්ටර් 200		
ම්වර් 400	ම්බර් 400		
ම්වර් 800	මටඊ 800		
ම්වර් 1,500	ම්ටර් 1,500		
ම්වර් 110 කඩුලු (මී.0.914)	ම්වර් 100 කඩුලු (මී. 0.762)		
ම්වර් 400 කඩුලු (මි. 0.838)	ම්ටර් 400 කඩුලු (මී. 0.762)		
මීටර් 100 X 4	ම්බර් 100 X 4		
මීටර් 400 X 4	ම්බර් 400 X 4		
උස පැනීම	උස පැනීම		
දුර පැනීම	දුර පැනීම		
තුන් පිම්ම	තුන් පිම්ම		
රිට් පැනීම	රිට් පැනීම		
යගුලිය දැමීම (කි.ගුෑම 5)	යගුලිය දැමීම (කි.ගුෑම 3)		
කව පෙත්ත විසිකිරීම (කි.ගැම 1.5)	කව පෙත්ත විසිකිරීම (කි.ගුැම් 1)		
හෙල්ල විසිකිරීම (ගුළු 700)	හෙල්ල විසි කිරීම (ගුළම 500)		

1.3.1.9 20 න් පහළ බාලක / බාලිකා - (අවුරුදු 18 ට වැඩි - අවුරුදු 20 ට අඩු)

බාලක	බාලිකා	
ම්වර් 100	ම්වර් 100	
ම්ටර් 200	ම ටර් 200	
මීටර් 400	ම්බර් 400	
මීටර් 800	ම්වර් 800	
ම වර් 1,500	ම වර් 1,500	
ම්ටර් 5,000	ම්බර් 5,000	
ම්වර් 110 කඩුලු (මී. 0.990)	ම්වර් 100 කඩුලු (මී. 0.838)	
ම්ටර් 400 කඩුලු (මී. 0,914)	ම්වර් 400 කඩුලු (මී. 0.762)	
මීටර් 100 X 4	ම්බර් 100 X 4	
ම්වර් 400 X 4	ම්බර් 400 X 4	
උස පැනීම	උස පැනීම	
දුර පැනීම	දුර පැනීම	
තුන් පිම්ම	කුන් පිමම	
රිථ පැනීම	රිට පැනීම	
යගුලිය දැමීම (කි.ගුෑම 6)	යගුලිය දැමීම (කි.ගුෑම 4)	
කව පෙත්ත විසිකිරීම (කි.ගුෑම 1.75)	කව පෙත්ත විසිකිරීම (කි.ගුැම් 1)	
හෙල්ල විසිකිරීම (ගුැම 800)	හෙල්ල විසිකිරීම (ගුළු 600)	

1.3.1.10 කඩුලු දිවීමේ තරග සඳහා මිනුම

ඉසවිව	ආරම්භක රේඛාවේ සිට පළමු කඩුල්ලට දුර	කඩුලු අතර දූර	අවසාන කඩුල්ලේ සිට අවසාන රේඛාවට දුර	කඩුලු ගණන
මීටර් 80 කඩුලු	ම්බර් 12.00	මීවර් 8.00	මීටර් 12.00	08
මීටර් 100 කඩුලු	ම්වර් 13.00	ම්වර් 8.50	ම්බර් 10.50	10
මීටර් 110 කඩුලු	ම්වර් 13.72	ම්වර් 9.14	ම්බර් 14.02	10
මීටර් 300 කඩුලු	ම්බර් 50.00	ම්වර් 35.00	ම්බර් 40.00	07
මීටර් 400 කඩුලු	ම් ටර් 45.00	ම්වර් 35.00	ම්වර් 40.00	10

- 1.3.1.11 සමස්ක ලංකා පාසල් මලල කි්ඩා කරගාවලියේ සමස්ක ලංකා මටටම සඳහා වයස අවුරුදු 14,16,18, 20 න් පහළ වයස් සීමා සඳහා එක් තනි කරග ඉසව්වකට කි්ඩක ක්‍රීඩිකාවන් හතර (4) දෙනෙක් ද, සහය කරග ඉසව්වකට කණ්ඩායම තුනක් ද පළාත් මටටමින් ඉදිරිපත් කළ හැකි ය. කොට්ඨාස, කලාප සහ පළාත් මට්ටමේ කරග පැවැත්වීමේ දී ඒ සඳහා ඉදිරිපත් විය යුතු සංඛ්‍යාව අදාළ පළාත විසින් තීරණය කළ හැකිය.
- 1.3.1.12 වයක අඩුරුදු 18 න් පහළ සහ 20 න් පහළ වර්ණ පරිසාධන මට්ටම් ද, වයස අවුරුදු 12 න් පහළ පරිසාධන මට්ටම් ද සෑම වර්ෂයකම ජනචාරි මස 31 වැනි දිනට පුථම පළාත් විෂයභාර නි.අ.අ./ස.අ.අ. වෙක දැනුම් දෙනු ලැබේ.

1.3.2. වොලිබෝල් (බාලක / බාලිකා)

1.3.2.1. Dat 800

- අවුරුදු 16 න් පහළ (අවුරුදු 14 ට වැඩි අවුරුදු 16 ට අඩු)
- අවුරුදු 18 න් පහළ (අවුරුදු 16 ව වැඩි අවුරුදු 18 ව අඩු)
- අවුරුදු 20 න් පහළ (අවුරුදු 18 ට වැඩි අවුරුදු 20 ට අඩු)
- 1.3.2.2 කරග වට ගණන තීරණය කිරීම සංවිධායකයින් සතු ය.
- 1.3.2.3 සියලුම ක්‍රීඩකයින් තමන්ට හිමි අංක 1-18 දක්වා උඩුකය වැස්මේ පැහැදිලිව පෙනෙන සේ පැළඳ සිටිය යුතු ය. අංක නොපළඳින ක්‍රීඩකයින්ට තරග සඳහා සහභාගි වීමට ඉඩදෙනු නොලැබේ.

1.3.2.4. දැලේ උස පුමාණය

- අවුරුදු 16 න් පහළ බාලක මී.2.32 බාලිකා මී.2.12
- අවුරුදු 18 න් පහළ බාලක මි.2.43 බාලිකා මි.2.24
- අවුරුදු 20 න් පහළ බාලක මී.2.43 බාලිකා මී.2.24
- 1.3.2.5 ක්‍රීඩකයින් දෙළෙළාස් දෙනෙකු (12) ලේඛනගත කර තරග වදින කණ්ඩායම ඒ අයගෙන් තෝරාගත යුතුය.
- 1.3.2.6 පළාත් මට්ටමේ කරගවල දී පුළුම, දෙවන හා කෙවන ස්ථාන දිනා ගනු ලබන කණ්ඩායම ජාතික මට්ටමේ කරග සඳහා ඉදිරිපත් කළ හැකි ය.
- 1.3.2.7 ජාතයන්තර වොලිබෝල් තරග නීති අනුව තරග පවත්වනු ලැබේ.

1.3.3. නෙවබෝල් (බාලිකා)

1.3.3.1. වයස් සීමා

- අවුරුදු 16 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 16 ව අඩු)
- අවුරුදු 18 න් පහළ (අවුරුදු 16 ව වැඩි අවුරුදු 18 ව අඩු)
- අවුරුදු 20 න් පහළ (අවුරුදු 18 ව වැඩි අවුරුදු 20 ව අඩු)

1.3.3.2 තරග කාල සීමා

- අවුරුදු 16 න් පහළ විනාඩි 10 3 10
- අවුරුදු 18 න් පහළ විනාඩි 15 5 15
- අවුරුදු 20 න් පහළ විනාංඩි 20 5 20
- 1.3.3.3 සියලුම ක්‍රීඩ්කාවන් ස්ථාන නාම උඩුකයෙහි ඉදිරිපස හා පසුපස පැහැදිලිව පෙනෙන සේ පැළඳ සිටිය යුතු ය.
- 1.3.3.4 ක්‍රීඩිකාවන් 12 ක් ලේඛනගත කළ යුතු අතර එක් වරකට තරග කළ හැක්කේ උපරිම 07 දෙනෙකුට පමණි. අවමය 05 දෙනෙකු විය යුතු ය.
- 1.3.3.5 පළාත් මට්ටමේ කරගවල දී පුළුම, දෙවන හා තෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මට්ටමේ තරග සඳහා ඉදිරිපත් කළ හැකිය.
- 1.3.3.6 ජාතාන්තර නෙවිබෝල් තරග නීතිවලට අනුව තරග පවත්වනු ලැබේ.

1.3.4. පාපන්දු (බාලක / බාලිකා)

1.3.4.1. වයස් සීමා

බංලක

- අවුරුදු 16 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 16 ව අඩු)
- අවුරුදු 18 ක් පහළ (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු)
- අවුරුදු 20 න් පහළ (අවුරුදු 18 ව වැඩි අවුරුදු 20 ව අඩු)

බාලිකා

- අවුරුදු 20 න් පහළ (අවුරුදු 17 ව වැඩි අවුරුදු 20 ව අඩු)
- අවුරුදු 17 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 17 ව අඩු)
- 1.3.4.2. කණ්ඩායමකට ලියාපදිංචි කළ හැකි උපරිම ක්‍රීඩක/ක්‍රීඩිකාවන් සංඛ්‍යාව 18 දෙනෙකි. කරග වැදීම සඳහා එයින් 11 දෙනෙකු කෝරාගක හැකිය.
- 1.3.4.3. ක්‍රීඩක/ක්‍රීඩිකාවන් පිටියට පිවිසෙන විට තමන් හඳුනා ගැනීම සඳහා අංක පැළඳ සිටිය යුතු ය. එම අංක 1 සිට 18 දක්වා විය යුතු අතර තරග අංක නොපැළඳ සිටින ක්‍රීඩක/ක්‍රීඩිකාවන්ට ක්‍රීඩා කිරීමට අවසර දෙනු නොලැබේ.
- 1.3.4.4. තරග කාලය
 - චිනාඩි 25 05 25 (බාලක)
 - විතාඩි 20 05 20 (බාලිකා)
- 1.3.4.5. පළාත් මට්ටමේ තරගවල දී ප්‍රථම, දෙවන හා තෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මට්ටමේ තරග සඳහා ඉදිරිපත් කළ හැකි ය.
- 1.3.4.6. ජාතාන්තර පාපන්දු තරග නීති අනුව තරග පැවැත්වේ.

1.3.5. එල්ලේ (බාලක / බාලිකා)

- 1.3.5.1. වයස් සීමා
 - අවුරුදු 20 න් පහළ (අවුරුදු 14 ට වැඩි අවුරුදු 20 ට අඩු)
- 1.3.5.2. ක්‍රීඩක ක්‍රීඩිකාවන් 20 දෙනෙකු ලේඛනගත කර තරග වදින කණ්ඩායම ඒ අයගෙන් තෝරා ගත යුතු ය. කණ්ඩායමකට තරග කළ හැකි අවම ක්‍රීඩක ක්‍රීඩිකාවන් සංඛ්‍යාව 12 දෙනෙකු වන අතර උපරිම සංඛ්‍යාව 16 කි.
- 1.3.5.3. කරගාවලියේ අවසාන කරගය හැර සෙසු සියලුම කරග සඳහා කණ්ඩායමකට හිමිවනුයේ එක් ඉනිමකි.
- 1.3.5.4 කණ්ඩායමකට එක් ඉනිමක් සඳහා හිමි වන පන්දු වාර ගණන 40 කි. පන්දු වාර ගණන අවසාන වීමට පෙර කණ්ඩායමේ සියලුම කි්ඩකයින් / ක්‍රීඩිකාවන් දැවී ගියහොත් ඔවුන්ගේ ඉනිම අවසාන වේ.
- 1.3.5.5. පුහාරක පිලේ කිවනයකු / කිව්කාවක විසින්ම පන්දු යැවීම සිදු කළ යුතු ය.
- 1.3.5.6. පළාක් මට්ටමේ කරගවල දී ප්‍රථම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම ජාතික මට්ටමේ තරහ සඳහා ඉදිරිපත් කළ හැකිය.
- 1.3.5.7. ශ්‍රී ලංකා එල්ලේ සම්මේලනය විසින් පාසල් සඳහා සම්මක කර ඇති නීති අනුව තරග පැවැත්වේ.

1.3.6. සැහැල්ලු පන්දු කිකට (බංලක / බංලිකා)

- 1.3.6.1. වයස් සීමා
 - ෙඅවුරුදු 20 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.6.2. සිමිත හිවර කරගයක් ලෙස පැවැත්වේ. එක් කණ්ඩායමකට පන්දු හිවර 10 ක් හිමි වේ.
- 1.3.6.3. කණ්ඩායමකට ක්‍රීඩක ක්‍රීඩිකාවන් 15 ක් ඇතුළත් කළ යුතු අතර ක්‍රීඩා කළ හැක්කේ 11 දෙනෙකුට පමණි.අවම වශයෙන් තරගකරුවන් 09 දෙනෙකු තරගයට ඉදිරිපත් විය යුතු ය.
- 1.3.6.4. එක් අයකුට යැවිය හැකි උපරිම පන්දු ඕවර ගණන දෙකකි.
- 1.3.6.5. පළාක් මව්ටමේ දී ප්‍රථම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මව්ටමේ තරහ සඳහා ඉදිරිපත් කළ හැකි ය.
- 1.3.6.6 ශ්‍රී ලංකා සැහැල්ලු පන්දු ක්‍රිකට් ජාතික සංගමය සහ පාසල් සංගමයේ නීතිවලට අනුකූලව කරග පැවැත්වේ.

1.3.7. වෙස් (බාලක / බාලිකා)

- 1.3.7.1. වයස් සීමා
 - අවුරුදු 17 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 17 ව අඩු)
 - අවුරුදු 20 න් පහළ (අවුරුදු 17 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.7.2. කණ්ඩායමක් ක්‍රීඩකයින්/ක්‍රීඩිකාවන් 07 දෙනෙකුගෙන් සමන්විත විය යුතු ය. 06 දෙනෙකු තරග වදින අතර ඉතිරි ක්‍රීඩකයා/ක්‍රීඩිකාව අතිරේක වශයෙන් සලකනු ලැබේ.
- 1.3.7.3. තරග වට හයකින් (06) සමන්විත ය.
- 1.3.7.4. කවර හේතුවක් නිසා හෝ ඉදිරිපත් කරන කණ්ඩායම්වල ක්‍රීඩක/ක්‍රීඩකාවන්ගේ අනුපිළිවෙල වෙනස් කිරීමට ඉඩ දෙනු නොලැබේ.
- 1.3.7.5. පළාක් මට්ටමේ දී පුරම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන ක්රීඩක/ක්රීඩිකාවන් සහ කණ්ඩායම් ජාතික මට්ටමේ තරහ සඳහා ඉදිරිපත් කළ හැකි ය.
- 1.3.7.6. ජාතාන්තර වෙස් තරග නීති (පිඩේ) අනුව තරග පවත්වනු ලැබේ.

1.3.8. කරාතේ (බාලක / බාලිකා)

- 1.3.8.1 වයස් සීමා තුනටම අදාළව කාතා සහ කුම්කේ තනි තරග පැවැත්වේ.
- 1.3.8.2 කාතා තරග
 - 1.3.8.2.1 කාතා තනි තරග බාලක/බාලිකා
 - අවුරුදු 16 න් පහළ බාලක/බාලිකා කරග (අවුරුදු 14 ට වැඩි අවුරුදු 16 ට අඩු)
 - අවුරුදු 18 න් පහළ බාලක/බාලිකා කරග (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු)
 - අවුරුදු 20 න් පහළ බාලක/බාලිකා කරග (අවුරුදු 18 ට වැඩි අවුරුදු 20 ට අඩු)
 - 1.3.8.2.2 කණ්ඩායම කාතා සඳහා එක් පාසලකින් බාලක බාලිකා ලෙස වෙන වෙනම කණ්ඩායම දෙකක් පමණක් ඉදිරිපත් කළ හැකිය.
- 1.3.8.3 කුම්ලක් තරග
 - 1.3.8.3.1 කුම්කේ තනි තරග
 - අවුරුදු 16 න් පහළ (අවුරුදු 14 ට වැඩි අවුරුදු 16 ට අඩු)
 කුම්තේ (බාලිකා) 45kg , +45kg
 කුම්තේ (බාලක) 47kg , -57kg , +57kg

- අවුරුදු 18 න් පහළ (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු)
 කුමියක් (බාලිකා) 48kg, +48kg
 කුම්යක් (බාලක) 50kg, -61kg, +61kg
- අවුරුදු 20 න් පහළ (අවුරුදු 18 ට වැඩි අවුරුදු 20 ට අඩු)
 කුම්සේ බාලිකා 50kg, +50kg
 කුම්සේ බාලක 52kg, -67kg, +67kg

1.3.8.3.2 කුම්තේ කණ්ඩායම් තරග

කණ්ඩායම් කුමිකේ තරහ සඳහා එක් පාසලකින් බාලක බාලිකා ලෙස වෙන වෙනම කණ්ඩායම් දෙකක් පමණක් ඉදිරිපත් කළ හැකිය.

- 1.3.8.3.2.1 එක් කණ්ඩායමක් කි්ඩක/කි්ඩිකාවන් තුන්දෙනෙකුගෙන් සමන්විත විය යුතු අතර එම තිදෙනා එක් වයස් සීමාවකින් එක් අයකු බැගින් තෝරා ගත යුතුය.
- 1.3.8.4. කණ්ඩායම් කාතා සඳහා අවුරුදු 14 ව වැඩි හා අවුරුදු 20 ව අඩු වයස් සීමාවේ ඕනෑම කිදෙනෙකුට සහභාගී විය හැකිය. තරග ජයගුහණය ලබන අවසාන කණ්ඩායම් දෙක බුන්කායි (Bunkai) කුමය පුදර්ශනය කළ යුතු ය.
- 1.3.8.5. කුම්තේ තරගයක් සඳහා සහභාගීවන සැම ක්‍රීඩක, ක්‍රීඩකාවක්ම ශාර්රික යෝගාපතව පිළිබඳව මෛදාස වාර්තාවක් ඉදිරිපත් කළ යුතුය. එය ව්දුහල්පති විසින් පෞද්ගලිකව පරීක්ෂා කර සනාථ කළ යුතුය. මීට අමතරව ඉදමාපිය කැමැත්ත පළ කළ ලිපියක් ද ඉදිරිපත් කළ යුතු ය.
- 1.3.8.6. පළාත් මට්ටමේ දී කේවල කරගවලින් ප්‍රථම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කිදෙනා ද, කණ්ඩායම් කරගවලින් ප්‍රථම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් තුන ද ජාතික මට්ටමේ කරග සඳහා ඉදිරිපත් කළ හැකි ය.

1.3.9. බැඩමින්ටන් (බාලක / බාලිකා)

- 1.3.9.1. ඉක්වල කරගාවලිය
 - 1.3.9.1.1 වයස් සීමාව
 - අවුරුදු 20 න් පහළ (අවුරුදු 16 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.9.2. එක් තරගයක් කරග වට 2/3 කට සීමා වේ.
- 1.3.9.3. එක් පළාතකින් උපරිම සහභාගි කළ හැකි කීඩක/කීඩිකාවන් සංඛ්යාව 4 දෙනෙකි.
- 1.3.9.4. එක් පංසලකින් ක්‍රීඩක/ක්‍රීඩිකාවන් 3 දෙනෙක් ඉදිරිපත් කළ හැකිය. (බංලක/බංලිකා වෙන වෙනම අයදුම්පත් ඉදිරිපත් කළ යුතුය.)
- 1.3.9.5. කණ්ඩායම කරග
 - 1.3.9.5.1 වයස් සීමා
 - අවුරුදු 16 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 16 ව අඩු)
 - අවුරුදු 18 න් පහළ (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු)
 - අවුරුදු 20 ක් පහළ (අවුරුදු 18 ට වැඩි අවුරුදු 20 ට අඩු)
- 1.3.9.6. මූලික කරග වට, කෝවල කරග දෙකකින් හා යුගල කරගයකින් සමන්වික ය. කේවල කරග සඳහා ඉදිරිපත් වන්නන්ට යුගල තරග සඳහා ඉදිරිපත් ව්ය නොහැකිය.
- 1.3.9.7. අර්ධ අවසන් පූර්ව, අවසන් පූර්ව සහ අවසන් තරග පමණක් කේවල තරග තුනකින් සහ යුගල තරග දෙකකින් සමන්වික වන අතර, කේවල තරග සඳහා සහභාගී වන ක්‍රීඩක /ක්‍රීඩිකාවන්ට යුගල තරග සඳහා ද සහභාගී විය නොහැකි ය.
- 1.3.9.8. කණ්ඩායමකට උපරිම දසදෙනෙකු (10) හා අවම භයදෙනෙකු (06) ලේඛනගත කර කරගකරුවන් ඔවුන් අතරින් තෝරා ගත යුතු ය.
- 1.3.9.9. සියලුම තරග සඳහා පිහාටු පන්දු (Feather Shuttles) භාවිතා කළ යුතුය.

1.3.9.10. කණ්ඩායම දෙකක් අතර තරගයක දී තරග වදින අනුපිළිවෙල
II. කෝවල (1
III. goc 1
IV. order 2
V. gao 2
VI. ombe 3
සැ.යු. තරහකරුවන් 6ක් පමණක් ඇතුලත් කර ඇති වීටෙක එක් නිතරග පිලට ලබාදිය යුතුය. එම තරග ජය "5 වන තරගය" එනම කේවල
විය යුතුය. 1.3.9.11. පළාක් මටටමේ දී පුරම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කි
සහ කණ්ඩායම් ජාතික මට්ටමේ කරන සහා වේරිපත් කළ හැකි ය

ඩක / කීඩිකාවන්

1.3.9.12. ජාතාන්තර බැඩමින්ටත් තරග නීති අනුව තරග පැවැත්වේ.

1.3.10. මෙස පන්දු (බාලක / බාලිකා)

- 1.3.10.1. කෝවල තරගාවලිය
 - 1.3.10.1.1 වයස් සීමාව
 - අවුරුදු 20 න් පහළ (අවුරුදු 16 ව වැඩි- අවුරුදු 20 ව අඩු)
- 1.3.10.2. එක් තරගයක් තරග වට පහකට සීමා වේ.
- 1.3.10.3. එක් පළාතකින් උපරිම සහභාගි කළ හැකි කිඩක/කීඩිකාවන් සංඛායව 4 දෙනෙකි.
- 1.3.10.4. එක් පාසලකින් කීඩක/කීඩිකාවන් 3 දෙනෙක් ඉදිරිපත් කළ හැකිය.
- 1.3.10.5. කණ්ඩායම තරග
 - 1.3.10.5.1 වයස් සීමා
 - අවුරුදු 16 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 16 ව අඩු)
 - අවුරුදු 18 න් පහළ (අවුරුදු 16 ව වැඩි අවුරුදු 18 ව අඩු)
 - අවුරුදු 20 න් පහළ (අවුරුදු 18 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.10.6. කරගාවලිය කරග වට පහකින් සමන්වික වන අතර එය කේවල කරග 05 කින් සමන්වික වේ. එනම් A – X, B – Y, C – Z, A – Y, B – X ආදී වශයෙනි.
- 1.3.10.7. කණ්ඩායමකට කීඩක/කීඩිකාවන් 06 දෙනෙකු ලේඛනගත කර තරගකරුවන් ඔවුන් අතරින් කෝරාගත යුතු ය. කණ්ඩායමක් සඳහා අවම කීඩක / කීඩිකාවන් සංඛාාව 03
- 1.3.10.8. පළාත් මට්ටමේ දී පුරම, දෙවන හා තෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මට්ටමේ තරන සඳහා ඉදිරිපත් කළ හැකි ය.
- 1.3.10.9. ජාකාන්තර මෙස පන්දු තරග නීති අනුව තරග පැවැත්වේ.
- 1.3.10.10. මී.මී.40 + ප්ලාස්ටික් (Plastic) සුදු පැහැති බෝලවලින් තරග පැවැත්වේ.

1.3.11. පිහිනුම (බාලක / බාලිකා)

1.3.11.1 වයස් සීමා

- අවුරුදු 12 න් පහළ (අවුරුදු 10 ව වැඩි අවුරුදු 12 ව අඩු) බාලක / ඛාලිකා
- අවුරුදු 14 න් පහළ (අවුරුදු 12 ව වැඩි අවුරුදු 14 ව අඩු) බාලක / බාලිකා
- අවුරුදු 16 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 16 ව අඩු) බාලක / ඛාලිකා
- අවුරුදු 18 න් පහළ (අවුරුදු 16 ව වැඩි අවුරුදු 18 ව අඩු) බාලක / ඛාලිකා
- අවුරුදු 20 න් පහළ (අවුරුදු 18 ට වැඩි අවුරුදු 20 ට අඩු) බාලක / බාලිකා

1.3.11.2 පැවැක්වෙන තරග

ඉසච්ච	අවුරුදු 12 න් පහළ බාලක /බාලිකා	අවුරුදු 14 න් පහළ බාලක/ බාලිකා	අවුරුදු 16 න් පහළ බාලක/ බාලිකා	අවුරුදු 18 න් පහළ බංලක/ බංලිකා	අවුරුදු 20 න් පහළ බාලක	අවුරුදු 20 න් පහළ බාලිකා
නිදහස් ආර	8.50/100	8.50/100	8.50/100/ 200	8.50/100/ 200/400	8.50/100/200 400/1500	8.50/100/200/ 400/800
පසුපස ආර	8.50/100	8.50/100	8.50/100	8.50/100/200	®.50/100/200	8.50/100/200
සමනල ආර	8.50	8 .50/100	8.50 /100	8.50/100/200	8.50/100/200	⊕.50/100/200
ලය ආර	₩.50	8.50/100	8.50 /100	8.50/100/200	8.50/100/200	8.50/100/200
කෝවල මිගු ආර		₹.200	8.200	8.200	€.200	8.200
නිදහස් ආර සහය	8.50 x 4	8.50 x 4	®.50 x 4	3,50 x 4	8.50 x 4	8.50 x 4
මිශු ආර සහය	8.50 x 4	8.50 x 4	3.50 x 4	8.50 x 4	®.50 x 4	8.50 x 4

- 1.3.11.3. එක් කීඩකයකුට / කීඩිකාවකට ඉදිරිපත් විය හැක්කේ සහය තරග හැර ඉසව තුන (3) ක් සඳහා පමණි.
- 1.3.11.4. එක් ඉසව්වක් සඳහා පාසලකින් ඉදිරිපත් කළ හැක්කේ කරගකරුවන් / තරගකාරියන් තුන් දෙනෙක් පමණි.
- 1.3.11.5. සහාය තරග සඳහා එක් පාසලකින් එක් සහාය කණ්ඩායමක් පමණක් ඉදිරිපත් කළ හැකිය.
- 1.3.11.6. වයස අවුරුදු 12 න් පහළ බාලක/බාලිකා වයස් මට්ටම සදහා පළාක් පරිසාධන මට්ටම ඉක්ම වූ සියලු ක්‍රීඩක/ක්‍රීඩිකාවන් ජාතික මට්ටමේ තරඟ සඳහා ඉදිරිපත් කළ හැකිය.
- 1.3.11.7 වයස අවුරුදු 12 න් පහළ කරග සඳහා පළමු, දෙවන හා කෙවන ආදී වශයෙන් ක්‍රීඩක ක්‍රීඩිකාවන්ට ජයගුහණ ලබා නොදෙන අතර ජාතික පරිසාධන මට්ටම ඉක්ම වූ ක්‍රීඩක ක්‍රීඩිකාවන්ට කුසලතා සහතික පසු ලබාදීම සිදු කෙරේ. පරිසාධන මට්ටම ඉක්මවන සෑම අවස්ථාවකදී ම එම පාසලට ලකුණු 01 ක් බැගින් හිමිවේ.

1.3.12. තෝබෝල් (බාලක/බාලිකා)

1.3.12.1, වයස් සිමාව

- අවුරුදු 17න් පහළ (අවුරුදු 14 ට වැඩි අවුරුදු 17 ට අඩු)
- අවුරුදු 20න් පහළ (අවුරුදු 17 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.12.2. කණ්ඩායමකට ඇතුළත් කළ හැක්කේ කීඩක/කීඩිකාවන් 12 දෙනෙකු පමණි. එක් වරකට නීඩා කළ හැක්කේ කීඩක/කීඩිකාවන් 07 දෙනෙකුට පමණි.
- 1.3.12.3 දැලේ උස මී. 2.20.
- 1.3.12.4 පළාත් මට්ටමේ දී පුරම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම ජාතික මට්ටමේ තරහ සඳහා ඉදිරිපත් කළ හැකිය.
- 1.3.12.5 ජාතික පොමෙබේල් සංගමය සහ පාසල් කෝබෝල් සංගමයේ නීතිවලට අනුකූලව තරග පැවැත්වේ.

1.3.13. කැරම (බාලක/බාලිකා)

1.3.13.1. වයස් සීමාව

- අවුරුදු 17 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 17 ව අඩු)
- අවුරුදු 20 න් පහළ (අවුරුදු 17 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.13.2. එක් කණ්ඩායමකට ඇතුළත් විය හැකි අවම සංඛාාව 4 කි. උපරිම සංඛාාව 7 කි.
- 1.3.13.3. පාසල් දෙකක් අතර පැවැත්වෙන තරගයක් තනි තරග දෙකකින් සහ යුගල තරග එකකින් යුක්ත වේ. තනි තරග දෙක පාසල් දෙක අතර බෙදී ගියහොත් පමණක් යුගල තරගය කිඩාකරනු ලැබේ.

එවැනි අවස්ථාවක දී තනි තරහ කුීඩා කළ කුීඩකයින්ට යුගල තරගය කුීඩා කළ නොහැකිය.

- 1.3.13.4. සැම තරගයක්ම විනාඩි 30 ට සිමා වන අතර බෝඩ 08 ක් ක්‍රීඩා කරනු ලබයි. එම විනාඩි 30 ක්‍රීඩා කර වැඩිම ලකුණු ලබාගත් ක්‍රීඩකයා හෝ විනාඩි 30 ට පෙර බෝඩ 08 ක්‍රීඩා කර වැඩිම ලකුණු ලබාගත් ක්‍රීඩකයාට තරගයේ ජයගුහණය හිමි වේ.
- 1.3.13.5. පළාක් මට්ටමේ දී පුරම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මට්ටමේ තරන සඳහා ඉදිරිපත් කළ හැකිය.

1.3.14. ජිමනාස්ට්ක් (බාලක/බාලිකා)

1.3.14.1 වයස් සීමාව

- අවුරුදු 14 න් පහළ (අවුරුදු 12 ට වැඩි අවුරුදු 14 ට අඩු) බාලක / බාලිකා
 අවුරුදු 16 න් පහළ (අවුරුදු 14 ට වැඩි අවුරුදු 16 ට අඩු) බාලක / බාලිකා
 අවුරුදු 18 න් පහළ (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු) බාලක / බාලිකා
- අවුරුදු 20 න් පහළ (අවුරුදු 18 ව වැඩි අවුරුදු 20 ව අඩු) බාලක / බාලිකා

1.3.14.2. පැවැත්වෙන තරග

වයක් සීමාව	කරග ඉසව		
	බංලක	බාලිකා	
අවුරුදු 14 න්, 16 න් සහ අවුරුදු 18 න් පහළ	තුම් වනයාම පිනුම් ඉසව්ව (vault) නිශ්චල වළලු තරස් දණ්ඩ සමාන්තර පෝල ආධාරක අශ්වයා	තුම් වනායාම අසමසම පෝල සමබර දණ්ඩ පිනුම ඉසවව (vault)	

- 1.3.14.3. එක් කීඩකයකුට/ කීඩිකාවකට ඉසව සියල්ලටම ඉදිරිපත් විය හැකිය.
- 1.3.14.4. එක් ඉසර්වක් සඳහා පාසලකින් ඉදිරිපත් කළ හැක්කේ තරගකරුවන් තරගකාරියන් දෙදෙනෙකු පමණි.
- 1.3.14.5. ජාතාන්තර ජිම්නාශ්ටික් තරග නීති අනුව තරග පවත්වනු ලැබේ.
- 1.3.14.6. පළාත් මට්ටමේ දී පුරම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කීඩක/කීඩිකාවන් ජාතික මට්ටමේ කරන සඳහා ඉදිරිපත් කළ හැකිය.

1.3.15. ඇරොබික් ජිමනාස්ටික් (බාලක/බාලිකා)

1.3.15.1. Dard 880

වයක් සීමාව	තරග කළ හැකි කාලය
අවුරුදු 16 න් පහළ (අවුරුදු 14 ට වැඩි අවුරුදු 16 ට අඩු) බාලක/බාලිකා	විනාඩි 1කක්.15(කක්-5/කක්+5)
අවුරුදු 18 න් පහළ (අවුරුදු 16 ව වැඩි අවුරුදු 18 ව අඩු) බාලක/බාලිකා	විනාඩි 1කන්.15(කක්-5/කක්+5)
අවුරුදු 20 න් පහළ (අවුරුදු 18 ට වැඩි අවුරුදු 20 ට අඩු) බාලක/බාලිකා	විතාඩි 1කක්.20 (කක්-5/කක්+5)

1.3.15.2. පැවැක්වෙන තරග

බාලක /බාලිකා

- 1. කේවල
- 2. නින්ව
- 3. කණ්ඩායම
- 1.3.15.3. එක් ක්රීඩකයෙකුට/ක්රීඩිකාවකට ඉහත 1.3.15.2 හි සඳහන් ඉසව තුනෙන් කැමති ඉසව පුමාණයකට ඉදිරිපත් විය හැකිය.
- 1.3.15.4. එක් ඉසව්වක් සඳහා පාසලකින් ඉදිරිපත් කළ හැකි තරගකරුවන් / තරගකාරියන් සංඛනාව

ෂක්වල කරග

- දෙදෙනෙක්

කින්ව තරග

- කුණ්ඩායම් 1

කණ්ඩායම් කරග

- කණ්ඩායම 1

- 1.3.15.5. කණ්ඩායම තරග සඳහා ක්රීඩකයින් 6 ලදගෙකු ඉදිරිපත් කළ හැකි අතර, තරග වැදිය හැක්කේ කීඩකයින් පස්දෙනෙකුට පමණි. ඉතිරි කිඩකයා අතිරේක කීඩකයා වශයෙන් නම් කළ හැකිය.
- 1.3.15.6. පළාත් මට්ටමේ පුළුම, දෙවන හා කෙවන ස්ථාන හිමිකර ගන්නා කීඩක, කීඩිකාවන් සහ පාසල් කණ්ඩායම් සමස්ත ලංකා මට්ටමේ තරහ සඳහා ඉදිරිපත් කළ හැකිය
- 1.3.15.7. ජාතාන්තර ඇරොබික් ජිම්නාස්ටික් තරග නීති අනුව තරග පවත්වනු ලැබේ.

1.3.16. රග්බී සත් සාමාජික (7) (බාලක)

- 1.3.16.I. වයස් සීමාව
 - අවුරුදු 20 න් පහළ (අවුරුදු 16 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.16.2. කණ්ඩායමකට ඇතුළත් කළ හැක්කේ දොළොස් (12) දෙනෙකු පමණි.
- 1.3.16.3. සත් සාමාජික රශ්ඛී තරගයක් ලෙස පැවැත්වේ.
- 1.3.16.4. තරග කාලය වී.7-01-07
- 1.3.16.5. පළාත් මට්ටමේ පළමු, දෙවන, තෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මථටමේ තරහ සඳහා ඉදිරිපත් කළ හැකිය.
- 1.3.16.6. මී ලංකා පාසල් රශ්බී සංගමයේ හා ජාතාන්තර රශ්බී තරග නීති අනුව තරග පැවැත්වේ.

1.3.17. කබඩි (බාලක / බාලිකා)

1.3.17.1. වයක් සීමා

- අවුරුදු 17 න් පහළ බාලක (අවුරුදු 14 ව වැඩි අවුරුදු 17 ව අඩු) 60 kg
- අවුරුදු 17 න් පහළ බාලිකා (අවුරුදු 14 ව වැඩි අවුරුදු 17 ව අඩු) 55 kg
- අවුරුදු 20 න් පහළ බාලක (අවුරුදු 17 ට වැඩි අවුරුදු 20 ට අඩු) 70 kg
- අවුරුදු 20 න් පහළ බාලිකා (අවුරුදු 17 ට වැඩි අවුරුදු 20 ට අඩු) 65 kg
- 1.3.17.2. කණ්ඩායමකට ඇතුළත් කළ හැක්කේ 12 දෙනෙකු පමණි.
- 1.3.17.3. තෙවන ආකුමණික වාරය, සුපර්වැකල්, තත්පර 30 නීතිය වලංගු වේ.

1.3.17.4. කරග කාලය

- අවුරුදු 17 න් පහළ බංලක විනංඩි 15, 5, 15
- අවුරුදු 17 න් පහළ බාලිකා විනාඩි 15, 5, 15
- අවුරුදු 20 න් පහළ බංලක විනාඩ් 20, 5, 20
- අවුරුදු 20 න් පහළ බංලිකා චීනාඩ් 15, 5, 15
- හැ.යු. ඉහත වයස් සීමාවන්ට අදාල කරග කාලයන් කරගාවලියේ ස්වභාවය අනුව වෙනස් විය හැකිය.
- 1.3.17.5. කරග පැවැක්වෙන දිනට පෙර දින ප.ව. 2.00 සිට රාසිු 8.00 දක්වා පමණක් බර කිරනු ලැබේ.
- 1.3.17.6. පළාක් මට්ටමේ දී පුරම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මට්ටමේ තරහ සඳහා ඉදිරිපත් කළ හැකිය.
- 1.3.17.7. ජාතාන්තර කබඩි සංගමයේ තරග නීති අනුව තරග පැවැත්වේ.

1.3.18. ටයිකොන්ඩෝ (බාලක/බාලිකා)

1.3.18.1. වයන් සිමාව

- අවුරුදු 18 න් පහළ (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු)
- ෙ අවුරුදු 20 න් පහළ (අවුරුදු 18 ට වැඩි අවුරුදු 20 ට අඩු)

1.3.18.2. බර පන්ති

වයස් සීමාව	බර පන්ති	
අවුරුදු 18 න් පහළ බාලක	කි.ගුැම.45 ව අඩු	
	කි.ගුෑම. 45 - 48	
	කි.ගුෑම. 48-51	
	කි.ගුෑම. 51-55	
	කි.ගුැම. 55-59	
	கி.ஓෑ®. 59-63	
	කි.ගුෑම. 63-68	
	කි.ගුෑම. 68-73	
	කි.ගැම. 73-78	
	කි.ගැම.78 ට වැඩි	
අවුරුදු 18 න් පහළ බාලිකා	කි.ගුළු. 42 ව අඩු	
	කි.ගු.ම. 42 - 44	
	කි.ගැම. 44 - 46	
	கி.ஓ 46 - 49	
	කි.ගුෑම. 49 - 52	
	කි.ගුෑම. 52 - 55	
	කි.ගුළු. 55 - 59	
	කි.ගෑම. 59 -63	
	කි.ගුළු. 63 -68	
	කි.ගුළම.68 ව වැඩි	

වයස් සීමාව	බර පන්ති	
අවුරුදු 20 න් පහළ බාලක	කි.ගුළම. 54 ව අඩු	
	කි.ගැම. 54 -58	
	කි.ගෑම. 58-63	
	කි.ගැම. 63-68	
	කි.ගැම. 68-74	
	කි.ගුෑම.74-80	
	කි.ගැම. 80-87	
	කි.ගුළු. 87 ව වැඩි	
අවුරුදු 20න් පහළ බාලිකා	කි.ගැම. 46 ට අඩු	
	කි. ഇ. ම. 46 - 49	
	කි.ගුැම. 49 - 53	
	කි.ගුලම. 53 - 57	
	කි.ඉෑම. 57 - 62	
	කි.ගුළු. 62 - 67	
	කි.ගුෑම. 67 - 73	
	කි.ඉෑම. 73 ව වැඩි	

- 1.3.18.3. එක් බර පංතියක් සඳහා එක් පාසලකින් කි්ඩක/කි්ඩිකාවන් දෙදෙනෙකු පමණක් සහභාගී කළ යුතුය.
- 1.3.18.4. පළාත් මට්ටමින් ඉහත වයස් සීමා දෙක හා බර පන්ති යටතේ තරග පවත්වා එක් බර පන්තියකින් දෙදෙනා බැගින් ජාතික මට්ටමේ තරග සඳහා ඉදිරිපත් කළ යුතුය.
- 1.3.18.5. සෑම ක්‍රීඩක/ක්‍රීඩිකාවකයේම ශාරීරික යෝගාකාවය පිළිබඳ වෛදය වාර්තාව විදුහල්පතිතුමා විසින් පෞද්ගලිකව පරීක්ෂා කළ බවට ලිපියක් සහ දෙමාපිය කැමැත්ත පළ කළ ලිපියක් ද බර පරීක්ෂා කරන අවස්ථාවේ ඉදිරිපත් කළ යුතු වේ.
- 1.3.18.6. ජාකාන්කර ටයිකොන්ඩෝ සම්මේලනයේ නීති අනුව කරන පවත්වනු ලැබේ.

1.3.19. වූෂු (බාලක / බාලිකා)

1.3.19.1 වයස් සීමාව

- ෙඅවුරුදු 16 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 16 ට අඩු)
- අවුරුදු 18 න් පහළ (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු)
- අවුරුදු 20 න් පහළ (අවුරුදු 18 ට වැඩි අවුරුදු 20 ට අඩු)
- 1.3.19.2 වයස් සීමා තුනටම අදාලව නාඔලු (Taolu) කරග පැවැක්වේ. කාඔලු (Taolu) අංශයේ සියලුම කරග පුඩාන කරග ඉසව තුනක් යටතේ පැවැක්වේ. ඒවා පහත පරිදි වේ.
- 1.3.19.3 වැන්වූවාන් සම්බන්ධික ඉසවව (වැන්වූවාන්, දාණිෂු, ගුන්ෂු/ වැන්වූවාන්, ජියැන්ෂු, වියැන්ෂු) Changquan Combine Event (Changquan, Daoshu, Gunshu/ Changquan, Jianshu, Giangshu)
- 1.3.19.4 තැන්වූවාන් සම්බන්ධික ඉසවීව (නැන්වූවාන්, නන්දාම, නන්ගුන්) Nangquan Combine Event (Nangquan, Nandao, Nangun)
- 1.3.19.5 තායිජීවුවාන් සම්බන්ධික ඉසවීව (තායිජීවුවාන්, තායිවීජියැන්) Taijiquan Combine Event (Taijiquan, Taijijian)
- 1.3.19.6 වැන්වූවාන් සම්බන්ධික ඉසරි හා නන්වූවාන් සම්බන්ධික ඉසරි සඳහා කරග කාලය මිනික්කු 1 තත්පර 20 කි. කායිව්වූවාන් සම්බන්ධික ඉසරි සඳහා කරග කාලය මිනික්කු 3-5 දක්වා වේ.

1.3.19.7 සන්දා (sanda) තරග වයස අවුරුදු 16 න් පහළ හා වයස අවරුදු 18 න් පහළ සඳහා පමණක් පැවැත්වේ.

අවුරුදු 16 න් පහළ	45Kg - 48 Kg	
	48Kg - 52 Kg	
	52Kg - 56Kg	
	56Kg - 60Kg	
අඩුරුදු 18 න් පහළ	48Kg - 52 Kg	
	52Kg - 56Kg	
	56Kg - 60Kg	
	60Kg - 65Kg	

- 1.3.19.8 තරග කාලය මිනික්තු 1 ½ බැගින් වූ වට තුනකි.
- 1.3.19.9 සෑම තරගයක් සඳහාම ඉදිරිපත්වන කිඩක කිඩිකාවන් ශාරීරික යෝගාකාව පිළිබඳ මෛදය වාර්තාව විදුහල්පති විසින් පෞද්ගලිකව පරීක්ෂා කළ බවට ලිපියක් හා දෙමාපිය කැමැත්ත පල කළ ලිපියක් ඉදිරිපත් කළ යුතුය.
- 1.3.19.10 පළාත් මව්ටමේ දී ප්‍රථම, දෙවන හා තෙවන ස්ථාන දිනගනු ලබන ක්‍රීඩක ක්‍රීඩකාවන් ජාතික මට්ටමට ඉදිරිපත් කළ හැකිය.
- 1.3.19.11 ජාතාන්තර වූෂු තරග නීතිරිත් අනුව තරග පවත්වනු ලැබේ.
- 1.3.19.12 එක් වයස් සිමාවක් සඳහා කීඩකයින් / කීඩිකාවන් තිදෙනෙකු ඉදිරිපත් කළ හැකිය.
- 1.3.19.13 එක් ක්රීඩකයකු/ක්රීඩිකාවක උපරිම වශයෙන් තරග ඉසව තුනකට පමණක් ඉදිරිපත් ව්යහැකිය. (කණ්ඩායම් තරගය හැර)
- 1.3.19.14 කණ්ඩායම තරගය (තාඔලු) Group event (බාලක/බාලිකා) වයස අවුරුදු 14 ට වැඩි වයස අවුරුදු 20 ට අඩු කීඩක කීඩිකාවන් 06 සිට 12 තෙක් සහභාගී විය හැකිය.

1.3.20 පැසි පන්දු (බාලක / බාලිකා)

- 1.3.20.1. වයස් සීමා
 - අවුරුදු 17 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 17ට අඩු)
 - අවුරුදු 20 න් පහළ (අවුරුදු 17 ව වැඩි අවුරුදු 20ව අඩු)
- 1.3.20.2. කණ්ඩායමකට කිඩකයින් / කිඩිකාවන් 15 දෙනෙකු ලේඛන ගත කළ හැකිය.
- 1.3.20.3. තරග කාලය
 - බාලක/ ඛාලිකා විනාහි 20-05-20
- 1.3.20.4. පළාත් මව්ටමේ දී ප්‍රථම, දෙවන හා පත්‍වන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මට්ටමේ තරහ සඳහා ඉදිරිපත් කළ යුතුය.
- 1.3.20.5. ජාතාන්තර ආධුනික පැසිපන්දු සංගමයේ නීති අනුව කරග පැවැක්වේ.

1.3.21. භෞකී (බංලක/බංලිකා)

- 1.3.21.1. වයක් සීමා
 - අවුරුදු 20 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.21.2. කණ්ඩායමකට ක්‍රීඩකයින් / ක්‍රීඩිකාවන් 18 දෙනෙකු ලේඛන ගත කර එයින් 11 දෙනෙකු තරග කිරීම සඳහා තෝරාගත යුතුය.
- 1.3.21.3. කරග කාලය විතාහි 25-5-25
- 1.3.21.4. පළාත් මට්ටමේ දී පුරම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මට්ටමට ඉදිරිපත් කළ යුතුය.
- 1.3.21.5. ජාතාන්තර හොකි තරග නීති අනුව කරග පැවැක්වේ.

1.3.22. ශාරීරික අභාහස (බාලක/බාලිකා)

- 1.3.22.1. වයස් සීමාව
 - අවුරුදු 14 ව වැඩි අවුරුදු 20 ව අඩු
- 1.3.22.2. කණ්ඩායමක ළමුන් සංඛ්‍යාව නායකයා සමභ 25 දෙනෙකු විය යුතු අතර, ළමුන් 30 ක් ලේඛනගත කළ හැකිය. තරග වදින කණ්ඩායම එයින් තෝරාගත යුතු ය.
- 1.3.22,3. කාලය විනාඩි 20 කි.
- 1.3.22.4. පාඩම සටහන අනිවාර්ය වන අතර තරගයට පෙර එය විනිශ්වය මණ්ඩලයට ඉදිරිපත් කළ යුතුය.
- 1.3.22.6. පාඩම් සටහනේ සැලැස්ම සහ යොදා ගන්නා කාලය (දළ වශයෙන්) පහත සඳහන් පරිදි විය යුතුය.
- 1.3.22.7. ලකුණු ලබා දීමේ පිළිවෙල

කියාකාරකම	කාලය (ව්නාඩ්)	ලකුණු
• පිටියට පිවිසීම හා ආරම්භක කියාකාරකම	03	04
• ශාරීරික ලශ්ණාන වාසයාම	03	15
• දක්ෂතං පුහුණුව	03	20
• කණ්ඩායම් පුහුණුව	04	20
• ක්රීඩංව	03	18
• කල් බැලීම හා ගමනේ යාම	03	15
• විසිර යාම	01	03
• නායකත්වය	SIBN	05
එකතුව	20	100

1.3.22.8. ලකුණුදීමේ දී පහත සඳහන් විශේෂ කරුණු සැලකිල්ලට ගනු ලැබේ.

- පාඩම සැලසුම විවිධක්වය, පන්ති රටා
- ක්‍රීඩා පිටිය හා උපකරණ ප්‍රයෝජනයට ගැනීම
- පාඩම් සටහනෝ අරමුණු සහ අභිමතාර්ථ ඉෂ්ඨ කරගැනීම.
- කෝරාගත් කියාකාරකම්වල යෝගාතාවය, නිවැරදිතාව සහ සහභාගීත්වය
- තෝරාගත් දක්ෂතාවයට සුදුසු ඇඳුම (පාසල් නිල ඇඳුම හැර)
- ආරක්ෂාව හා විනය පවක්වා ගැනීම
- නායකත්වය
- කණ්ඩායමට සහභාගි වන සියලුම කි්ඩක / කි්ඩිකාවන් පිටියේ සිටිය යුතුය.
- කල්බැලීම හා ගමනේ යාම පාසල් ආචාර පෙළපාලිය සේ විය යුතු ය.
- ක්‍රීඩාවක දක්ෂතා තෝරා ගැනීමේ දී දක්ෂතා 1 සිට 3ක උපරිමයකට යටත්ව පංඩම සැලසුම කිරීම.

1.3.23. ලෙදර් පන්දු කිකට් (බංලක)

1.3.23.1, වයස් සීමාව

ෙඅවුරුදු 20 න් පහළ (අවුරුදු 16 ව වැඩි අවුරුදු 20 ව අඩු)

- 1.3.23.2. සීමික හිවර තරගයක් ලෙස පැවැත්වේ. එක් කණ්ඩායමකට පන්දු හිවර 05ක් හිමි වේ.
- 1.3.23.3. කණ්ඩායමකට ක්‍රීඩක ක්‍රීඩිකාවන් 15 ක් ඇතුළත් කළ යුතු අතර ක්‍රීඩා කළ හැක්කේ 11 දෙනෙකුට පමණි. අවම වශයෙන් තරගකරුවන් 09 දෙනෙකු තරගයට ඉදිරිපත් විය යුතුය.
- 1.3.23.4. එක් අයකුට යැවිය හැකි උපරිම පන්දු ඕවර ගණන එකකි.
- 1.3.23.5. පළාත් මට්ටමේ දී ප්‍රථම, දෙවන හා කෙවන ස්ථාන දිනාගනු ලබන කණ්ඩායම් ජාතික මට්ටමේ තරහ සඳහා ඉදිරිපත් කළ හැකි ය.
- 1.3.23.6. ජාතාන්තර කිකට් තරග නීතිවලට අනුව තරග පැවැත්වේ.

1.3.24. අර්ධ මැරතන් ධාවන තරග (බාලක / බාලිකා)

- 1.3.24.1. වයස් සීමා
 - අවුරුදු 16 ව වැඩි අවුරුදු 20 ව අඩු විය යුතුය.
- 1.3.24.2. දුර පුමණය කි.මී.21.0975 කි.
- 1.3.24.3. ජාතික මට්ටමේ කරග සඳහා පළාකකින් කරගකරුවන්/තරගකාරියන් පනස්දෙනෙකු පමණක් ඉදිරිපත් කළ හැකිය.
- 1.3.24.4. සියලුම කිවක /කිව්කාවන් ශාරීරික යෝගානා සහතිකයක් ලබා ගත යුතු ය.
- 1.3.24.5. සැම ක්‍රීඩක/ක්‍රීඩිකාවක්ම ශාරීරික යෝගාතාවය පිළිබඳ රජයේ ලියාපදිංචි වෛදාවරයකුගෙන් ලබා ගත් වෛදා වාර්තාව සහ හෘද විදයුත් කන්තුක රේඛන වාර්තාව (ECG) හා ව්දුහල්පති විසින් අනු අත්සන් තබන ලද දෙමව්පිය කැමැත්ත ප්‍රකාශිත ලිපිය, තරග අංක ලබා ගැනීමේ දී ඉදිරිපත් කළ යුතු වේ.
- 1.3.24.6. ඉහත වයන් සිමාව, වෛදා පරීක්ෂණය හා පුහුණුවීම යන කරුණුවලට අදාළ ලිඛිත කරුණු ව්දුහලේ ගොනු කර ක්‍රීඩා භාර ගුරු භවතාගේ අධීක්ෂණය යටතේ ව්දුහල්පති විසින් වෙනම ලිපියක් සහ දෙමාපියන්ගේ කැමැත්ත පුකාශිත ලිපිය ඉදිරිපත් කළ යුතුය.
- 1.3.24.7. ව්දුහල්පති විසින් දෙනු ලබන මෙම ලිපිය නොමැති කිසිම ක්‍රීඩක/ක්‍රීඩිකාවකට තරගයට සහභාගී වීමට අවස්ථා ලබා දෙනු නොලැබේ.

1.3.25. හැන්ඩබෝල් (බාලක/බාලිකා)

- 1.3.25.1. Đạc 880
 - අවුරුදු 17 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 17 ව අඩු)
 - ෙඅවුරුදු 20 න් පහළ (අවුරුදු 17 ව වැඩි අවුරුදු 20 ට අඩු)
- 1.3.25.2. කණ්ඩායමක ක්රීඩක ක්රීඩකාවන් 14 ක් ලේඛනගත කළ හැකි ය.
- 1.3.25.3. ක්රීඩා පෙතෙහි ක්රීඩා කරන සංඛ්යාව 07 කි.
- 1.3.25.4. තරග කාලය
 - අවුරුදු 17 න් පහළ (බාලක/බාලිකා)
 විනාඩි 15-03-15
 - අවුරුදු 20 න් පහළ (බාලකා/බාලිකා)
 චීනාඩ් 20-05-20
- 1.3.25.5. පන්දුවේ පුමාණය

අවුරුදු 20 න් පහළ බාලක - size 03

අවුරුදු 20 න් පහළ බාලිකා - size 02

අවුරුදු 17 න් පහළ බාලක - size 02

අවුරුදු 17 න් පහළ බාලිකා - size 02

- 1.3.25.6. පළාත් මට්ටම්න් පළමු , දෙවන හා කෙවන ස්ථාන දිනා ගනු ලබන කණ්ඩායම් ජාතික මට්ටමේ තරභ සඳහා ඉදිරිපත් කළ යුතුය.
- 1.3.25.7. ජාකයන්තර හැන්ඩබෝල් තරග නීති අනුව තරග පැවැක්වේ.

1.3.26. වෙරළ වොලිබෝල් (බාලක/බාලිකා)

- 1.3.26.1. වයස් සීමා
 - අවුරුදු 20 න් පහළ (අවුරුදු 14 ට වැඩි අවුරුදු 20 ට අඩු)
- 1.3.26.2. කණ්ඩායමකට ඇතුළත් කළ හැක්කේ ක්‍රීඩක/ක්‍රීඩිකාවන් දෙදෙනෙකු පමණි. අතිරේක ක්‍රීඩක/ක්‍රීඩිකාවන් නොමැත.
- 1.3.26.3. දැලේ උස බාලක මී.2.43 බාලිකා - මී.2.24
- 1.3.26.4. තරග වට තුනක් පැවැත්වෙන අතර පළමු වට දෙක ලකුණු 21 න් අවසන් වේ. අවසාන වටය ලකුණු 15 න් අවසන් වේ.
- 1.3.26.5. ජාතාන්තර වෙරළ වොලිබෝල් නීති අනුව තරග පැවැත්වේ.

1.3.27. මල්ලවපොර (බාලක)

- 1.3.27.1. කරග බර පන්ති 20 කි. එක් බර පන්තියකට එක් කි්ඩකයකු බැගින් බර පන්ති 12 ක් සඳහා ක්්ඩකයින්ගේ නම් ඉල්ලුම්පසුයේ ඇතුළත් කළ හැකිය. එක් බර පන්තියකට එක් කී්ඩකයකු බැගින් එක් පාසලකින් තරග කළ හැකි උපරිම කීඩක සංඛාාව 12 කි.
- 1.3.27.2. ශ්‍රී ලංකා පාසල් මල්ලවපොර සංගමයේ හෝ ශ්‍රී ලංකා මල්ලවපොර සංගමයේ ශ්‍රේණිගත ක්‍රීඩක / ක්‍රීඩිකාවක් විය යුතුය.
- 1.3.27.3. බර කිරීමෙන් හා මෛදා පරීක්ෂණයෙන් පසුව සංවිධායක මණ්ඩලය විසින් සපයනු ලබන අවසන් අයදුම්පතෙහි පහක අංක 1.3.27.6 ට අනුකූලව තම පාසල ඉදිරිපත් කරන බර පන්ති 12 කණ්ඩායම භාර ගුරුවරයා විසින් නම කොට ආපසු සංවිධායක මණ්ඩලයට හාර දිය යුතුය.
- 1.3.27.4. බර කිරීම හා අවෙදාය පරීක්ෂණය සඳහා පැමිණෙන විට පිළිගත් බටහිර චෛදාවරයකුගෙන් (බර කිරුම දිනට පෙරාතුව දින 07 ක් ඇතුළත) ලබාගත් කිඩකයින්ගේ ශාරීරික යෝගාතාව පිළිබඳ සහතිකයක් රැගෙන දා යුතුය. ඉල්ලුම්පතෙහි සඳහන් කිඩකයින්ගේ නම එම චෛදා සහතිකයේ තිබිය යුතුය.
- 1.3.27.5 ජාතාන්තර මල්ලව පොර නීති රීති අනුව තරග පැවැත්වේ.

1.3.27.6 බර පංකි හා වයස් සීමා

වයස අවුරුදු	බර පංති (කි.ගුෑම)
16 න් පහළ බාලක (අවුරුදු 14 ට වැඩි 16 ට අඩු)	කි.ගැම 30-34
	කි.ගුෑම 34-38
	කි.ගුෑම 38-41
	කි.ගැම 41-44
	කි.ගැම 44-48
	කි.ගුෑම 48-52

වයස අවුරුදු	බර පංකි (කි.ගුෑම)
18 න් පහළ බංලක (අවුරුදු 16 ට වැඩි 18 ට අඩු)	කි. ගැම 41-4 5
	කි.ගැම 45-48
	කි.ලෑම 48-51
	කි.ගුෑම 51-55
	කි.ගුෑම 55-60
	කි.ගැම 60-65
	කි.ගැම 65-71
20 න් පහළ බාලක (අවුරුදු 18 ව වැඩි 20 ව අඩු)	කි.ගුෑම 50-54
	කි.ගුෑම 54-57
	කි.ගුෑම 57-61
	කි.ගුෑම 61-65
	කි.ගුෑම 65-70
	කි.ඉෑම 70-74
	ടി.തു® 74-79
	කි.ගුැම 79-86

1.3.28, බොක්සිං (බාලක/බාලිකා)

1.3.28.1. වයස් සීමා

```
අවුරුදු 20 න් පහළ (බාලක) - (අවුරුදු 18 ට වැඩි අවුරුදු 20 ට අඩු)
අවුරුදු 18 න් පහළ (බාලක) - (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු)
අවුරුදු 16 න් පහළ (බාලක) - (අවුරුදු 14 ට වැඩි අවුරුදු 16 ට අඩු)
අවුරුදු 18 න් පහළ (බාලකා) - (අවුරුදු 16 ට වැඩි අවුරුදු 18 ට අඩු)
```

- 1.3.28.2. ජාකාන්තර හා ශුී ලංකා පාසල් බොක්සිං සංගමය මගින් පනවා ඇති නීති රීති මෙම කරගය සඳහා අදාළ වේ.
- 1.3.28.3. මෙම කරගයට නවකයින් ඉදිරිපත් කළ නොහැකිය. තරගකරුවන් අවම වශයෙන් ශ්‍රී ලංකා පාසල් බොක්සිං සංගමය මහින් හෝ ශ්‍රී ලංකා බොක්සිං සංගමය මහින් හෝ පවත්වන ලද තරගයකට සහභාගී වී ප්‍රථම, දෙවන හා තෙවන ස්ථාන ලබා තිබිය යුතු ය.
- 1.3.28.4. බාලක බර පන්තීන් 21 සඳහා එක් පාසලකට උපරිම වශයෙන් ක්‍රීඩා කළ හැක්කේ ක්‍රීඩකයින් අවදෙනෙකුට පමණක් වන අතර බාලිකා බර පන්ති 05 සඳහා එක් පාසලකින් උපරිම ක්‍රීඩිකාවන් දෙදෙනෙකුට ක්‍රීඩා කළ හැකිය.

1.3.28.5. ඉල්ලුම්පතු එවන විට ක්‍රීඩකයින් මනා සෞඛායෙන් යුතුව සිටිනා බවට, තරගාවලියට ආසන්න දිනයක දී වෛදාවරයෙකුගෙන් ලබා ගත් AIBA වෛදා සහතිකයක් සහ වෛදා වාර්තා පොතේ වාර්ෂික වෛදා වාර්තාව ඉදිරිපත් කිරීම අනිවාර්ය වේ.

1.3.28.6. ඛර පංකීන් හා වයස් සීමා මෙසේ ය.

වයස් සීමාව	බර පංතිය
අවුරුදු 16 න් පහළ (බංලක)	කි.ගුම.44 – 46
	කි.ගුෑම.46 – 48
	කි.ගුෑම.48 – 50
	කි.ගුෑම.50 52
	කි.ගුැම.52 – 54
	කි.ගුෑම 46 – 49
	කි.ගුෑම 49 – 52
	කි.ගුෑම 52 – 56
අවුරුදු 18න් පහළ (බාලක)	කි.ගුෑම 56 – 60
48-18 1001 OME (1910m)	කි.ලෑ® 60 – 64
	කි.ලෑ® 64 – 69
	කි.ගුෑම 69 - 75
	කි.ගුැම 75 – 81
	කි.ගුැම,45 – 48
	කි.ගැම.48 – 51
අවුරුදු 18 න් පහළ (බාලිකා)	කි.ගුම.51 – 54
	ൽ.ഇෑ®.54 – 57
	කි.ගැම.57 – 60
	മി.ഇൂ® 46 – 49
අවුරුදු 20 න් පහළ (බංලක)	කි.ගුම 49 – 52
	කි.ගුම 52 - 56
	කි.ගුම 56 - 60
181-18 07 020 (10000)	කි.ගු@ 60 - 64
	කි.ගුම 64 - 69
	ക്കി.തൃ® 69 - 75
	කි.ගුෑම 75 – 81

1.3.29. ජූඩෝ (බාලක/ බාලිකා)

1.3.29.1 වයස් සීමාව

- අවුරුදු 17 න් පහළ (අවුරුදු 14 ව වැඩි අවුරුදු 17 ව අඩු)
- ෙ අවුරුදු 20 න් පහළ (අවුරුදු 17 ට වැඩි අවුරුදු 20 ට අඩු)
- 1.3.29.2 ශ්‍රී ලංකා පාසල් ජූබෝ සංගමයේ හෝ ශ්‍රී ලංකා ජූඩෝ සංගමයේ ශ්‍රේණිගත ක්‍රීඩක/ ක්‍රීඩිකාවක් විය යුතුය.
- 1.3.29.3 සෑම ක්‍රීඩක/ක්‍රීඩිකාවක්ම තම කාශික යෝගානාව සනාථ කිරීම සඳහා වසරක කාලයක් තුළ දී රජයේ පිළිගත් බටහිර වෛදාවරයකුගෙන් ලබාගෙන ඇති වෛදා සහනිකයක් ඉදිරිපත් කළ යුතුය.
- 1.3.29.4 එක් බර පංතියක් සඳහා එක් පාසලකින් ක්‍රීඩක/ක්‍රීඩිකාවන් අදදෙනෙකුට පමණක් සහභාගී විය හැකිය.

1.3.29.5 අදාළ බර පන්ති

වයස් සීමාව	බාලක -	බාලිකා
	කි.ගුෑම 35	කි.ගුෑම 36
අවුරුදු 17 න් පහළ	කි.ගුෑම 40	කි.ගුෑම 40
	කි.ගුෑම 45	කි.ගුෑම 44
	කි.ගුෑම 50	කි.ගුළු 48
	කි.ගුෑම 55	කි.ගැම 52
	කි.ගුම 55ට වැඩි	කි.ගුෑම 52ට වැඩි
	කි.ගුැම 45	කි.ගුෑම 44
අවුරුදු 20 න් පහළ	කි.ගැම 50	කි.ගුැම 48
	කි.ගුැම් 55	කි.ගුෑම 52
	කි.ගුෑම 60	කි.ගුැම 57
	කි.ගැම 66	කි.ගුැම් 63
	කි.ගුෑම 73	කි.ගුෑම 70
	කි.ගුෑම 73 ට වැඩි	කි.ගුෑම 70 ව වැඩි
	විවෘත	විවෘත

- 1.3.29.6 තරග පැවැත්වෙන කාලය බාලක / බාලිකා විනාඩි 05යි.
- 1.3.29.7 කි.ගුැම් 35, 36 බාලක / බාලිකා බර පංති සඳහා චොක්ලොක් (CHOKELOCK) සහ ආම්ලොක් (ARMLOCK) භාවිතා කිරීම කහනම් වේ.

1.3.30. ටෙනිස් (බාලක/බාලිකා)

1.3.30.1 වයස් සීමා

- අවුරුදු 17 ක් පහළ- (අවුරුදු 14 ට වැඩි අවුරුදු 17 ට අඩු)
- අවුරුදු 20 න් පහළ- (අවුරුදු 17 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.30.2 කේවල කරග දෙකක් සහ යුගල කරගයක් කරගාවලියට අයක් වේ.
- 1.3.30.3 ලක්වල කරග සඳහා ඉදිරිපක් වන්නන්ට යුගල කරග සඳහා ඉදිරිපක් විය නොහැකිය.
- 1.3.30.4 කණ්ඩායමට 06 දෙනෙකු ලේඛන ගත කර තරගකරුවන් ඔවුන් අතරින් තෝරාගත යුතුය.
- 1.3.30.5 ජාතාන්තර ටෙනිස් තරග නීති අනුව තරග පැවැත් වේ.

1.3.31. බර එසවීම (බාලක/බාලිකා)

1.3.31.1 වයස් සීමාව -

- ෙ අවුරුදු 17 න් පහළ (අවුරුදු 14 ව වැඩි 17 ට අඩු)
- අවුරුදු 20 න් පහළ (අවුරුදු 17 ව වැඩි 20 ව අඩු)

1.3.31.2 බර පන්ති

බර පන්ති
කි.ඉෑම.49,55,61,67,73,81,89,96,102,102 +
කි.ඉෑම. 40,45,49,55,59,64,71,76,81,81+
கி.ஓෑම.55,61,67,73,81,89,96,102,109,10 9+
කි.ගැම. 45,49,55,59,64,71,76,81,87, 87+

1.3.31.3. එක් වයස් කාණ්ඩයක් සඳහා අයදුම්පනුයට ක්‍රීඩකයින් දොළොස් දෙනෙකු (12) ඇතුලත් කළ හැකි අතර ක්‍රීඩා කළ හැක්කේ දස(10) දෙනෙකුට පමණි. ක්‍රීඩකයින් දෙදෙනකු අතිරේක ක්‍රීඩකයින් වේ. එක් බර පන්තියක් සඳහා උපරිම ක්‍රීඩකයින් දෙදෙනකු(02) ඇතුලත් කළ හැකිය.

1.3.31.4. ආරම්භක පුයන්නය

- බාලිකා අවම බර කිලෝ ගුෑම 21කි. (21Kg)
- බාලක අවම බර කිලෝ ගුළු 26 කි. (26Kg)

1.3.31.5. ශරීර බර කිරීම

තරගය ආරම්භයට පැය දෙකකට(02) පෙර බර කිරීම ආරම්භ කළ යුතුය. පළමු පැය තුල අදාල බර පන්තියට අදාලව නිවැරදිව බර ලබා දිය යුතු අතර එසේ නොකරන නිඩකයින් තරගයෙන් ඉවත් කෙරේ.

1.3.31.6. කීඩක ඇඳුම

ක්රීඩකයින් බර ඉසිලීම ක්රීඩාවට භාවිතා කරන ඇඳුම (Lifting Kit) භාවිතා කිරීම අනිවාර්ය වේ. කොලරය සහිත උඩුකය ඇඳුම සහ උඩුකය සහ යටිකය වෙන්වන සේ ඇඳුම ඇදීම අසාර්ථක පුයත්නයක් වේ.

බර ඉසිලීම කුීඩාවට උවිත පාවහන් පැළදීම අනිවාර්ය වේ.

1.3.31.7. අයදුම්පතු භාරදීම

අවසන් අයඳුම්පත කරග දිනට පෙර දින ප.ව. 6.00 ට පෙර සංවිධායක මණ්ඩලයට ලබා දිය යුතුය. එසේ ලබා දීමට අපොහොසක් වන කණ්ඩායම්වල අයදුම්පනුය මුල් අයදුම්පනුය තරග අයදුම්පනුය ලෙස සැලකේ.

1.3.31.8. සියලුම කරග ජාතාන්තර බර ඉසිලීමේ නීත් රීතිවලට අනුකූලව පැවැත්වේ.

1.3.32. පාපැදි තරග (බාලක/බාලිකා)

- 1.3.32.1. වයස් සීමාව -
 - අවුරුදු 20 න් පහළ (අවුරුදු 16 ව වැඩි අවුරුදු 20 ව අඩු)
- 1.3.32.2. දුර පුමාණය
 - බාලක කි.මී. 30
 - බාලිකා කි.මී. 20
- 1.3.32.3. පාපැදියේ පිටුපස දැකි රෝදය (පුී වීලය) දැකි 18 කින් යුක්ත විය යුතුය. ඉදිරිපස ඇති රෝදයෙහි (කොග් වීලය) දැකි 48 ක් වීම අනිචාර්ය වේ.
- 1.3.32.4. ජාතික මට්ටමේ කරග සඳහා පළාතකින් කරගකරුවන්/තරගකාරියන් ඕනෑම සංඛ්යාවකික් ඉදිරිපත් කළ හැකි ය.
- 1.3.32.5. කීඩක /කීඩිකාවන් අනිවාර්ගගෙන්ම ආරක්ෂිත හිස්වැසුම් පැළදිග යුතුය.
- 1.3.32.6. සැම ක්‍රීඩක/ක්‍රීඩිකාවක්ම ශාරීරික යෝගාතාවය පිළිබඳ එම.බී.බී.එස්. වෛදාවරයකුගෙන් ලබා ගත් වෛදා වාර්තාව සහ විදාුත් කන්තුක රේඛන වාර්තාව (ECG), ව්දුහල්පති විසින් අනු අත්සන් තබන ලද දෙමව්පිය කැමැත්ත ප්‍රකාශිත ලිපිය, තරග අංක ලබා ගැනීමේ දී ඉදිරිපත් කළ යුතු වේ.

2. සමස්ක ලංකා පාසල් සහාය දිවීමේ තරගාවලිය

2.1. වයස් සීමා

ජාතික මට්ටමින් පමණක් පැවැත්වෙන මෙම තරගාවලි පහත සඳහන් වයස් සීමා යටතේ පැවැත්වේ.

- අවුරුදු 12 න් පහළ බාලක / බාලිකා
- අවුරුදු 14 න් පහළ බාලක / බාලිකා
- අවුරුදු 16 න් පහළ බාලක / බාලිකා
- අවුරුදු 18 න් පහළ බාලක / බාලිකා
- අවුරුදු 20 න් පහළ බාලික / බාලිකා
- 2.2 වයස අවුරුදු 12 න් පහළ කරග සඳහා පළමු, දෙවන හා කෙවන ආදී වශයෙන් කි්ඩක කි්ඩිකාවන්ට ජයගුහණ ලබා නොදෙන අතර ජාතික පරිසාධන මට්ටම ඉක්ම වූ ක්‍රීඩකා ක්‍රීඩිකාවන්ට කුසලකා සහතික පතු ලබා දිම සිදු කෙරේ. පරිසාධන මට්ටම ඉක්මවන සැම අවස්ථාවකදීම එම පාසලට ලකුණු 01 බැගින් හිමි වේ.

2.3. කරග ඉසව

2.3.1 අවුරුදු 12 න් පහළ බාලක / බාලිකා (අවුරුදු 10 ව වැඩි - අවුරුදු 12 ව අඩු)

බංලක	බාලිකා
මීවර් 50 X 4	ම්බර් 50 X 4
මීවර් 100 X 4	ම්බර් 100 X 4

2.3.2 අවුරුදු 14 න් පහළ බාලක / බාලිකා (අවුරුදු 12 ව වැඩි - අවුරුදු 14 ට අඩු)

බාලක	බාලිකා
ම්වර් 50 X 4	මීවර් 50 X 4
ම්බර් 100 X 4	ම්බර් 100 X 4
ම්වර් 200 X 4	මීවර 200 X 4

2.3.3 අවුරුදු 16 න් පහළ බාලක / බාලිකා (අවුරුදු 14 ව වැඩි - අවුරුදු 16 ට අඩු)

බාලිකා
ම්බර් 100 X 4
ම්බර් 200 X 4
මටර 400 X 4
මෙඩලි සහාය - (මීටර් 100,200,300,400)

2.3.4 අවුරුදු 18 න් පහළ බාලක / බාලිකා (අවුරුදු 16 ට වැඩි - අවුරුදු 18 ට අඩු)

බාලක	බාලිකා
මීවර් 100 X 4	ම්බර් 100 X 4
ම්බර් 200 X 4	මීවර 200 X 4
ම්බර් 400 X 4	ම්බර් 400 X 4
ම්වර් 800 X 4	ම්බර් 800 X 4
මෙඩලි සහාය - (ම්ටර් 100,200,300,400)	මෙඩලි සභාය - (මීටර් 100,200,300,400)

2.3.5 අවුරුදු 20 න් පහළ බාලක / බාලිකා (අවුරුදු 18 ව වැඩි - අවුරුදු 20 ව අඩු)

බාලක	බංලිකා
ම්බර් 100 X 4	ම්බර් 100 X 4
305 200 X 4	ම්බර් 200 X 4
®වර 400 X 4	ම්බර් 400 X 4
මීටර් 800 X 4	ම්වර 800 X 4
මෙඩලි සභාය - (මීටර් 100,200,300,400)	මෙහිලි සභාය - (මීටර් 100,200,300,400)

- 2.4. එක් සහය ඉසර්වක් සඳහා එක් පාසලකින් ඉදිරිපත් කළ හැක්කේ එක් කණ්ඩායමක් පමණි.
- 2.5. ජේද අංක 2.3 තරග සඳහා පාසල්වලින් ඉදිරිපත් ශකරෙන සභාය දිවීමේ තරග අයදුම්පත් ඒ එ පළාත් විෂයභාර නි.අ.අ./ස.අ.අ. විසින් මැයි මස 30 වැනි දිනට පෙර අධ්‍යාපන අමාතුනංශයේ කිඩා හා ශාරීරික අධ්‍යාපන ශාඛාව වෙත එවිය යුතු ය.

මහාචාර්ය කේ. කපිල සි.කේ. පෙරේරා ලේකම්

අධානපත අමාතනංශය



අධන<mark>පන අමාතන</mark>ංශය கல்வி அமைச்சு Ministry of Education

'ඉසුරුපාය', ඔත්තරමුල්ල, ශී ලංකාව. 'இசுருபாய', பத்தரமுல்ல, இலங்கை. 'Isurupaya', Battaramulla, Sri Lanka. © +94112785141-50 ♣ +94112785818

⊕ +94112785141-50
 ⇒ info@moe.gov.lk

www.moc.gov.lk

පතේ පොමුව සතුයු මුත My Ref.

ED/9/15/2/3/@eng

മക്ക് പോട്ടല്) ചോള്വ இல. Your Ref. දිනය නියනි Date

2022.03.11

சுற்றுநிருப இலக்கம்: 03/2022

அனைத்து மாகாணக் கல்விச் செயலாளர்கள், அனைத்து மாகணக் கல்விப் பணிப்பாளர்கள், அனைத்து வலயக் கல்விப் பணிப்பாளர்கள், அனைத்து கோட்டக் கல்விப் பணிப்பாளர்கள், அனைத்து அதிபர்கள், அனைத்து பாடசாலை விளையாட்டு சங்கத் தலைவர்கள்,

பாடசாலை விளையாட்டு

பாடசாலை மாணவர்களின் உடவியல், உளவியல், சமூகவியல் மற்றும் ஆன்மீக ஆரோக்கியத்தை பரிபூரணப்படுத்தும் குறிக்கோளை அடையும் நோக்கில் 'சகல மாணவர்களும் கட்டாயமாக ஒரு விளையாட்டில் ஈடுபடல் வேண்டும்' எனும் கருத்திட்டத்தை அடிப்படையாகக் கொண்டு, விளையாட்டுச் செயற்பாடுகளில் ஈடுபடும் மாணவர்கள் இதனால் பெற்றுக்கொள்ளும் தேர்ச்சிகள் மற்றும் தகைமைகளை அளவிடுவதற்கும், நாட்டினைப் பிரதிநிதித்துவப்படுத்தி வெளிநாட்டு போட்டிகளில் கலந்து கொள்ளச் செய்வதையும் குறிக்கோளாகக் கொண்டு கல்வி அமைச்சினால் நடாத்தப்படும் அகில இலங்கை பாடசாலை விளையாட்டுப் போட்டிகளுக்காக இச் சுற்றுநிருபம் வெளியிடப்படுகின்றது. பாடசாலை மாணவர்களுக்காக நடாத்தப்படும் ஏனைய சகல விளையாட்டுப் போட்டிகளுக்கும் இச் சுற்றுநிருபத்தின் 1,1 இன் கீழ் வழங்கப்பட்டுள்ள பொது விதிமுறைகள் செல்லுபடியாகும். பாடசாலை விளையாட்டுப் போட்டிகளை நடாத்துதல் தொடர்பாக இதற்கு முன்னர் வெளியிடப்பட்ட சகல ஆலோசனைகள் மற்றும் சுற்றுநிருபங்களும் இத்துடன் இரத்துச்செய்யப்படுகின்றது.

1.1 பொது விடுமுறைகள்

- 1.1.1 சகல பாடசாலை விளையாட்டுப் போட்டிகளிலும் இலங்கைப் பிரஜைகளாடுய பாடசாலை மாணவர்கள் மாத்திரமே கலந்துகொள்ளலாம். பாடசாலைகளை விட்டு இடைவிலகிய மாணவர்கள் இப்போட்டிகளில் கலந்துகொள்ளமுடியாது.
- 1.1.2 இல்ல விளையாட்டு/ கோட்ட/ வலய/ மாகாண மற்றும் தேசிய மட்ட விளையாட்டுப் போட்டிகளில் கலந்து கொள்ளும் பாடசாலை மாணவர்கள் போட்டி நடைபெறும் வருடத்தின் டிசம்பர் மாதம் 31 திகதியும் உள்ளடங்களாக அத்தினத்திற்கு உரிய வயதெல்லைக்குள் இருத்தல் வேண்டும். மேலும் பாடசாலை விளையாட்டு சங்கங்களினூடாக நடாத்தப்படும் போட்டிகளுக்குரிய வயதெல்லைகளை உரிய பாடசாலை விளையாட்டு சங்கம் தீர்மானித்தல் வேண்டும்.
- 1.1.3 12 வயதிற்கு கீழ் மாணவர்களுக்கு ஏந்தவொரு போட்டிகளையும் போட்டித்தன்மை மிக்க வகையில் நடத்தலாகாது. பாடசாலை சங்கங்களூடாக நடாத்தப்படும் விளையாட்டும் போட்டிகளில் 13 வயதிற்கு கீழ் வயதெல்லையினருக்கு போட்டிகள் நடாத்தப்படும் எனின் அப் போட்டிகளில் 12 வயதை விட கூடிய வீர வீராங்கனைகள் மாத்திரமே கலந்துகொள்ள முடியும். 12 வயதிற்கு கீழுள்ளவர்களுக்கு போட்டிகள் ஏற்பாடு செய்யப்படவேண்டும் எனின் கல்வி அமைச்சு அதற்குரிய அனுமதியை வழங்காது என்பதுடன் 12 வயதிற்கு குறைந்தவர்களுக்கு விளையாட்டுகளை அறிமுகப்படுத்தும் போது அவர்களைக் கவரக் கூடிய வகையில் மகிழ்ச்சிகரமானதாக ஏற்பாடு செய்யலாம்.

- 1.1.4. சகல விளையாட்டு அணிகளுக்கும் பொறுப்பாசிரியர் ஒருவர் பாடசாலை அதிபரின் கடிதமொன்றினாடாக நியமனம் செய்யப்பட்டு அவர் கலந்துகொள்ளல் வேண்டும். மாணவிகள் கலந்துகொள்வார்கள் எனின் ஆசிரியை ஒருவரும் கட்டாயமாக கலந்துகொள்ள வேண்டும்.
- 1.1.5. போட்டிகளில் கலந்துகொள்ளும் சகல வீர வீராங்களைகளும் பாடசாலை மாணவர்களுக்குப் பொருத்தமான ஆடைகளை அணிந்திருக்க வேண்டும் என்பதுடன் மாணவர்களுக்குரிய ஒழுக்க விழுமியங்களுடன் மைதானங்களில் மாத்திரமல்லாது அதற்கு வெளியேயும் நடந்துகொள்வது கட்டாயமாகும். போட்டி மனப்பாங்கு மற்றும் நியாயமான போட்டி போன்ற விளையாட்டுக்குரிய பண்புகளை பாதுகாத்து போட்டிகளில் கலந்துகொள்வது வீர வீராங்கனைகளது பொறுப்பாகும்.
- 1.1.6. சகல வீர வீராங்கனைகளதும் வயதினை உறுதிப்படுத்துவதற்காக உத்தியோகபூர்வ பிறப்புச் சான்றிதழின் மூலப் பிரதியை சமர்ப்பித்தல் வேண்டும். மாவட்ட பதிவாளரின் ஒப்பத்துடன் கூடிய பிரதியே உத்தியோகபூர்வ பிறப்புச் சான்றிதழாக ஏற்றுக்கொள்ளப்படும்.
- 1.1.7. போட்டிகளில் கலந்துகொள்ளும் சகல வீர வீராங்கனைகளும் தமது அடையாளத்தை உறுதிப்படுத்துவதற்காக ஆட்பதிவுத் திணைக்களத்தால் வழங்கப்பட்ட அடையான அட்டை அல்லது செல்லுபடியாகும் கடிவுச்சீட்டை சமர்ப்பித்தல் வேண்டும். 15 வயது நிறைவடையாத வீர வீராங்கனைகள் மாத்திரம் தபால் திணைக்களத்தினால் வழங்கப்பட்ட தபால் அடையாள அட்டையினை சமர்ப்பிக்கலாம்.
- 1.1.8. ஒரு மாணவர் ஒரு வருடத்தினள், ஒரு போட்டியில், ஒரு பாடசாலையை பிரதிநிதித்துவப்படுத்தி மாத்திரமே கலந்துகொள்ள முடியும். ஆகையால் எவரேனும் ஒரு வீரர் கோட்டம் அல்லது வலயம் அல்லது மாவட்டம் அல்லது மாகாண மட்டத்தில் தான் பிரதிநித்துவப்படுத்திய பாடசாலையிலிருந்து விலகி புதிய பாடசாலையில் அனுமதி பெற்றிருப்பினும் அடுத்த கட்ட போட்டிகளில் தான் முதலில் பிரதிநிதித்துவப்படுத்திய பாடசாலையைப் பிரதிநிதித்துவப்படுத்தியே போட்டிகளில் கலந்துகொள்ளவேண்டும்.
- 1.1.9. மாணவர்கள் பிரிதொரு பாடசாலையில் அனுமதி பெற்றதன் பின்னர் அப் பாடசாலையில் அனுமதிக்கப்பட்ட தினத்திலிருந்து ஒரு வருட காலத்தினுள் புதிய பாடசாலையின் பெயரின் Sip போட்டிகளுக்கு பதிவுசெய்துகொள்வார்களாயின் அவர் தற்போது கல்வி கற்கும் பாடசாலையை பிரதிநிதித்துவப்படுத்தி போட்டிகளில் பங்குபற்றுதல் தொடர்பில் தமக்கு எந்தவொரு ஆட்சேபனையும் இல்லை என்பதாக அம்மாணவர் இதற்கு முன்னர் கல்வி கற்ற சகல பாடசாலை அதிபர்களிடமிருந்தும் எழுத்துமூல கடிதங்களைப் பெற்று அக்கடிதங்களை கல்வி அமைச்சின் விளையாட்டு மற்றும் உடற் கல்விக் கிளையின் பணிப்பாளரிடம் சமர்ப்பித்து உரிய அனுமதியைப் பெற்றுக்கொள்ள வேண்டும். தரம் 6 மற்றும் தரம் 12 முகல் கடவையாக அனுமதி பெறும் மாணவர்கள் இல் பாடசாலையைப் பிரதிநிதித்துவப்படுத்துவதற்கும் விளையாட்டுப் பாடசாலைகளுக்கு புலமைப் பரிசில் பெற்று அனுமதி பெறும் மாணவர்கள் தமது விளையாட்டுப் பாடசாலையை பிரதிநிதித்துவப்படுத்துவதற்கும் மேலே 1.1.8 இல் குறிப்பிடப்பட்டுள்ள விதிமுறை செல்லுபடியாகாது.
- 1.1.10. போட்டிக்கு விண்ணப்பம் கோரப்படும் சந்தர்ப்பத்தில் மாணவரொருவர் தான் விண்ணப்பிக்கும் பாடசாலையில் அனுமதி பெற்றிருத்தல் வேண்டுமென்பதுடன் இதன் போது மேலே 1.1.9 இற்கமைய செயற்படல் வேண்டும்.
- 1.1.11. 13 வருட உத்தரவாதமளிக்கப்பட்ட கல்வி வேலைத்திட்டம் அமுல்படுத்தப்பட்டுள்ள பாடசாலைகளில் அதிபர்களால் உரிய மாணவர்கள் பாடசாலையில் முழுநேரம் கற்கின்றார்கள் என எழுத்து மூலம் உறுதிப்படுத்தப்படுதல் கட்டாயமாகும். (கல்வி அமைச்சினால் இதற்கான அதற்குரிய சுற்றுநிருபம் வெளியிடப்பட்டு உரிய முறையில் 13 வருட கல்வி வேலைத்திட்டம் அமுல்படுத்தப்படும் பாடசாலைகளுக்கு மட்டும் இது செல்லுபடியாகும்)

- 1.1.12. பலதரப்பட்ட விளையாட்டுக்களில் செல்லபடியாகும் பொது சட்ட விதிமுறைகளுக்கு மேலதிகமாக கல்வி அமைச்சினால் விதிக்கப்படும் சட்ட விதிமுறைகளுக்கமைவாக போட்டிகள் நடாத்தப்படும்.
- 1.1.13. கவ்வி அமைச்சினால் வெளியிடப்படும் வருடாந்த நாட்காட்டிக்கமைவாக விண்ணப்பித்தல் மற்றும் போட்டிகளை நடாக்துகல் வேண்டும்.

1.2 விளையாட்டுக்களின் வகைப்படுக்கல்

- பாடசாலை மாணவர்களுக்காக ஏற்பாடு செய்யப்படும் விளையாட்டுப் போட்டிகள் கீழே குறிப்பிடப்பட்டுள்ளதன் படி வகைப்படுத்தப்பட்டுள்ளன.
 - 1.2.1.1 அதில் இலங்கை பாடசாலை விளையாட்டுச் சுற்றுப்போட்டி
 - 1.2.1.2 பாடசாலை விளையாட்டுச் சங்கங்களால் ஏற்பாடு செய்யப்படும் விளையாட்டுப் போட்டிகள்
 - 1.2.1.3 கல்வி அமைச்சின் அனுமதியுடன் தேசிய விளையாட்டுச் சங்கங்கள், மாவட்ட சங்கங்கள், விளையாட்டுக் கழகங்கள் மற்றும் வேறு அங்கீகரிக்கப்பட்ட அமைப்புக்களால் ஏற்பாடு செய்யப்படும் விளையாட்டுப் போட்டிகள்
- 1.2.2. அகில இலங்கை பாடசாலை விளையாட்டு சுற்றப்போட்டி

இச் சுற்றுப்போட்டி கீழேயுள்ள கட்டங்களைக் கொண்டது.

- 1.2.2.1 பாடசாலை மட்டம் (இல்ல விளையாட்டுப் போட்டி)
- 1.2.2.2 கோட்ட மட்டம் (போட்டிகளை நடாத்துவது தொடர்பாக மாகாணக் கல்வித் திணைக்களம் அல்லது வலயக் கல்வி அலுவலகம் தீர்மானிக்கலாம்.)
- 1.2.2.3 வலய மட்டம்
- 1.2.2.4 மாகாண மட்டம்
- 1.2.2.5 தேசிய மட்டம்
- 1.2.3. அல்ல இலங்கை பாடசாலை விளையாட்டுப் போட்டிகளில் அணி போட்டிகளுக்குரிய விண்ணப்பப்படிவங்கள் அணிக்குப் பொறுப்பான ஆசிரியர், அஇபர், வலயக் கல்விப் பணிப்பாளர் ஆகியோரால் உறுடுப்படுத்தப்பட்டிருத்தல் வேண்டும். அல்ல இலங்கை மட்டப் போட்டிகளுக்கான விண்ணப்பப்படிவங்கள் ஏற்றுக்கொள்ளப்பட்டதன் பின்னர் விண்ணப்பப்படிவங்களில் எந்தவொரு திருத்தங்களும் மேற்கொள்ளப்பட அனுமதி வழங்கப்படமாட்டாது.
- 1.2.4. அதில இலங்கை பாடசாலை விளையாட்டுப் போட்டிகளில் வீர வீராங்கனைகளை கலந்துகொள்ளச்செய்வதற்காக மாகாணக் கல்விக் கிணைக்களங்களூடாக மேன்முறையீடுகள் சமர்ப்பிக்கப்பட்டுள்ள சந்தர்ப்பங்களில் அது தொடர்பாக கருத்திள் கொள்ளப்படுவது அம்மாணவர் இதற்கு முந்தைய வருடத்தில் அகில இலங்கை மட்ட பாடசாலை விளையாட்டுப் போட்டிகளில் காட்டியுள்ள திறமைகளை அடிப்படையாகக் கொண்டேயாகும். அவ்வாறு கருத்தில் கொள்ளப்படும் வீர வீராங்களைகள் உரிய மாகாணத்திற்குரிய விளையாட்டுப் போட்டிகள் நடைபெறும் காலத்தில் கல்வி அமைச்சின் முறையான அனுமதி பெற்று இலங்கையைப் பிரதிநிதித்துவப்படுத்தி வெளிநாட்டு சுற்றுப்போட்டிகளில் கலந்துகொண்டிருப்பின் நோய்வாய்ப்பட்டிருந்தமையை உறுதிப்படுத்தி அரச விளையாட்டு பிரிவினால் வழங்கப்பட்ட வைத்தியச் சான்றிதழை சமர்ப்பித்திருப்பின் அவையும் கருத்தில் கொள்ளப்படும். அவ் வீரர் அல்லது வீராங்கனை கட்டாயமாக போட்டி நடைபெறும் வருடத்தில் வலய மட்ட போட்டிகளில் கலந்துகொள்வதற்குரிய தகைமையைப் பெற்றிருத்தல் வேண்டும். நேரடியாக மாகாண மட்டத்தில் நடைபெறும் போட்டியொன்றாயின் (ஒற்றையர்) அவ் வீரர் அல்லது வீராங்கனை முந்தைய வருடத்தில் தாம் விண்ணப்பித்திருக்கும் போட்டியில் அகில இலங்கை ரீதியில் முதலாம், இரண்டாம். மூன்றாம் அல்லது திறமை மட்டத்தை அடைந்திருத்தல் வேண்டும் என்பதுடன் மாகாணக் கல்வித் திணைக்களத்தின் விடயத்திற்குப் பொறுப்பான உத்தியோகத்தரது பரிந்துரையுடன் விண்ணப்பித்தல் வேண்டும். எவ்வாறாயினும் அம்மாணவரது விண்ணப்பத்தை ஏற்றுக்கொள்ளும் அதிகாரம் மேன்முறையீட்டுக் குழுவையே சாரும்.

1.2.5. இல்ல விளையாட்டுப் போட்டிகளின் பின்னர் பாடசாலை மாணவர்கள் உரிய வருடத்தில் கலந்துகொள்ள முடியுமான விளையாட்டுப் போட்டிகள் கீழ் வருமாறு.

விளையாட்டுப் போட்டிகள்	கோட்ட மட்டம்	வலய மட்டம்	மாகா ண மட்டம்	தேசிய மட்டம்	
 பெய்வல்லுனர் விளையாட்டு (ஆண் / பெண்) 	4	1	4	4	
2.கரப்பந்து (ஆண் / பெண்)	√	√	1	√	
3.வலைப்பந்து (பெண்)	√	1	V	√	
4.கால்பந்து(ஆண் / பெண்)	V	1	V	V	
5. எல்லே (ஆண் / பெண்)	√	1	√	√	
6. மென்பந்து கிரிக்கெட் (ஆண் / பெண்)	1	√	V	1	
7. செஸ்(ஆண் / பெண்)	0	0	√	V	
8.கராத்தே (ஆண் / பெண்)	0	0	V	- V	
9.பட்மிட்டன் (ஆண் / பெண்)	0	0	1	- √	
10.மேசைப்பந்து (ஆண் / பெண்)	0	0	V	4	
11.நீச்சல்(ஆண் / பெண்)	0	0	V	1	
12.எறி பந்து (ஆண் / பெண்)	0	0	V	√	
13.கேரம் (ஆண் / பெண்)	0	0	V	1	
14.ஜிம்னாஸ்டிக் (ஆண் / பெண்)	0	0	V	√	
15. ஏரோபிக் ஜிம்னாஸ்டிக் (ஆண் / பெண்)	0	0	V	1	
16.ஏழு பேர் கொண்ட றகர்(ஆண்)	0	0	V	V	
17. கபடி (ஆண் / பெண்)	0	0	√	√	
18, டைகொண்டோ(ஆண் / பெண்)	0	0	V	V	
19. வூசூ(ஆண் / பெண்)	0	0	V	1	
20. கூடைப் பந்து (ஆண் / பெண்)	0	0	V	√	
21. ஹொக்கி (ஆண் / பெண்)	0	0	V	√	
22. உடற்பயிற்சி (ஆண் / பெண்)	0	0	V	V	
23. லெதர் பந்து கிரிக்கெட் (ஆண்)	0	0	4	1	
24. அரை மராத்தான் (ஆண் / பெண்)	0	0	V	V	
25. கைப் பந்து(ஆண் / பெண்)	0	0	V	V	
26. கடற்கரை கரப்பந்து (ஆண் /பெண்)	0	0	0	√	
27. மல்யுத்தம் (ஆண்)	0	0	0	√ V	
28. குத்துச் சண்டை (ஆண்)	0	0	0	V	
29. ஜூடோ (ஆண் / பெண்)	0	0	0	V	
30. டெனிஸ்(ஆண் / பெண்)	0	0	0	V	
31. பாரம் தூக்கல் (ஆண் / பெண்)	0	0	0	V	
32. சைக்குளோட்டம் (ஆண் / பெண்)	0	0	0	V	

கவனத்தில் கொள்க (க.கொ). - √ போட்டி நடைபெறும். 0 - போட்டி நடைபெறாது.

க. கொ. மேலே குறிப்பில் காட்டப்பட்டுள்ள சகல விளையாட்டுக்களும் இச்சுற்றுநிருபம் வெளியிடப்பட்டு இரண்டு வருடங்களுள் ஆகக் குறைந்தது ஒரு மாகாணத்திற்கு ஐந்து (05) பாடசாலைகள் என்றவாறாக ஒன்பது மாகாணங்களையும் பிரதிநிதித்துவப்படுத்தி 50 பாடசாலைகள் அல்லது அதற்கு மேலதிகமான பாடசாலைகளில் அவ் விளையாட்டு பரவலாக்கப்பட்டிருத்தல் வேண்டும். அவ்வாறு பரவலாக்கப்பட்டிராத விளையாட்டுக்களுக்குரிய போட்டிகளை அகில இலங்கை மட்டத்தில் நடாத்தாது பரவலாக்கப்பட்டிருக்கும் மாகாணங்களில் மாத்திரம் மாகாண மட்டத்தில் போட்டிகளை நடாத்துவதற்குரிய நடவடிக்கைகள் மேற்கொள்ளப்படும்.

தேசிய மட்டத்திற்காக புதிய விளையாட்டு ஒன்று தகைமை பெறவேண்டுமெனின் ஆகக் குறைந்தது ஒரு மாகாணத்திற்கு 05 பாடசாலைகள் என்றவாறாக ஐந்து மாகாணங்களின் பிரதிறிதித்துவம் காணப்படல் வேண்டும். தேசிய மட்டத்தில் இணைந்து இரண்டு வருடங்களுக்குள் சகல மாகாணங்களிலும் அப் புதிய விளையாட்டு பரவலாக்கப்பட்டிருத்தல் வேண்டும்.

1.3 போட்டி விபரங்கள்

1.3.1. மெய்வல்லுனர் விளையாட்டு

- 1.3.1.1. மெய்வல்லுனர் விளையாட்டு வயதெல்லைகள் மற்றும் போட்டி நிகழ்ச்சிகள்
 - 12 ற்குக் கீழ் ஆண் / பெண் (10 வருடங்களுக்கு மேல் 12 வருடங்களுக்கு கீழ்)
 - 14 ற்குக் கீழ் ஆண் / பெண் (12 வருடங்களுக்கு மேல் 14 வருடங்களுக்கு கீழ்)
 - 16 ற்குக் கீழ் ஆண் / பெண் (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)
 - 18 ற்குக் கீழ் ஆண் / பெண் (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் ஆண் / பெண் (18 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.1.2. அதிபரின் விருப்பத்திற்கமைய இல்ல விளையாட்டுப் போட்டிகளில் மட்டும் வேறு வயதெல்லைகளின் கீழ் போட்டிகளை நடாத்தலாம்.
- 1.3.1.3. 12 வயதிற்கு கீழ் ஆண்/ பெண் வயதெல்லையினரில் மாகாண திறமை மட்டத்தை தாண்டிய சகல வீர வீராங்கணைகளும் தேசிய மட்டப் போட்டிகளில் கலந்துகொள்ளலாம்.
- 1.3.1.4. 12 வயதிற்கு கீழ் போட்டிகளில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகள் வீர வீராங்கனைகளுக்கு வழங்கப்படமாட்டாது என்பதுடன் தேசிய திறமை மட்டத்தை தாண்டும் வீர வீராங்கனைகளுக்கு திறமைச் சான்றிதழ் வழங்கப்படும். திறமை மட்டத்தை தாண்டும் ஒவ்வொரு சந்தர்ப்பங்களிலும் உரிய பாடசாலைக்கு 01 புள்ளி வீதம் கிடைக்கப்பெறும்.

1.3.1.5.

12 ற்குக் கீழ் ஆண் / பெண் - (10 வருடங்களுக்கு மேல் 12 வருடங்களுக்கு கீழ்)

ஆண்	பெண்
60 மீட்டர்	60 மீட்டர்
100 மீட்டர்	100 மீட்டர்
உயரம் பாய்தல்	உயரம் பாய்தல்
தூரம் பாய்தல்	தூரம் பாய்தல்
50 மீட்டர் X 4	50 மீட்டர் X 4

1.3.1.6. 14 ற்குக் கீழ் ஆண் / பெண் - (12 வருடங்களுக்கு மேல் 14 வருடங்களுக்கு கீழ்)

ஆண்	பெண்	
80 மீட்டர்	80 மீட்டர்	
100 மீட்டர்	100 மீட்டர்	
80 மீட்டர் தடை தாண்டல் (0.762 மீ)	80 மீட்டர் தடை தாண்டல் (0.762 மீ)	
உயரம் பாய்தல்	உயரம் பாய்தல்	
தூரம் பாய்தல்	தூரம் பாய்தல்	
குண்டெறிதல் (3 கிலோ)	குண்டெறிதல் (3 கிலோ)	
100 மீட்டர் X 4	100 மீட்டர் X 4	

1.3.1.7. 16 ற்குக் கீழ் ஆண் / பெண் - (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)

ஆண்	பெண்	
100 மீட்டர்	100 மீட்டர்	
200 மீட்டர்	200 மீட்டர்	
400 மீட்டர்	400 மீட்டர்	
800 மீட்டர்	800 மீட்டர்	
100 மீட்டர் தடை தாண்டல் (0.838 மீ)	100 மீட்டர் தடை தாண்டல் (0.762 மீ)	
300 மீட்டர் தடை தாண்டல் 07 (0.762 மீ)	300 மீட்டர் தடை தாண்டல் 07 (0.762 மீ)	
100 மீட்டர் X 4	100 மீட்டர் X 4	
400 மீட்டர் X 4	400 மீட்டர் X 4	
உயரம் பாய்தல்	உயரம் பாய்தல்	
தூரம் பாய்தல்	தூரம் பாய்தல்	
குண்டெறிதல் (4 கிலோ)	குண்டெறிதல் (3 இலோ)	
தட்டெறிதல் (1 கிலோ)	தட்டெறிதல் (1 கிலோ)	
ஈட்டி எறிதல் (600 இராம்)	ஈட்டி எறிதல் (500 இராம்)	

1.3.1.8 18 ற்குக் கீழ் ஆண் / பெண் - (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்)

ஆண்	பெண்
100 மீட்டர்	100 மீட்டர்
200 மீட்டர்	200 மீட்டர்
400 மீட்டர்	400 மீட்டர்
800 மீட்டர்	800 மீட்டர்
1,500 மீட்டர்	1,500 மீட்டர்
110 மீட்டர்தடை தாண்டெல் (0.914 மீ)	100 மீட்டர் தடை தாண்டல் (0.762 மீ)
400 மீட்டர் தடை தாண்டல் (0.838 மீ)	400 மீட்டர் தடை தாண்டல் (0.762 மீ)
100 மீட்டர் X 4	100 மீட்டர் X 4
400 மீட்டர் X 4	400 மீட்டர் X 4
உயரம் பாய்தல்	உயரம் பாய்தல்
தூரம் பாய்தல்	தூரம் பாய்தல்
முப்பாய்ச்சல்	முப்பாய்ச்சல்
கோலுன்றிப் பாய்தல்	கோலான்றிப் பாய்தல்
குண்டெறிதல் (5 கிலோ)	குண்டெறிதல் (3 திலோ)
தட்டெறிதல் (1.5 கிலோ)	தட்டெறிதல் (1 கிலோ)
ஈட்டி எறிதல் (700 இராம்)	ஈட்டி எறிதல் (500 கிராம்)

1.3.1.9

20 ற்குக் கீழ் ஆண் / பெண் - (18 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)

ஆண்	பெண்	
100 மீட்டர்	100 மீட்டர்	
200 மீட்டர்	200 மீட்டர்	
400 மீட்டர்	400 மீட்டர்	
800 மீட்டர்	800 மீட்டர்	
1,500 மீட்டர்	1,500 மீட்டர்	
5,000 மீட்டர்	5,000 மீட்டர்	
110 மீட்டர் தடை தாண்டல் (0.990 மீ)	100 மீட்டர் தடை தாண்டல் (0.838 மீ)	
400 மீட்டர் தடை தாண்டல் (0.914 மீ)	400 மீட்டர் தடை தாண்டல் (0.762 மீ)	
100 மீட்டர் X 4	100 மீட்டர் X 4	
400 மீட்டர் X 4	400 மீட்டர் X 4	
உயரம் பாய்தல்	உயரம் பாய்தல்	
தூரம் பாய்தல்	தூரம் பாய்தல்	
முப்பாய்ச்சல்	ழுப்பாய்ச்சல் ம	
கோலூன்றிப் பாய்தல்	கோலூன்றிப் பாய்தல்	
குண்டெறிதல் (6 கிலோ)	குண்டெறிதல் (4 கிலோ)	
தட்டெறிதல் (1.75 கிலோ)	தட்டெறிதல் (1 கிலோ)	
ஈட்டி எறிதல் (800 திராம்)	ஈட்டி எறிதல் (600 இராம்)	

1.3.1.10

தடைதாண்டி ஓடல் போட்டிக்கான அஎவீடுகள்

போட்டி	ஆரம்ப கோட்டிலிருந்து முதலாம் தடை வரையிலான தாரம்	தடைகளுக்கு இடையிலான தாரம்	இறதித் தடையில் இருந்து வெற்றிக் கோடு வரையான தாரம்	தடைகளின் எண்ணிக்கை
80 மீட்டர் தடை தாண்டல்	12.00 மீட்டர்	8.00 மீட்டர்	12.00 மீட்டர்	08
100 மீட்டர் தடை தாண்டல்	13.00 மீட்டர்	8.50 மீட்டர்	10.50 மீட்டர்	10
110 மீட்டர் தடை தாண்டல்	13.72 மீட்டர்	9.14 மீட்டர்	14.02 மீட்டர்	10
300 மீட்டர் தடை தாண்டல்	50.00 மீட்டர்	35.00 மீட்டர்	40.00 மீட்டர்	10
400 மீட்டர் தடை தாண்டல்	45.00 மீட்டர்	35.00 மீட்டர்	40.00 மீட்டர்	10

- 1.3.1.11 அகில இலங்கை பாடசாலை மெய்வல்லுனர் சுற்றுப்போட்டியில் அகில இலங்கை மட்டத்திற்கு 14, 16, 18, 20 வயதிற்குக் கீழ் வயதெல்லையினருக்கு ஒரு தனிப் போட்டி நிகழ்ச்சிக்கு வீர வீராங்கனைகள் நான்கு (04) பேரும், அஞ்சல் போட்டி நிகழ்ச்சியொன்றிற்கு மூன்று அணிகளும் மாகாண மட்டத்தில் கலந்துகொள்ளலாம். கோட்ட, வலய மற்றும் மாகாண மட்ட போட்டிகளை நடாத்தும் போது அதில் கலந்துகொள்ளக்கூடிய போட்டியாளர்களின் எண்ணிக்கை மாகாணத்தினால் தீர்மானிக்கப்படல் வேண்டும்.
- 1.3.1.12 18 வயதிற்கு கீழ் மற்றும் 20 வயதிற்கு கீழ் வர்ண திறமை மட்டங்கள் மற்றும் 12 வயதிற்கு கீழ் திறமை மட்டம் ஆகியவை பிரதி வருடம் ஜனவரி மாதம் 31ம் திகதிக்கு முன்னர் மாகாணத்தின் விடயத்திற்குப் பொறுப்பான பி.க.ப/ உ.க.ப அவர்களால் அறியத்தரப்படும்.

1.3.2. கரப்பந்து (ஆண்/பெண்)

- 1.3.2.1. வயதெல்லைகள்
 - 16 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)
 - 18 ற்குக் கீழ் (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் (18 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.2.2. போட்டிகளில் சுற்றுக்களின் எண்ணைக்கையினை ஏற்பாட்டாளர்களால் தீர்மானிக்கலாம்
- 1.3.2.3 சகல போட்டியாளர்களும் தமக்குரிய 1-18 வரையிலான இலக்கங்களை தமது சட்டையில் தெளிவாக தெரியக்கூடிய வரையில் குறிப்பிட்டிருத்தல் வேண்டும். இலக்கத்துடனான சட்டை அணியாத போட்டியாளர்கள் கலந்து கொள்ள இடமளிக்கப்பட மாட்டார்கள்.
- 1.3.2.4. வலையின் உயர அளவு
 - 16 ற்குக் கீழ் ஆண் 2.32 மீ பெண் 2.12 மீ
 - 18ற்குக்கீழ் ஆண் 2.43 மீ பெண் 2.24 மீ
 - 20 ற்குக் கீழ் ஆண் 2.43 மீ பெண் 2.24 மீ

- 1.3.2.5 12 பேர் கொண்ட போட்டியாளர்கள் அணியின் பட்டியலில் இருந்து போட்டியில் கலந்து கொள்பவர்கள் தெரிவுசெய்யப்பட வேண்டும்.
- 1.3.2.6 மாகாண மட்டப் போட்டிகளில் முதலாம், இரண்டாம், மூன்றாம் நிலைகளை பெறும் அணிகள் தேசிய மட்ட போட்டிகளில் கலந்து கொள்ளச் செய்யலாம்.
- 1.3.2.7 சகல போட்டிகளும் சர்வதேச கரப்பந்து சட்ட விடுமுறைகளுக்கமைய நடைபெறும்.

1.3.3. வலைப் பந்து (பெண்)

1.3.3.1. வயதெல்லைகள்

- 16 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)
- 18 ற்குக் கீழ் (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்)
- 20 ற்குக் கீழ் (18 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)

1.3.3.2. போட்டிக்கான கால எல்லை

- 16 ற்குக் கீழ் 10 நிமிடங்கள் 3 10
- 18 ற்குக் கீழ் 15 நிமிடங்கள் 5 15
- 20 ற்குக் கீழ் 20 நியிடங்கள் 5 20
- 1.3.3,3. சகல வீராங்கனைகளும் தமதி நிலைகளின் பெயர்களை தமது சட்டையின் முன் மற்றும் பின் பக்கங்களிலும் தெளிவாக தெரியக்கூடியவாறு அணிந்திருத்தல் வேண்டும்.
- 1.3.3.4. 12 பேர் கொண்ட போட்டியாளர் அணியினை பட்டியலிடவேண்டும் என்பதுடன் ஒரு தடவையில் ஆகக்கூடியது 07 பேரும் ஆகக் குறைந்த்து 05 போட்டியாளர்களும் விளையாடலாம்.
- 1.3.3.5. மாகாண மட்ட போட்டிகளில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெற்றுக் கொண்ட அணிகள் தேசிய மட்ட போட்டிகளில் கலந்து கொள்ளலாம்.
- சகல போட்டிகளும் சர்வதேச வலைப்பந்துப் போட்டி சட்ட விதிமுறைகளுக்கமைய நடைபெறும்.

1.3.4. காற்பந்து (ஆண் / பெண்)

1.3.4.1. வயதெல்லைகள்

ஆண்

- 16 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)
- 18 ற்குக் கீழ் (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்)
- 20 ற்குக் கீழ் (18 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)

பெண்

- 20 ற்குக் கீழ் (17 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 17 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 17 வருடங்களுக்கு கீழ்)
- 1.3.4.2. ஒரு அணிக்கு பதிவு செய்யக்கூடிய ஆகக் கூடிய போட்டியாளர்களின் எண்ணிக்கை 18 ஆகும் போட்டியிடுவதற்காக அதிலிருந்து 11 பேரை தெரிவு செய்யலாம்.
- 1.3.4.3. வீராங்கனைகள் மைதானத்தில் நுழையும் போது தம்மை இனம் காண்புதற்காக இலக்கத்தை அணிந்திருத்தல் வேண்டும், அவ் இலக்கங்கள் 1 முதல் 18 ஆக இருத்தல் வேண்டும் என்பதுடன் போட்டி இலக்கங்களை அணியாத வீர வீராங்கனைகள் விளையாட அனுமதிக்கப்படமாட்டார்கள்.
- 1.3.4.4. போட்டிக்காண காலம்
 - 25-05-25 நிமிடங்கள் (ஆண்)
 - 20-05-20 நிமிடங்கள் (பெண்)

- 1.3.4.5. மாகாண மட்ட போட்டிகளில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெறும் அணிகள் தேசிய மட்டப் போட்டிகளில் கலந்து கொள்ளலாம்.
- சகல போட்டிகளும் சர்வதேச காற்பந்து போட்டி சட்ட விதிமுறைகளுக்கமைய நடைபெறும்.

1.3.5. எல்லே (ஆண்/பெண்)

- 1.3.5.1. வயகெல்லைகள்
 - 20 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.5.2. வீர வீராங்கனைகள் 20 பேர் கொண்ட அணி பட்டியலிடப்பட்டு போட்டியிடுபவர்களை அப்பட்டியலில் இருந்து தெரிவு செய்ய வேண்டும். அணியொன்றில் ஆகக் குறைந்த்து 12 பேரும் ஆகக் கூடியது 16 பேரும் போட்டியிடலாம்.
- 1.3.5.3. சுற்றுப் போட்டியின் இறுதிப் போட்டி தவிர ஏனைய சகல போட்டிகளிலும் ஒரு அணிக்கு ஒரு இனிங்க்ஸ் மட்டுமே விளையாடலாம்.
- 1.3.5.4 ஒரு அணிக்கு ஒரு இனிங்ஸிற்காக 40 பந்து வீச்சுக்கள் கிடைக்கும். ஒரு அணிக்கான சகல பந்துவீச்சுக்களும் நிறைவடைய முன்னர் போட்டியாளர்கள் அனைவரும் அவுட் ஆனால் அவர்களுக்கான இனிங்ஸ் நிறைவடையும்.
- 1.3.5.5. தடுப்பெடுத்தாடும் அணியின் ஒருவரே பந்துவீச வேண்டும்.
- 1.3.5.6. மாகாண மட்ட போட்டிகளில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெறும் அணிகள் தேசிய மட்டப் போட்டிகளில் கலந்து கொள்ளலாம்.
- 1.3.5.7. சகல போட்டிகளும் இலங்கை எல்லே பேரவையினால் பாடசாலைகளுக்கென அங்கீகரிக்கப்பட்டுள்ள சட்ட விதிமுறைகளுக்கமைய நடைபெறும்.

1.3.6. மென்பந்து இரிக்கெட் (ஆண் / பெண்)

- 1.3.6.1. வயகெல்லைகள்
 - 20 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.6.2. மட்டுப்படுத்தப்பட்ட ஒவர்களைக் கொண்ட போட்டியாக நடைபெறும். ஒரு அணிக்கு 10 ஓவர்கள் கிடைக்கும்.
- 1.3.6.3. ஒரு அணியில் 15 வீர வீராங்கனைகளது பெயர் பட்டியல் இருக்க வேண்டும் என்பதுடன் ஒரு தடவையில் 11 பேர் மாத்திரமே விளையாடலாம். ஆகக் குறைந்தது 9 பேரேனும் போட்டியில் கலந்து கொள்ள வேண்டும்.
- 1.3.6.4. ஒருவருக்கு இரண்டு ஓவர்கள் மட்டுமே பந்து செலுத்தலாம்.
- 1.3.6.5. மாகாண மட்ட போட்டிகளில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெறும் அணிகள் தேசிய மட்டப் போட்டிகளில் கலந்து கொள்ளலாம்.
- 1.3.6.6. இலங்கை தேசிய மென்பந்து இரிக்கெட் சங்கம் மற்றும் பாடசாலை சங்கங்களின் சட்ட விதிமுறைகளுக்கமைய போட்டிகள் நடைபெறும்.

1.3.7. செஸ்(ஆண் / பெண்)

- 1.3.7.1. வயதெல்லைகள்
 - 17 ற்குக் கீழ் (14 வருடங்களுக்கு மேல்.17 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் (17 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.7.2. ஒரு அணி 7 வீர வீராங்கனைகளைக் கொண்டதாக இருத்தல் வேண்டும் ஒரு தடவையில் 6 பேர் போட்டியிட முடியும் என்பதுடன் மிகுதியாக உள்ளவர் மேலதிக போட்டியாளராக கருதப்படுவர்.
- 1.3.7.3. 6 சுற்றுக்களைக் கொண்டதாக போட்டி நடைபெறும்.

- 1.3.7.4. எக்காரணங்கொண்டும் முன்வைக்கப்படும் அணி வீர வீராங்கனைகளின் ஒழுங்கினை மாற்ற அனுமதிக்கப்படமாட்டாது.
- 1.3.7.5. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் இடங்களைப் பெறும் வீர வீராங்கனைகள் மற்றும் அணிகள் தேசிய மட்ட போட்டியில் கலந்து கொள்ளலாம்.
- சர்வதேச செஸ் போட்டி சட்ட விதிமுறைகளுக்கமைய (பிடே) போட்டிகள் நடைபெறும்.

1.3.8. கராத்தே (ஆண் / பெண்)

- 1.3.8.1 மூன்று வயதெல்லைகளுக்கும் காத்தா மற்றும் கும்தே தனியாள் போட்டிகள் நடைபெறும்.
- 1.3.8.2 காத்தா போட்டி
 - 1.3.8.2.1 காத்தா தனியாள் போட்டி ஆண் / பெண்
 - 16 ற்குக் கீழ் ஆண் / பெண் போட்டி (14 வருடங்களுக்கு மேல்.16 வருடங்களுக்கு கீழ்)
 - 18 ற்குக் கீழ் ஆண் / பெண் போட்டி (18 வருடங்களுக்கு மேல்.18 வருடங்களுக்கு கீழ்
 - 20 ற்குக் கீழ் ஆண் / பெண் போட்டி (18 வருடங்களுக்கு மேல்.20 வருடங்களுக்கு கீழ்)
 - 1.3.8.2.2 காத்தா குழுப் போட்டிக்கு ஒரு பாடசாலையிலிருந்து ஆண், பெண் என வெவ்வேறாக இரண்டு அணிகள் மாத்திரம் கலந்து கொள்ள முடியும்.

1.3.8.3 கும்தே போட்டி

- 1.3.8.3.1 கும்தே தனியாள் போட்டி
 - 16 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)
 கும்தே (பெண்) -45kg , +45kg
 கும்தே (ஆண்) -47kg , -57kg , +57kg
 - 18 ற்குக் கீழ் (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்) கும்தே (பெண்) -48kg, +48kg கும்தே (ஆண்) -50kg, -61kg, +61kg
 - 20 ற்குக் கீழ் (18 வருடங்களுக்கு மேல். 20 வருடங்களுக்கு கீழ்)
 கும்தே பெண் -50kg, +50kg
 கும்தே ஆண் -52kg, -67kg, +67kg

1.3.8.3.2 கும்தே குழுப் போட்டி

குழு கும்தே போட்டியில் ஒரு பாடசாலையிலிருந்து ஆண், பெண் என வெவ்வேறாக இரண்டு குழுக்கள் மாத்திரம் கலந்துகொள்ளலாம்.

- 1.3.8.3.2.1 ஆண் / பெண்களுக்கான கும்தே குழுப் போட்டியில் ஒரு வயதெல்லையில் ஒரு வீரர்/ வீராங்கனை வீதம் மூன்று வயதெல்லைகளில் இருந்தும் வீர வீராங்கனைகள் மூன்று பேர் கலந்து கொள்ளலாம்.
- 1.3.8.4. குழுக் காத்தா போட்டியில் 14 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ் வயதெல்லையில் ஏந்த மூன்று பேர்களையேனும் கலந்து கொள்ளச் செய்யலாம். இறுதிப் போட்டியில் வெற்றிபெறும் அணி புன்காய் (Bunkai) முறையினை செய்து காட்ட வேண்டும்.

- 1.3.8.5. கும்தே போட்டியில் கலந்து கொள்ளும் சகல போட்டியாளர்களும் உடற் தகைமை தொடர்பான மருத்துவச் சான்றிதழ் ஒன்றினை சமர்ப்பித்தல் வேண்டும். அச் சான்றிதழ் அதிபரால் தனிப்பட்ட ரீதியில் பரீட்சிக்கப்பட்டு உறுதிப்படுத்தப்பட்டிருத்தல் வேண்டும். இதற்கு மேலதிகமாக பெற்றோரின் விருப்பக் கடிதம் ஒன்றும் சமர்ப்பிக்கப்படுதல் வேண்டும்.
- 1.3.8.6. மாகாண மட்ட ஒற்றையர் போட்டிகளில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெறும் மூன்று பேரும் குழுப் போட்டிகளில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெறும் மூன்று அணிகளும் தேசிய மட்ட போட்டிகளில் கலந்த கொள்ள முடியும்.

1.3.9. பெட்மிண்டன் (ஆண் / பெண்)

- 1.3.9.1. ஒற்றையர் போட்டி
 - 1.3.9.1.1 வயதெல்லைகள்
 - வயதெல்லை 20 ற்குக் கீழ் (16 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.9.2. ஒரு போட்டி 2/3 சுற்றுக்களைக் கொண்டது.
- 1.3.9.3. ஒரு மாகாணத்திலிருந்து கலந்து கொள்ளக்கூடிய அதியுயர் போட்டியாளர்களின் எண்ணிக்கை 4 ஆகும்.
- 1.3.9.4. ஒரு பாடசாலையிலிருந்து 3 வீர வீராங்கனைகள் மட்டுமே கலந்து கொள்ளலாம். (ஆண், பெண் என வெவ்வேறாக விண்ணப்பங்கள் சமர்ப்பிக்கப்பட வேண்டும்.)
- 1.3.9.5. குழுப் போட்டிகள்
 - 1.3.9.5.1 வயதெல்லைகள்
 - 16 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)
 - 18 ற்குக் கீழ் (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் (18 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.9.6. முதல் சுற்று. இரு ஒற்றையர் போட்டிகளையும் ஒரு இரட்டையர் போட்டியினையும் கொண்டது. ஒற்றையர் பிரிவில் போட்டியில் கலந்து கொள்ளும் ஒருவர் இரட்டையர் பிரிவில் போட்டியில் கலந்து கொள்ள முடியாது.
- 1.3.9.7. காலிறுதிச் சுற்று, அரையிறுதிச் சுற்று மற்றும் இறுதிச் சுற்றுக்கள் மாத்திரம் முன்று ஒற்றையர் போட்டிகளையும் இரண்டு இரட்டையர் போட்டிகளையும் கொண்டிருக்கும் என்பதுடன் ஒற்றையர் பிரிவில் போட்டியிடும் போட்டியாளர்கள் இரட்டையர் பிரிவில் போட்டியில் கலந்து கொள்ள முடியாது.
- 1.3.9.8. ஒரு அணியின் பட்டியலில் ஆகக் கூடியது 10 பேரும் ஆகக் குறைந்தது 6 பேரும் இருக்க முடியும் என்பதுடன் போட்டியிடுபவர்கள் அப்பட்டியலில் இருந்து தெரிவு செய்யப்படவேண்டும்.
- சகல போட்டிகளிலும் சிறகுப் பந்துகளை (Feather Shuttles) உபயோகப்படுத்த வேண்டும்.
- 1.3.9.10. இரு குழுக்களுக்குடையிலான போட்டியொன்றின் போது போட்டியிடும் ஒழுங்கு III. ஒற்றையர் ப
 - III. ໘໗ເພດເພຕ໌
 - IV. ஒற்றையர் (2
 - V. இரட்டையர் 2
 - VI. ஒற்றையர் (3

- கருத்தில் கொள்க. 6 போட்டியாளர்களை இணைத்திருக்கும் சந்தர்ப்பத்தில் எதிரணி போட்டியிடரது வெற்றிபெறும். அப் போட்டியானது "5ம் போட்டி" அதாவது ஒற்றையர் (3) போட்டியாக இருத்தல் வேண்டும்.
- 1.3.9.11. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளை பெற்றுக் கொள்ளும் வீர வீராங்கனைகள் மற்றும் அணிகள் தேசிய மட்ட போட்டியில் கலந்து கொள்ளலாம்.
- 1.3.9.12. தேசிய பெட்மிண்டண்ட் போட்டி சட்ட விதிமுறைகளுக்கமைய சகல போட்டிகளும் நடைபெறும்.

1.3.10. மேசைப் பந்து (ஆண் / பெண்)

- 1.3.10.1. ஒற்றையர் போட்டி
 - 1.3.10.1.1 வயதெல்லைகள்
 - 20 ற்குக் கீழ் (16 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.10.2. ஒரு போட்டி ஐந்து சுற்றுக்களைக் கொண்டது.
- 1.3.10.3. மாகாணத்தில் இருந்து ஆகக் கூடியது 4 வீர வீராங்கனைகள் மட்டுமே கலந்து கொள்ளலாம்.
- 1.3.10.4. ஒரு பாடசாலையிலிருந்து 3 வீர வீராங்கனைகள் கலந்து கொள்ளலாம்.
- 1.3.10.5. குழுப் போட்டிகள்
 - 1.3.10.5.1 வயதெல்லைகள்
 - 16 ற்குக் கீழ் (14 வருடங்களுக்கு மேல், 16 வருடங்களுக்கு கீழ்)
 - 18 ற்குக் கீழ் (16 வருடங்களுக்கு மேல், 18 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் (18 வருடங்களுக்கு மேல், 20 வருடங்களுக்கு கீழ்)
- 1.3.10.6. சுற்றுப் போட்டி ஐந்து சுற்றுக்களைக் கொண்டிருப்பதுடன் அது 5 ஒற்றையர் போட்டிகளைக் கொண்டது. அதாவது A - X, B - Y, C - Z, A - Y, B - X என்ற வகையில் அமையும்.
- 1.3.10.7. ஒரு அணியின் பட்டியலில் 6 வீர வீராங்கனைகளின் பெயர்கள் இடம்பெற வேண்டும். போட்டியிடுபவர்களை அப் பட்டியலில் இருந்து தெரிவு செய்ய வேண்டும். ஒரு அணியில் ஆகக் குறைந்தது 03 வீர வீராங்கனைகளேனும் இருத்தல் வேண்டும்.
- 1.3.10.8. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளை பெறும் அணிகள் தேசிய மட்ட போட்டிகளில் கலந்த கொள்ளலாம்.
- 1.3.10.9. சர்வதேச மேசைபந்து சட்ட விதிமுறைகளுக்கமைய போட்டிகள் இடம்பெறும்.
- 1.3.10.10. 40 மி.மீ + பிளாஸ்டிக் (Plastic) வெள்ளைநிற பந்தினை உபயோகப்படுத்தி போட்டி நடைபெறும்.

1.3.11. நீச்சல் (ஆண் / பெண்)

- 1.3.11.1 வயதெல்லைகள்
 - 12 ற்குக் கீழ் (10 வருடங்களுக்கு மேல்.12 வருடங்களுக்கு கீழ்) ஆண் / பெண்
 - 14 ற்குக் கீழ் (12 வருடங்களுக்கு மேல்.14 வருடங்களுக்கு கீழ்) ஆண் / பெண்
 - 16 றகுக் கீழ் (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்) ஆண் / பெண்
 - 18 ற்குக் கீழ் (16 வருடங்களுக்கு மேல்.18 வருடங்களுக்கு கீழ்) ஆண் / பெண்
 - 20 ற்குக் கீழ் (18 வருடங்களுக்கு மேல்.20 வருடங்களுக்கு கீழ்) ஆண் / பெண்

1.3.11.2 நடைபெறும் போட்டிகள்

போட்டி	12 ந்குக் கீழ் ஆண் / பெண்	14 ற்குக் கீழ் ஆண் / பெண்	16 றகுக்கீழ் ஆண் / பெண்	18 ற்குக்கீழ் ஆண் / பெண்	20 ற்குக்கீழ் ஆண்	20 ற்குக்கிழ் பெண்
ப்ரீ ஸ்டைல்	50 மீ. 100 மீ.	50 மீ. 100 மீ.	50/100/ 200 ಚೆ.	50/100/ 200/400 மி.	50/100/200 400/1500 மீ	50/100/200/ 400/800 ಡೆ.
பெக் ஸ்ட்ரோக்	50 ഥ്.	50 ds.	50 /100 ਫ਼	50/100/200 ഥ്	50/100/200 மீ	50/100/200 යි.
பட்டர் கப்ளை நீச்சல்	50 tổ.	50 மீ. 100 மீ.	50 /100 மீ.	50/100/200 மீ.	50/100/200 ໝື	50/100/200 மீ
ப்ரெஸ்ட் ஸ்ட்ரோக்	50 மீ.	50 மீ. 100 மீ.	50 /100 uf.	50/100/200 மி.	50/100/200 us.	50/100/200 d
ஓற்றையர் கலப்பு முறை நீச்சல்		200 เริ.	200 மீ	200 ம்.	200 ഗ്.	200 ഥ്
ப்ரீ ஸ்டைல் அஞ்சல்	50 மீ. х 4	50 மீ. х 4	50 மீ. х 4	50 மீ. х 4	50 மீ 🗴 4	50 பி. x 4
கலப்பு முறை நீச்சல் அஞ்சல்	50 மீ. х 4	50 மீ. х 4	50 ເຄ. x 4	50 மீ x 4	50 மி. х 4	50 ௴ x 4

- 1.3.11.3. ஒரு போட்டியாளர் அஞ்சல் போட்டி தவிர்ந்த மூன்று (03) போட்டிகளில் மாத்திரமே கலந்து கொள்ள முடியும்.
- 1.3.11.4. ஒரு போட்டிக்காக ஒரு பாடசாலையிலிருந்து மூன்று வீர வீராங்கனைகள் மாத்திரமே கலந்து கொள்ள முடியும்.
- அஞ்சலோட்ட போட்டிக்கு ஒரு பாடசாலையிலிருந்து ஒரு அணி கலந்து கொள்ளலாம்.
- 1.3.11.6. 12 வயதிற்கு கீழ் ஆண்/ பெண் வயதெல்லையினரில் மாகாண திறமை மட்டத்தை தாண்டிய சகல வீர வீராங்கனைகளும் தேசிய மட்ட போட்டிகளில் கலந்துகொள்ளலாம்.
- 1.3.11.7 12 ற்கு கீழ் மற்றும் 14 ற்குக் கீழ் போட்டிகளில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகள் வழங்கப்படாது என்பதுடன் தேசிய இறமை மட்டத்தினைத் தாண்டிய சகலருக்கும் சான்றிதழ் வழங்கப்படும். இறனை மட்டத்தினைத் தாண்டும் ஓவ்வொரு சந்தர்ப்பத்திலும் அப் பாடசாலைக்கு 01 புள்ளி வீதம் வழங்கப்படும்.

1.3.12. எறிபந்து (ஆண் / பெண்)

- 1.3.12.1. வயதெல்லைகள்
 - 17 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 17 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் (17 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.12.2. ஒரு அணியில் 12 வீர வீராங்கனைகள் இடம்பெறலாம். எனினும் ஒரு தடவையில் 7 பேர் மாக்கிரமே விளையாடலாம்.
- 1,3.12.3 வலையின் உயரம் 2,20 மீ.
- 1.3.12.4 மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெறும் அணிகள் தேசிய மட்ட போட்டிகளில் கலந்த கொள்ள முடியும்.
- 1.3.12.5 தேசிய எறிபந்து சங்கம் மற்றும் பாடசாலை சங்கங்களின் போட்டி சட்ட விடுமுறைகளுக்கமைய போட்டிகள் நடைபெறும்.

1.3.13. கேரம் (ஆண் / பெண்)

- 1.3.13.1. வயதெல்லைகள்
 - 17 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 17 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் (17 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.13.2. ஒரு அணியில் இருக்கக் கூடிய ஆகக் கூடிய அங்கத்தவர்களின் எண்ணிக்கை 7 மற்றும் ஆகக் குறைந்க எண்ணிக்கை 4 ஆகம்.
- 1.3.13.3. இரு பாடசாலைகளிடையே நடைபெறும் போட்டியொன்று இரு ஒற்றையர் போட்டிகள் மற்றும் ஒரு இரட்டையர் போட்டியைக் கொண்டிருக்கும் ஒற்றையர் போட்டிகளின் வெற்றி இரண்டு அணிகளுக்கும் சமமாக பகிரப்பட்டால் மாத்திரம் இரட்டையர் போட்டி விளையாடப்படும். அவ்வாறான சந்தர்ப்பத்தில் ஒற்றையர் போட்டியில் விளையாடிய போட்டியாளர்கள் இரட்டையர் போட்டியில் கலந்து கொள்ளமுடியாது.
- 1.3.13.4. அனைத்து போட்டிகளும் 30 நிமிடங்களுக்கு மட்டுப்படுத்தப்படுவதுடன் 8 போர்ட்கள் விளையாடப்படும். அந்த 30 நிமிடங்கள் விளையாடி அதிகூடிய புள்ளிகளைப் பெறும் போட்டியாளர் அல்லது 30 நிமிடங்கள் நிறைவடைய முன்னர் 8 போர்ட்களை விளையாடி அதிக புள்ளிகளைப் பெறும் போட்டியாளர் வெற்றி பெறுவார்.
- 1.3.13.5. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெறும் அணிகள் தேசிய மட்ட போட்டிகளில் கலந்த கொள்ளலாம்.

1.3.14. ஜிம்னாஸ்டிக் (ஆண் / பெண்)

- 1.3.14.1 வயதெல்லைகள்
 - 14 ற்குக் கீழ்- (12 வருடங்களுக்கு மேல்.14 வருடங்களுக்கு கீழ்) ஆண் / பெண்
 - 16 ற்குக் கீழ்- (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்) ஆண் / பெண்
 - 18 ற்குக் கீழ்- (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்) ஆண் / பெண்
 - 20 ற்குக் கீழ்- (18 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்) ஆண் / பெண்

1.3.14.2. நடைபெறும் போட்டிகள்

வயதெல்லைகள்	போட்டி நிகழ்ச்சிகள்		
	ஆண்	பெண்	
14 ற்குக் கீழ், 16 ற்குக் கீழ், 18 ற்குக் கீழ்	பூமி உடற்பயிற்சி கோலான்றிப் பாய்தல் (vault) நிலையான மோதிரம் குறுக்குத் கம்பங்கள் சமாந்தர கம்பம் உடவியுடனான குதிரை	பூமி உடற்பயிற்சி சமனற்ற கம்பம் சமநிலை கற்றை கோலூன்றிப் பாய்தல் (vault)	

- 1.3.14.3. ஒரு வீரர் அவ்லது வீராங்கனை சகல போட்டிகளிலும் கலந்துகொள்ளலாம்.
- 1.3.14.4. ஒரு போட்டிக்கு ஒரு பாடசாலையிலிருந்து இரண்டு போட்டியாளர்கள் மட்டுமே கலந்து கொள்ளலாம்.
- 1.3.14.5. சர்வதேச ஜிம்னாஸ்டிக் போட்டி விதிமுறைகளுக்கமைய போட்டிகள் நடைபெறும்.
- 1.3.14.6. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெற்றுக் கொள்ளும் போட்டியாளர்கள் தேசிய மட்ட போட்டியில் கலந்து கொள்ளலாம்.

1.3.15. ஏரோபிக் ஜிம்னாஸ்டிக்(ஆண் / பெண்)

1.3.15.1. வயதெல்லைகள்

வயதெல்லை	போட்டியிடக்கூடிய காலம்		
16 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)	1 நிமி. 15 செக். (-5வசக்/		
ஆண் / பெண்	+5வசக்)		
18 ற்குக்கீழ் (16 வருடங்களுக்கு மேல்.18 வருடங்களுக்கு கீழ்)	1 நிமி 15 செக் (-5செக்/		
ஆண் / பெண்	+5செக்)		
20 ந்குக் கீழ் (18 வருடங்களுக்கு மேல். 20 வருடங்களுக்கு கீழ்)	1 நிமி. 15 செக். (-5செக்/		
ஆண் / பெண்	+5செக்)		

1.3.15.2. நடைபெறும் போட்டிகள்

ஆண் / பெண்

- 1. ஒற்றையர்
- 2. மூவர்
- 3. 医ψ
- 1.3.15.3. ஒரு போட்டியாளருக்கு மேலே 1.3.15.2 இல் குறிப்பிடப்பட்டுள்ள மூன்று போட்டிகளில் விருப்பமான எண்ணிக்கையிலான போட்டிகளில் கலந்துகொள்ளலாம்.
- 1.3.15.4. ஒரு போட்டியில் ஒரு பாடசாலையிலிருந்து கலந்து கொள்ள முடியுமான வீர வீராங்கனைகளின் எண்ணிக்கை

ஒற்றையர் போட்டி - இருவர் மூவர் போட்டி - குழு 1 குழு போட்டி - குழு 1

- 1.3.15.5. குழு போட்டிகளில் 6 போட்டியாளர்கள் கலந்து கொள்ள முடியும் என்பதுடன் ஐந்து போட்டியாளர்களே போட்டியிட முடியும். மிகுதி வீரர் மேலதிக வீரராக கருதப்படுவார்.
- 1.3.15.6. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளை பெற்றுக் கொள்ளும் போட்டியாளர்கள் மற்றும் பாடசாலை அணிகள் அகில இலங்கை மட்ட போட்டிகளில் கலந்து கொள்ள முடியும்
- 1.3.15.7. சர்வதேச எரோபிக் ஜிம்னாஸ்டிக் போட்டி விதிமுறைகளுக்கமைய போட்டிகள் நடைபெறும்.

1.3.16. ஏழு பேர் கொண்ட றக்பி (7) (ஆண்)

- 1.3.16.1. வயதெல்லைகள்
 - 20 ற்குக் கீழ் (16 வருடங்களுக்கு மேல். 20 வருடங்களுக்கு கீழ்)
- 1.3.16.2. ஒரு அணியில் பன்னிரண்டு (12) அங்கத்தவர்கள் மாத்திரமே இருக்கலாம்.
- 1.3.16.3. ஏழு அங்கத்தவர் கொண்ட றக்பி போட்டியாக நடைபெறும்.
- 1.3.16.4. போட்டிக்கான காலம் .7-01-07 நிமிடங்கள்
- 1.3.16.5. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெற்ற அணிகள் தேசிய மட்ட போட்டியில் கலந்த கொள்ள முடியும்.
- 1.3.16.6. இலங்கை பாடசாலை றக்பி சங்கத்தினதும் சர்வதேச றக்பி சட்ட விதிமுறைகளுக்கமைய போட்டிகள் நடைபெறும்.

1.3.17. கபடி(ஆண்/பெண்)

- 1.3.17.1. வயதெல்லைகள்
 - 17 ற்குக் கீழ் ஆண் (14 வருடங்களுக்கு மேல் 17 வருடங்களுக்கு கீழ்) 60 kg
 - 17 ற்குக் கீழ் பெண் (14 வருடங்களுக்கு மேல். 17 வருடங்களுக்கு கீழ்) 55
 kg
 - 20 ற்குக் கீழ் ஆண் (17 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்) 70 kg
 - 20 ற்குக் கீழ் பெண் (17 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்) 65 kg
- 1.3.17.2. ஒரு அணியில் 12 போட்டியாளர்கள் இருக்கலாம்.
- 1.3.17.3. மூன்றாம் ஆக்கிரமிப்புச் சுற்று, குப்பர் டெக்கல், 30 செக்கன் விதிமுறை செல்லபடியாகம்.
- 1.3.17.4. போட்டிக்கான காலம்
 - 17 ற்குக்கீழ் ஆண் 15, 5, 15 நிமிடங்கள்
 - 17 ற்குக் கீழ் பெண் 15, 5, 15 நிமிடங்கள்
 - 20 ற்குக்கீழ் ஆண் 20, 5, 20 நிமிடங்கள்
 - 20 ற்குக் கீழ் பெண் 15, 5, 15 நிமிடங்கள்
 - க.கொ. மேற்கூறிய வயதெல்லைகளுக்கமைய போட்டிக்கான காலம் மற்றும் சுற்றுப்போட்டியின் தன்மை என்பன மாறலாம்.
- 1.3.17.5. போட்டி நடைபெறும் தினத்திற்கு முன்னைய நாள் பி.ப 2.00 முதல் இரவு 8.00 மணி வரையில் எடை அளவிடப்படும்.
- 1.3.17.6. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெற்றுக் கொள்ளும் அணிகள் தேசிய மட்ட போட்டுகளில் கலந்து கொள்ளலாம்.
- சர்வதேச கபடி சங்க போட்டி சட்ட விதிமுறைகளுக்கமைவாக போட்டிகள் நடைபெறும்.

1.3.18. டைகொண்டோ (ஆண் / பெண்)

1.3.18.1. வயகெல்லைகள்

- 18 ற்குக் கீழ் (16 வருடங்களுக்கு மேல்.18 வருடங்களுக்கு கீழ்)
- 20 ற்குக் கீழ் (18 வருடங்களுக்கு மேல்.20 வருடங்களுக்கு கீழ்)

1.3.18.2. நிறை வகுதி

வயதெல்லைகள்	நிறை வகுதி	
18 ற்குக்கீழ் ஆண்	45 கி. இராமிற்கு குறைந்த	
	45 - 48 கி.கிராம்.	
	48-51 இ. இராம்.	
	51-55 கி. இராம்.	
	55-59 இ. திராம்,	
	59-63 இ. இராம்,	
	63-68 இ. இராம்.	
	68-73 இ. இராம்,	
	73-78 கி. கிராம்.	
	78 கி. தொமிற்கு மேல்	
18 ற்குக்கீழ் பெண்	42 கி. இராமிற்கு குறைந்த	
	42 – 44 கி.கிராம்.	
	44 - 46 இ.இராம்.	
	46 – 49 கி.தொம்.	
	49 – 52 கி.தொம்.	
	52 - 55 இ.இராம்.	
	55 -59 கி.கிராம்	
	59 -63 இ.திராம்.	
	63 -68 கி.கிராம்.	
	68 கி. கிராமிற்கு மேல்	
வயதெல்லைகள்	நிறை வகுதி	
20 ற்குக்கிழ் ஆண்	54 இ. இராமிற்கு குறைந்த	
	54 -58 கி.தொம்	
	58-63 இ.இராம்	
	63-68 கி.இராம்	
	68-74 கி.கிராம்	
	74-80 கி.கிராம்	
	80-87 கி.திராம்	
_	87 கி. திராமிற்கு மேல்	
20 ற்குக்கீழ் பெண்	46 கி. இராமிற்கு குறைந்த	
	46 – 49 கி.கிராம்	
	49 — 53 கி. இராம்	
	53 - 57 கி.இராம்	
	57 - 62 கி.தொம்	
	62 - 67 இ.இராம்	
	67 - 73 கி.கிராம்	
	73 கி. இராமிற்கு மேல்	

- 1.3.18.3. ஒரு நிறைவகுதியின் கீழ் ஒரு பாடசாலையிலிருந்து இரு வீர வீராங்கனைகள் மாத்திரமே கலந்துகொள்ளலாம்.
- 1.3.18.4. மாகாண மட்டத்தில் மேற்கூறிய இரண்டு வயதெல்லைகள் மற்றும் நிறை வகுதியின் கீழ் போட்டிகளை நடாத்தி ஒரு நிறைவகுதியின் கீழ் இருவர் வீதம் தேசிய மட்ட போட்டிகளில் கலந்துகொள்ளச்செய்யலாம்.

- 1.3.18.5. அனைத்து வீர வீராங்கனைகளதும் உடற் தகைமை தொடர்பான மருத்துவச் சான்றிதழ்களை அதிபர் நேரடியாக பரீட்சித்துப் பார்த்தமையை உறுதிப்படுத்துவதற்குரிய கடிதமொன்றையும் பெற்றோரின் விருப்புக் கடிதமொன்றையும் நிறையை அளவிடும் சுந்தர்ப்பத்தில் சமர்ப்பித்தல் வேண்டும்.
- 1.3.18.6. சர்வதேச டைகொண்டோ சம்மேளனத்தில் விதிமுறைகளுக்கமைவாக சகல போட்டிகளும் நடாத்தப்படும்.

1.3.19. வசு (ஆண் / பெண்)

- 1.3.19.1 வயதெல்லைகள்
 - 16 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)
 - 18 ற்குக் கீழ் (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் (18 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.19.2 மூன்று வயதெல்லையினருக்கும் தாஓலு (Taolu) போட்டி நடைபெறும். தாஓலு (Taolu) பிரிவின் சகல போட்டிகளும் பிரதனமாக மூன்று போட்டி வகைகளில் நடைபெறும். அவை கீழ்வருமாறு.
- 1.3.19.3 சன்சுவான் தொடர்பான போட்டி வகை (சன்சுவான், தாஓசு, குன்சு/ சன்சுவான், ஜியன்சு, வியன்சு) Changquan Combine Event (Changquan, Daoshu, Gunshu/ Changquan, Jianshu, Giangshu)
- 1.3.19.4 நன்குவான் இணைந்த போட்டி வகை (நன்குவான், நந்தாஓ, நங்குன்)
 Nangquan Combine Event (Nangquan, Nandao, Nangun)
- 1.3.19.5 தாய்ஜிசுவான் இணைந்த போட்டி வகை (தாய்ஜிசுவான், தாய்விஜியான்)
 Taijiquan Combine Event (Taijiquan, Taijijian)
- 1.3.19.6 சன்சுவான் தொடர்பான போட்டி வகை மற்றும் நன்குவான் இணைந்த போட்டி வகை போட்டிகளுக்கான காலம் 1 நிமிடம் 20 செக்கன்கலாகும். தாய்ஜிசுவான் இணைந்த போட்டி வகை போட்டிக்கான காலம் 3-5 நிமிடங்களாகும்.
- 1.3.19.7 செண்டா (sanda) போட்டி 16 வயதிற்கு கீழ் மற்றும் 16 வயதிற்கு கீழ் மற்றும் 18 வயதிற்கு கீழ் வகையினருக்கும் மாத்திரம் நடைபெறும்.

16 ற்குக் கேழ்	45Kg - 48 Kg	
	48Kg - 52 Kg	
	52Kg - 56Kg	
	56Kg - 60Kg	
18 ற்குக்கீழ்	48Kg - 52 Kg	
	52Kg - 56Kg	
	56Kg - 60Kg	
	60Kg - 65Kg	

- 1.3.19.8 போட்டிக்கான காலம் 1 ½ நியிடம் கொண்ட மூன்று சுற்றுக்களாகும்.
- 1.3.19.9 போட்டிகளில் கலந்து கொள்ளும் சகல போட்டியாளர்களும் உடற் தகைமை தொடர்பான தமது மருத்துவ சான்றிதழினை அடுபரால் உறுதிப்படுத்தப்பட்ட கடிதத்துடன் பெற்றோரின் விருப்பக் கடிதமொன்றினையும் இணைத்து சமர்ப்பித்தல் வேண்டும்.
- 1.3.19.10 மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளை பெற்றுக் கொள்ளும் வீர வீராங்கனைகள் தேசிய மட்ட போட்டிகளில் கலந்து கொள்ளலாம்.

- 1.3.19.11 சர்வதேச வூகு சட்ட விதிமுறைகளுக்கமைய சகல போட்டிகளும் நடைபெறும்.
- 1.3.19.12 ஒரு வயதெல்லையின் கீழ் மூன்று வீர வீராங்கனைகள் கலந்து கொள்ளலாம்.
- 1.3.19.13 ஒரு போட்டியாளர் ஆகக் கூடியது மூன்று போட்டிகளில் மாத்திரமே பங்குபற்றலாம். (குழுப் போட்டி தவிர்ந்த)
- 1.3.19.14 குழுப் போட்டியில் (தாஓலு) Group event (ஆண் / பெண்) 14 வருடங்களுக்கு மேல் 20 வருடங்களுக்குக் கீழ் 6 முதல் 12 வீர வீராங்கனைகள் கலந்து கொள்ளலாம்.

1.3.20 கூடைப் பந்து (ஆண் / பெண்)

- 1.3.20.1. வயதெல்லைகள்
 - 17 ற்குக் கீழ் (14 வருடங்களுக்கு மேல். 17 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் (17 வருடங்களுக்கு மேல். 20 வருடங்களுக்கு கீழ்)
- 1.3.20.2. ஒரு அணியில் 15 வீர வீராங்கனைகள் அங்கம் வடுக்கலாம்.
- 1.3.20.3. போட்டிக்கான காலம்
 - ஆண் / பெண் 20-05-20 நிமிடங்கள்
- 1.3.20.4. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெறும் அணிகள் தேசிய மட்ட போட்டிகளில் கலந்து கொள்ளலாம்.
- சர்வதேச கூடைப் பந்து சங்கத்தின் போட்டி விதிமுறைகளுக்கமைய போட்டிகள் நடைபெறும்.

1.3.21. ஹொகி(ஆண் / பெண்)

- 1.3.21.1. வயதெல்லைகள்
 - 20 ற்குக் கீழ் (14 வருடங்களுக்கு மேல். 20 வருடங்களுக்கு கீழ்)
- 1.3.21.2. ஒரு அணியின் பட்டியலில் 18 பேரின் பெயர்கள் இருக்க வேண்டும் என்பதுடன் அதிலிருந்து போட்டியில் கலந்து கொள்வதற்காக 11 பேர் தேர்ந்தெடுக்கப்பட வேண்டும்.
- 1.3.21.3. போட்டிக் காலம் 25-5-25 நிறிடங்கள்
- 1.3.21.4. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெறும் அணிகள் தேசிய மட்ட போட்டிகளில் கலந்து கொள்ளலாம்.
- 1.3.21.5. சர்வதேச ஹொக்கி போட்டி விதிமுறைகளுக்கமைய போட்டிகள் நடைபெறும்.

1.3.22. உடற்பயிற்சி (ஆண் / பெண்)

- 1.3.22.1. வயதெல்லைகள்
 - 14 வருடங்களுக்கு மேல். 20 வருடங்களுக்கு கீழ்
- 1.3.22.2. ஒரு அணியில் அணித் தலைவருடன் சேர்த்து 25 பேர் இருக்க வேண்டும். எனினும் 30 பேர் கொண்ட பட்டியலில் இருந்து போட்டியிடுபவர்களை தெரிவு செய்ய வேண்டும்.
- 1.3.22.3. காலம் 20 நிமிடங்கள்.
- 1.3.22.4. பாடக் குறிப்புக்கள் கட்டாயம் என்பதுடன் போட்டிக்கு முன்னர் அதனை நடுவர் குழாத்திடம் சமர்ப்பிக்க வேண்டும்.
- 1.3.22.6. பாடக் குறிப்பின் இட்டமிடல்கள் மற்றும் எடுத்த நேரம் (அண்ணளவாக) கீழே குறிப்பிடப்பட்டுள்ளவாறு இருத்தல் வேண்டும்

1.3.22.7. புள்ளி வழங்கள் திட்டம்

செயற்பாடு	காலம் (நிமிடங்கள்)	புள்ளிகள்
 பைதானத்தினுள் பிரவேசித்தல் மற்றும் ஆரம்ப செயற்பாடு 	03	04
 உடற் தகைமைப் பயிற்சி 	03	15
• இறமைப் பயிற்சி	03	20
• குழுப் பயிற்சி	04	20
• விளையாட்டு	03	18
 நிலை நிற்றல் மற்றும் பயணித்தல் 	03	15
• களைந்து செல்லுதல்	01	03
• தலைமைத்துவம்	-	05
மொத்தம்	20	100

- 1.3.22.8. புள்ளி வழங்கும் போது கீழே குறிப்பிடப்பட்டுள்ள விசேட விடயங்கள் தொடர்பாக கவனம் செலுத்தப்படல் வேண்டும்.
 - பாடத் திட்டமிடல் பல்வகைமை, வகுப்புக்களின் போக்கு
 - விளையாட்டு மைதானம் மற்றும் கருவிகளின் பயன்பாடு
 - பாடக் குறிப்பின் குறிக்கோள் மற்றும் எதிர்பார்ப்புக்களை அடையச் செய்தல்.
 - தெரிவு செய்யப்பட்ட செயற்பாடுகளின் தகுதி, துவ்வியத் தன்மை மற்றும் பங்குபற்றுகை
 - தெரிவு செய்யப்பட்டுள்ள இறமைகளுக்கு ஏற்ற உடைகள் (பாடசாலை சீருடையினை தவிர)
 - பாதுகாப்பு மற்றும் ஒழுக்கத்தினைப் பேணுதல்.
 - தலைமைத்துவம்
 - அணியில் கலந்துகொள்ளும் சகல வீர வீராங்கனைகளும் மைதானத்தில் இருக்க வேண்டும்.
 - நிலையில் நிற்றல் மற்றும் பயணித்தல் ஆகியன பாடசாலை அணிவகுப்பு போன்று இருத்தல் வேண்டும்.
 - விளையாட்டில் திறமையினை தெரிவு செய்யும் போது திறமைகளை 1 முதல் 3 எனும் புள்ளியின் கீழ் பாடத் திட்டமிடல்களை மேற்கொள்ளல்.

1.3.23. லெதர் பந்து கிரிக்கெட் (ஆண்)

- 1.3.23.1. வயகெல்லைகள்
 - 20 ற்குக் கீழ் (16 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)
- 1.3.23.2. மட்டுப்படுத்தப்பட்ட ஓவர் கொண்ட போட்டியாக நடாத்தப்படும். ஒரு அணிக்கு ஐந்து ஓவர்கள் படி கிடைக்கும்.
- 1.3.23.3. ஒரு அணியில் 15 வீரர்கள் உள்ளடக்கப்படல் வேண்டும் என்பதுடன் ஒரு தடவையில்
 11 போட்டியாளர்களே போட்டியிட முடியும். ஆகக் குறைந்தது 9 போட்டியாளர்களேனும் போட்டியிட வேண்டும்.
- 1.3.23.4. ஒருவருக்கு ஆகக் கூடியது ஒரு ஒவர் மட்டுமே பந்து செலுத்தலாம்
- 1.3.23.5. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளை பெற்றுக் கொள்ளும் அணி தேசிய மட்ட போட்டியில் கலந்து கொள்ளலாம்.
- 1.3.23.6. சர்வதேச கிரிக்கெட் போட்டி சட்ட விதிமுறைகளுக்கு அமைய சகல போட்டிகளும் நடைபெறும்.

1.3.24. அரை மராத்தான் ஒட்டப் போட்டி (ஆண் / பெண்)

- 1.3.24.1. வயதெல்லைகள்
 - 16 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ் இருத்தல் வேண்டும்.
- 1.3.24.2. தாரம் 21.0975 இலோ மீட்டர்கள்,
- 1.3.24.3. தேசிய மட்ட போட்டிகளில் ஒரு மாகாணத்திலிருந்து ஐம்பது போட்டியாளர்கள் மாத்திரமே கலந்துகொள்ளலாம்,
- 1.3.24.4. சகல வீர வீராங்கனைகளும் உடற் தகைமை சான்றிதழ் பெற்றுக் கொள்ள வேண்டும்.
- 1.3.24.5. சகல வீர வீராங்கனைகளும் உடற் தகைமை தொடர்பாக அரசில் பதிவு செய்துள்ள மருத்துவர் ஒருவரிடமிருந்து பெற்றுக் கொண்ட மருத்துவ சான்றிதழ் மற்றும் ஈ.சீ.ஜீ (ECG) இனை அதிபரின் சான்றுப்படுத்தல் மற்றும் பெற்றோரின் விருப்பக் கடிதத்துடன் சமர்ப்பித்தே போட்டி இலக்கத்தினைப் பெற்றுக் கொள்ளலாம்.
- 1.3.24.6. மேற்படி வயதெல்லை, மருத்துவ பரிசோதனை மற்றும் பயிற்சி தொடர்பான விடயங்களுக்கான ஆவணங்களை பாடசாலையில் ஆவணப்படுத்தி வைப்பதுடன் விளையாட்டுப் பொறுப்பாசிரியரின் மேற்பார்வையின் கீழ் அதிபரால் பிரத்தியேகமான ஒரு கடிதமும் பெற்றோரின் விருப்பக்கடிதமும் சமர்ப்பிக்கப்பட வேண்டும்.
- 1.3.24.7. அதிபரால் வழங்கப்படும் இக்கடிதத்தினை சமர்ப்பிக்காத வீர வீராங்கனைகளுக்கு போட்டியில் கலந்து கொள்ள சந்தர்ப்பம் வழங்கப்படமாட்டாது.

1.3.25. கைப்பந்து (ஆண் / பெண்)

- 1.3.25.1. வயதெல்லைகள்
 - 17 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 17 வருடங்களுக்குக் கீழ்)
 - 20 ற்குக் கீழ் (17 வருடங்களுக்கு மேல் 20 வருடங்களுக்குக் கீழ்)
- 9ர அணிக்கு 14 போட்டியாளர்களைக் கொண்ட பெயர் பட்டியலிடப்பட வேண்டும்.
- 1.3.25.3. விளையாட்டுத் தளத்தில் விளையாடக் கூடியது 7 போட்டியாளர்களாகும்.
- 1.3.25.4. போட்டிக்கான காலம்
 - 17 ற்குக் கீழ் (ஆண் / பெண்)
 15-03-15 நிமிடங்கள்
 - 20 ற்குக் கீழ் (ஆண் / பெண்)
 20-05-20 நிமிடங்கள்
- 1.3.25.5. பந்தின் அளவு

20 ற்குக் கீழ் ஆண் - size 03

20 ற்குக் கீழ் பெண் - size 02

17 ந்குக்கீழ் ஆண் - size 02

17 ற்குக் கீழ் பெண் - size 02

- 1.3.25.6. மாகாண மட்டத்தில் முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளைப் பெற்றுக்கொள்ளும் அணிகள் தேசிய மட்ட போட்டிகளில் கலந்துகொள்ளலாம்.
- 1.3.25.7. சர்வதேச கைப்பந்து போட்டி சட்ட விதிமுறைகளுக்கமைய சகல போட்டிகளும் நடைபெறும்.

1.3.26. கடற்கரை கரப்பந்து (ஆண் / பெண்)

- 1.3.26.1. வயதெல்லைகள்
 - 20 ற்குக் கீழ் (14 வருடங்களுக்கு மேல். 20 வருடங்களுக்குக் கீழ்)
- 1.3.26.2. ஒரு அணியில் இரண்டு வீர வீராங்கனைகள் மாத்திரமே உள்ளடக்கப்படலாம், மேலதிக வீர வீராங்கனைகள் இல்லை.
- 1.3.26.3. வலையின் உயரம் ஆண் 2.43 மீ பெண் - 2.24 மீ
- 1.3.26.4. மூன்று சுற்றுக்களைக் கொண்டதாக இடம்பெறும் மேலும் முதல் இரண்டு சுற்றுக்களும் 21 புள்ளிகளுடன் நிறைவு பெறும் என்பதுடன் இறுதிச் சுற்று 15 புள்ளிகளுடன் நிறைவுபெறும்.
- 1.3.26.5. சர்வதேச கடற்கரை கரப்பந்து போட்டி சட்ட விதிமுறைகளுக்கமைய சகல போட்டிகளும் நடைபெறும்.

1.3.27. மல்யுத்தம் (ஆண்)

- 1.3.27.1. போட்டியில் 20 நிறை வகுதிகள் உள்ளன. ஒரு நிறை வகுதிக்கு ஒருவர் என்ற வகையில் 12 நிறை வகுப்புக்களுக்கு போட்டியாளர்களின் பெயர்களை விண்ணப்பத்திரத்தில் குறிப்பிடலாம். ஒரு நிறை வகுதிக்கு ஒரு போட்டியாளர் என்ற வகையில் ஒரு பாடசாலையிலிருந்து ஆகக் கூடியது 12 போட்டியாளர்கள் கலந்து கொள்ளலாம்.
- 1.3.27.2. இலங்கை பாடசாலை மல்யுத்த சங்கம் மற்றும் இலங்கை மல்யுத்த சங்கத்தின் தரப்படுத்தப்பட்ட வீர் வீராங்கணைகளாக இருத்தல் வேண்டும்.
- 1.3.27.3. எடை அளவீடு மற்றும் மருத்துவ பரிசோதனையின் பின்னர் ஏற்பாட்டுக் குழுவினால் வழங்கப்படும் இறு விண்ணப்படிவத்தில் கீழே 1.3.27.6 இல் குறிப்பிடப்பட்டுள்ளதன் படி தமது பாடசாலையிலிருந்து கலந்து கொள்ளும் 12 நிறை வகுப்புக்களுக்கும் பொறுப்பான ஆசிரியரால் பெயர்களை பட்டியலிட்டு மீண்டும் ஏற்பாட்டுக் குழுவிடம் ஒப்படைக்க வேண்டும்.
- 1.3.27.4. எடை அளவீடு மற்றும் மருத்துவ பரிசோதனைக்கு வருகை தரும்போது அங்கீகரிக்கப்பட்ட மேற்கத்திய வைத்தியர் ஒருவரிடமிருந்து(எடை அளவிடும் தினத்துக்கு முன்னர் 7 நாட்களுக்குள்) பெற்றுக் கொண்ட போட்டியாளர்களின் உடற் தகைமை பற்றிய சான்றிதழினை சமர்ப்பித்தல் வேண்டும். விண்ணப்பப் படிவத்தில் குறிப்பிடப்பட்டுள்ள பெயர் அவ் வைத்திய சான்றிதழிலும் குறிப்பிடப்பட்டிருத்தல் வேண்டும்.
- 1.3.27.5 சர்வதேச மல்யுத்த போட்டி சட்ட விதிமுறைகளுக்கமைய சகல போட்டிகளும் நடைபெறும்.

1.3.27.6 நிறை வகுதி மற்றும் வயதெல்லை

வயது	நிறை வகுதி (கி.கிராம்)
16 ற்குக் கேழ் (14 வருடங்களுக்கு மேல், 16	30-34 இ.இராம்
வருடங்களுக்கு கீழ்)	34-38 இ.இராம்
	38-41 கி.தொம்
	41-44 கி.தொம்
	44-48 கி.கிராம்
	48-52 கி.தொம்

வயது	நிறை வகுதி (கி.கிராம்)
18 ற்குக் கேழ் (16 வருட	ங்களுக்கு மேல், 18 41-45 இ.இராம்
வருடங்களுக்கு கீழ்)	45-48 கி.இராம்
	48-51 கி.கிராம்
	51-55 கி.கிராம்
	55-60 கி.கிராம்
	60-65 கி.திராம்
	65-71 கி.கிராம்
20 ற்குக் கேழ் (18 வருட	ங்களுக்கு மேல் 20 50-54 இ.இராம்
வருடங்களுக்கு கீழ்)	54-57 கி.கிராம்
	57-61 கி.கிராம்
	61-65 கி.கிராம்
	65-70 கி.திராம்
	70-74 கி திராம்
	74–79 கி.திராம்
	79-86 கி. இராம்

1.3.28. குத்துச் சண்டை (ஆண் / பெண்)

1.3.28.1. வயகெல்லைகள்

20 ற்குக் கீழ் (ஆண்) - (18 வருடங்களுக்கு மேல். 20 வருடங்களுக்கு கீழ்)

18 ற்குக் கீழ் (ஆண்) - (16 வருடங்களுக்கு மேல், 18 வருடங்களுக்கு கீழ்)

16 ற்குக் கீழ் (ஆண்) - (14 வருடங்களுக்கு மேல் 16 வருடங்களுக்கு கீழ்)

18 றகுக் கீழ் (பெண்) - (16 வருடங்களுக்கு மேல் 18 வருடங்களுக்கு கீழ்)

- 1.3.28.2. சர்வதேச மற்றும் இலங்கை பாடசாலை குத்துச் சண்டை சங்கங்களால் விதிக்கப்பட்டிருக்கும் சட்ட விதிமுறைகளுக்கமைய சகல போட்டிகளும் நடைபெறும்.
- 1.3.28.3. இப் போட்டியில் புதிய போட்டியாளர்களை கலந்துகொள்ளச்செய்ய முடியாது. போட்டியாளர்கள் ஆகக் குறைந்தது இலங்கை பாடசாலை குத்துச்சண்டை சங்கம் அல்லது இலங்கை குத்துச் சண்டை பயிற்சியாளர் சங்கத்தினால் நடாத்தப் பட்ட போட்டியொன்றில் கலந்து கொண்டு முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகளை பெற்றவர்களாக இருத்தல் வேண்டும்.
- 1.3.28.4. ஆண்களுக்கான 21 நிறை வகுதிகளுக்காக ஒரு பாடசாலையினை பிரதிறித்துவப்படுத்தி பங்குகொள்ளக்கூடிய ஆகக் கூடிய போட்டியாளர்களின் எண்ணிக்கை எட்டு மட்டுமே என்பதுடன் பெண்களுக்கான 5 நிறை வகுதிகளுக்காக ஒரு பாடசாலையை பிரதிறிதித்துவப்படுத்தி கலந்து கொள்ளக்கூடிய ஆகக் கூடிய போட்டியாளர்களின் எண்ணிக்கை இரண்டாகும்.
- 1.3.28.5. விண்ணப்பப்பத்திரங்களை அனுப்பிவைக்கும் போது போட்டியாளர்கள் சிறந்த தேகாரோக்கியத்துடன் இருக்கின்றனர் என்பதனை உறுதிப்படுத்த போட்டிக்கு மிகவும் அண்மித்த தினமொன்றில் மருத்துவர் ஒருவரிடமிருந்து பெற்றுக் கொள்ளப்பட்ட AIBA மருத்துவ சான்றிதழ் மற்றும் மருத்துவ அறிக்கைப் புத்தகத்தில் பேணப்படும் மருத்துவ அறிக்கையினை சமர்ப்பித்தல் கட்டாயமாகும்.

1.3.28.7. நிறை வகுதிகள் மற்றும் வயதெல்லைகள் கீழே வருமாறு.

வயதெல்லைகள்	நிறை வகுதி
16 ற்குக் கேழ் (ஆண்)	44 – 46 இ.இராம்
	46 – 48 இ இராம்
	48 – 50 கி. இராம்
and the control of th	50 52 கி. இராம்
	52 — 54 இ இராம்
	46 – 49 கி.திராம்
	49 – 52 இதிராம்
	52 – 56 கி. இராம்
18 ற்குக் கேழ் (ஆண்)	56 – 60 கி.தொம்
mon mp (op.m.)	60 – 64 கி.திராம்
	64 – 69 கி.இராம்
	69 – 75 கி.கிராம்
	75 — 81 கி.திராம்
	45 – 48 கி.கிராம்
	48 — 51 கி.கிராம்
18 ற்குக் கீழ் (பெண்)	51 – 54 கி.கிராம்
	54 — 57 கி.கிராம்
	57 — 60 கி.திராம்
	46 – 49 இ.இராம்
	49 — 52 கி.திராம்
	52 — 56 இ.திராம்
20 4 - 4 6 5 ()	56 – 60 இ.திராம்
20 ற்குக் கீழ் (ஆண்)	60 – 64 இ.இராம்
	64 – 69 கி.கிராம்
	69 — 75 இ.தெராம்
	75 – 81 இ.இராம்

1.3.29. ஜூடோ (ஆண் / பெண்)

- 1.3.29.1 வயதெல்லைகள்
 - 17 ற்குக் கீழ் (14 வருடங்களுக்கு மேல். 17 வருடங்களுக்குக் கீழ்)
 - 20 ற்குக் கீழ் (17 வருடங்களுக்கு மேல். 20 வருடங்களுக்குக் கீழ்)
- 1.3.29.2 இலங்கை பாடசாலை ஜூடோ சங்கம் அல்லது இலங்கை ஜூடோ சங்கத்தின் தரப்படுத்தப்பட்ட வீர வீராங்கனைகளாக இருக்க வேண்டும்.
- 1.3.29.3 சகல வீர வீராங்கனைகளும் தமது உடற் தகைமையினை உறுடுப்படுத்துவதற்காக ஒரு வருட காலப்பகுதியில் அரசினால் அங்கீகரிக்கப்பட்ட மேற்கத்தீய வைத்தியர் ஒருவரால் வழங்கப்படும் மருத்துவ சான்றிதழ் ஒன்றினை சமர்ப்பித்தல் வேண்டும்.
- 1.3.29.4 ஒரு நிறை வகுதியின் கீழ் ஒரு பாடசாலையிலிருந்து இரண்டு போட்டியாளர்கள் மாத்திரமே கலந்து கொள்ள முடியும்.

1.3.29.5 நிறை வகுதிகள்

வயதெல்லைகள்	ஆன்	பெண்	
17 ற்குக் கேழ்	35 கி.தொம்	36 கி.கிராம்	
	40 கிகிராம்	40 கி.கிராம்	
	45 கி.கிராம்	44 கி.கிராம்	
	50 கி.இராம்	48 கி.கிராம்	
	55 கிகிராம்	52 கி.கிராம்	
	55 கி.திராமிற்கு மேல்	52 இ.திராமிற்கு மேல்	
	45 கி.கிராம்	44 இஇராம்	
20 ந்குக் கேழ்	50 கி.கிராம்	48 கி.திராம்	
	55 கிகிராம்	52 இ.இராம்	
	60 இ.திராம்	57 இ.இராம்	
	66 கி.கிராம்	63 கி.கிராம்	
	73 கி.கிராம்	70 கி.தொம்	
	73 கி.கிராமிற்கு மேல்	70 கி.கிராமிற்கு மேல்	
	திறந்த	திறந்த	

- 1.3.29.6 ஆண் / பெண்களுக்கான போட்டி நடைபெறும் நேரம் 05 நிமிடங்களாகும்.
- 1.3.29.7 35, 36 கி. இராம் நிறை வகுடுயில் ஆண்/ பெண்களுக்கான சொக்லொக் (CHOKELOCK) மற்றும் ஆம்லொக் (ARMLOCK) முறைகளை உபயோகப்படுத்துவது தடை செய்யப்பட்டுள்ளது

1.3.30. டெனிஸ் (ஆண் / பெண்)

- 1.3.30.1 வயதெல்லைகள்
 - 17 ற்குக் கீழ் (14 வருடங்களுக்கு மேல், 17 வருடங்களுக்குக் கீழ்)
 - 20 ற்குக் கேழ் (17 வருடங்களுக்கு மேல். 20 வருடங்களுக்குக் கேழ்)
- 1.3.30.2 இரண்டு ஒற்றையர் போட்டிகளும் ஒரு இரட்டையர் போட்டியையும் இச்சுற்றுப் போட்டி கொண்டுள்ளது.
- 1.3.30.3 ஒற்றையர் போட்டியில் கலந்து கொள்பவர்களுக்கு இரட்டையர் போட்டியில் கலந்து கொள்ள முடியாது.
- 1.3.30.4 ஒரு அணிக்கு 6 பேர் கொண்ட பட்டியலினை தயாரித்து போட்டியாளர்களை அப்பட்டியலில் இருந்து தேர்ந்தெடுக்க வேண்டும்.
- 1.3.30.5 சர்வதேச டெனிஸ் போட்டி சட்ட விதிமுறைகளுக்கமைய சகல போட்டிகளும் நடைபெறும்.

1.3.31. பாரம் தூக்கல் (ஆண் / பெண்)

- 1.3.31.1 வயதெல்லைகள் -
 - 17 ற்குக் கீழ் (14 வருடங்களுக்கு மேல் 17 வருடங்களுக்கு கீழ்)
 - 20 ற்குக் கீழ் (17 வருடங்களுக்கு மேல் 20 வருடங்களுக்கு கீழ்)

1.3.31.2 நிறை வகுதிகள்

வயதெல்லை	நிறை வகுதிகள்	
17 ற்குக் கீழ் ஆண்	49,55,61,67,73,81,89,96,102,102+ இ.இராம்	
17 ற்குக் கீழ் பெண்	40,45,49,55,59,64,71,76,81,81+ கி.கிராம்	
20 ற்குக் கீழ் ஆண்	55,61,67,73,81,89,96,102,109,109+ கிகிராம்	
20 ற்குக் கீழ் பெண்	45,49,55,59,64,71,76,81,87, 87+ இ.குராம்	

1.3.31.3. ஒரு வயதெல்லையின் கீழ் பன்னிரண்டு (12) போட்டியாளர்கள் விண்ணப்பிக்க முடியும் என்பதுடன் பத்து (10) பேர் மட்டுமே போட்டியிட முடியும். இரண்டு போட்டியாளர்கள் மேலதிக போட்டியாளர்களாவர், ஒரு நிறைவகுதியின் கீழ் ஆகக் கூடியது இரண்டு (02) போட்டியாளர்கள் கலந்து கொள்ளலாம்.

1.3.31.4. ஆரம்ப முயற்டு

- பெண்களுக்கான ஆகக் குறைந்த நிறை 21 இ. இராம்களாகும் (21Kg)
- ஆண்களுக்கான ஆகக் குறைந்த நிறை 26 கி.கிராம்களாகும். (26Kg)

.

1.3.31.5. உடல் எடை அளவிடல்

போட்டி ஆரம்பிக்க இரண்டு மணி (02) நேரங்களுக்கு முன்னர் எடை அளவிடல் ஆரம்பிக்கப்பட வேண்டும். முதல் மணித்தியாலத்தில் உரிய நிறை வகுதிக்குரியதாக சரியாக நிறை வழங்கப்படவேண்டும் என்பதுடன் அவ்வாறு செய்யாத போட்டியாளர்கள் போட்டியிலிருந்து நீக்கப்படுவர்.

1.3.31.6. போட்டியாளர்களின் உடை

போட்டியாளர்கள் பாரம் தூக்கும் போட்டிக்காக உபயோகப்படுத்தும் உடைகளை (Lifting Kit) பாவிப்பது கட்டாயமாகும். ஆடையின் மேற் பகுதி மற்றும் கீழ் பகுதி வேறாக இருக்கக் கூடிய விதமாக ஆடை அணிவது முயற்சி தோல்வியடைய காரணமாகும்.

பாரம் தூக்கும் போட்டிக்கு மிகவும் உகந்த பாதணிகளை அணிவது கட்டாயமாகும்.

1.3.31.7. விண்ணப்பங்களை சமர்ப்பித்தல்

இறுதி விண்ணப்பப்படிவத்தினை போட்டி நடைபெறுவதற்கு முந்திய தினம் மு.ப 6.00 மணிக்கு முன்னர் ஏற்பாட்டுக் குழுவிடம் கையளிக்க வேண்டும் அவ்வாறு வழங்கத் தவறும் பட்சத்தில் அவ் அணிகளின் முதல் விண்ணப்பப்படிவமே இறுதி விண்ணப்படிவமாக கருதப்படும்.

1.3.31.8. சகல போட்டிகளும் சர்வதேச பாரம் தூக்கல் சட்ட விதிமுறைகளுக்கமையவே நடைபெறும்.

1.3.32. சைக்குளோட்டப் போட்டி (ஆண் / பெண்)

- 1.3.32.1. வயதெல்லைகள் -
 - 20 ற்குக் கீழ் (16 வருடங்களுக்கு மேல், 20 வருடங்களுக்குக் கீழ்)
- 1.3.32.2. தூரம்
- ஆண் 30 கி.மீ
- பெண் 20 இ.மீ
- 1.3.32.3. சைக்கிளின் பின்பக்கம் உள்ள பற்சக்கரம் (ப்ரீ வீல்) 18 பற்களைக் கொண்டிருக்க வேண்டும். முன் பகுதியிலுள்ள பற்சக்கரம் (கொக்வீல்) இல் 48 பற்கள் இருத்தல் கட்டாயமாகும்.
- 1.3.32.4. தேசிய மட்ட போட்டிக்கு ஒரு மாகாணத்திலிருந்து எந்த எண்ணிக்கையிலேனும் போட்டியாளர்கள் கலந்து கொள்ளலாம்.
- 1.3.32.5. வீர வீராங்கனைகள் கட்டாயம் பாதுகாப்புத் தலைக்கவசம் அணிதல் வேண்டும்.
- 1.3.32.6. சகல போட்டியாளர்களும் தமது உடற் தகைமை பற்றி எம்.பீ.பீஎஸ் மருத்துவர் ஒருவரிடமிருந்து பெற்றுக் கொண்ட மருத்துவ அறிக்கை மற்றும் ஈ.சீ.ஜீ (ECG) இனை அதிபரின் சான்றுப்படுத்தல் மற்றும் பெற்றோர்களின் விருப்பக் கடிதம் ஆகியனவற்றை போட்டி இலக்கம் பெற்றுக் கொள்ளும்போது சமர்ப்பித்தல் வேண்டும்.

2. அகில இலங்கை பாடசாலை அஞ்சலோட்டப் போட்டி

2.1. வயதெல்லைகள்

தேசிய மட்டத்தில் நடைபெறும் இச்சுற்றுப் போட்டிகள் பின்வரும் வயதெல்லைகளின் கீழ் நடைபெறும்.

- 12 ற்குக் கீழ் ஆண் / பெண்
- 14 ற்குக் கீழ் ஆண் / பெண்
- 16 ற்குக்கீழ் ஆண் / பெண்
- 18 ற்குக்கீழ் ஆண் / பெண்
- 20 ற்குக்கீழ் ஆண் / பெண்
- 2.2 12 வயதிற்குக் கீழ் போட்டிகளுக்கு முதலாம், இரண்டாம் மற்றும் மூன்றாம் நிலைகள் வீர வீராங்கனைகளுக்கு வழங்கப்படாது என்பதுடன் தேசிய தகைமை மட்டத்தை தாண்டும் வீர வீராங்கனைகளுக்கு திறமைச் சான்றிதழ்கள் வழங்கப்படும். தகைமை மட்டத்தைத் தாண்டும் ஒவ்வொரு சந்தர்ப்பத்திலும் அப் பாடசாலைக்கு 01 புள்ளி வீதம் வழங்கப்படும்.
- 2.3. போட்டி நிகழ்ச்சிகள்
 - 2.3.1 12 ற்குக் கீழ் ஆண் / பெண் (10 வருடங்களுக்கு மேல் 12 வருடங்களுக்குக் கீழ்)

ஆன்	பெண்
50 மீட்டர் X 4	50 மீட்டர் X 4
100 மீட்டர் X 4	100 மீட்டர் X 4

2.3.2 14 ற்குக் கிழ் ஆண் / பெண்

(12 வருடங்களுக்கு மேல் - 14 வருடங்களுக்குக் கீழ்)

ஆண்	பெண்		
50 மீட்டர் X 4	50 மீட்டர் X 4		
100 மீட்டர் X 4	100 மீட்டர் X 4		
200 மீட்டர் X 4	200 மீட்டர் X 4		

2.3.3. 16 ற்குக் கீழ் ஆண் / பெண்

(14 வருடங்களுக்கு மேல் - 16 வருடங்களுக்குக் கீழ்)

ஆன்	பெண்
100 மீட்டர் X 4	100 மீட்டர் X 4
200 மீட்டர் X 4	200 பீட்டர் X 4
400 மீட்டர் X 4	400 மீட்டர் X 4
மெட்லி அஞ்சல் - (100,200,300,400 மீட்டர்)	மெட்லி அஞ்சல் - (100,200,300,400 மீட்டர்)

2.3.4. 18 ற்குக்கிழ் ஆண் / பெண்

(16 வருடங்களுக்கு மேல் - 18 வருடங்களுக்குக் கீழ்)

ஆன்	பெண்		
100 மீட்டர் X 4	100 மீட்டர் X 4		
200 மீட்டர் X 4	200 மீட்டர் X 4		
400 மீட்டர் X 4	400 மீட்டர் X 4		
800 மீட்டர் X 4	800 மீட்டர் X 4		
மெட்லி அஞ்சல் - (100,200,300,400 மீட்டர்)	மெட்லி அஞ்சல் - (100,200,300,400 மீட்டர்)		


2.3.5 . 20 ற்குக் கீழ் ஆண் / பெண்

(18 வருடங்களுக்கு மேல் - 20 வருடங்களுக்குக் கீழ்)

ஆண்	பெண்
100 மீட்டர் X 4	100 மீட்டர் X 4
200 மீட்டர் X 4	200 மீட்டர் X 4
400 மீட்டர் X 4	400 மீட்டர் X 4
800 மீட்டர் X 4	800 மீட்டர் X 4
மெட்லி அஞ்சல் - (100,200,300,400 மீட்டர்)	மெட்லி அஞ்சல் - (100,200,300,400 மீட்டர்)

- ஒரு அஞ்சலோட்டப் போட்டிக்கு ஒரு பாடசாலையிலிருந்து ஒரு அணி மட்டுமே கலந்து கொள்ளலாம்.
- 2.5. பந்தி இலக்கம் 2.3 போட்டிகளுக்கு பாடசாலைகளிலிருந்து சமர்ப்பிக்கப்படும் அஞ்சல் ஓட்டப் போட்டிக்குரிய விண்ணப்பப்படிவங்கள் அம் மாகாணத்தின் விளையாட்டு பி.க.ப/ உ.க.ப இனால் மே மாதம் 30ம் திகதிக்கு முன்னர் கல்வி அமைச்சின் விளையாட்டு மற்றும் உடற்கல்விக் கிளைக்கு அனுப்பிவைக்கப்படல் வேண்டும்.

பேராசிரியர்கே. கபில், சீ, கே பெரேரா செயலாளர் கல்வி அமைச்சு



ISBN 978-624-6511-05-0